

OnBoard Learning Management System  
Industrial Training Services, Inc. - Transcript Archives

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date		Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
						Knowledge Taken	Expires										
Premier Utility Services			PJQ10	CT-Soil Compaction	Passed	06/02/2014	06/02/2017			NGA-WE-(H)	NGA-WE-(H)-EXAM Soil Compaction - 14682	06/02/2017	WE	Expired	Yes	Import	Expired
Premier Utility Services			PJQ10	CT-Soil Compaction (NV)	Passed	07/06/2006	07/06/2009			NGA-WE-Soil-CompactNV	NGA-WE-Soil Compaction (PJQ-10) (NV)	07/06/2009	WE	Expired	Yes	Import	Expired
Premier Utility Services			PJQ10	CT-Soil Compaction (NV)	Passed	02/15/2007	02/15/2010			NGA-WE-Soil-CompactNV	NGA-WE-Soil Compaction (PJQ-10) (NV)	02/15/2010	WE	Expired	Yes	Import	Expired
Premier Utility Services			PJQ10	CT-Soil Compaction (NV)	Passed	02/15/2007	02/15/2010			NGA-WE-Soil-CompactNV	NGA-WE-Soil Compaction (PJQ-10) (NV)	07/06/2009	WE	Expired	Yes	Import	Expired
Premier Utility Services			PJQ10	CT-Soil Compaction (NV)	Passed	03/18/2008	02/15/2010			NGA-WE-Soil-CompactNV	NGA-WE-Soil Compaction (PJQ-10) (NV)	02/15/2010	WE	Expired	Yes	Import	Expired
Premier Utility Services			PJQ10	CT-Soil Compaction (NV)	Passed	03/18/2008	02/15/2010			NGA-WE-Soil-CompactNV	NGA-WE-Soil Compaction (PJQ-10) (NV)	03/18/2011	WE	Expired	Yes	Import	Expired
Premier Utility Services			PJQ10	CT-Soil Compaction (NV)	Passed	03/18/2008	02/15/2010			NGA-WE-Soil-CompactNV	NGA-WE-Soil Compaction (PJQ-10) (NV)	07/06/2009	WE	Expired	Yes	Import	Expired
Premier Utility Services			PJQ10	CT-Soil Compaction (NV)	Passed	03/08/2010	03/18/2011			NGA-WE-Soil-CompactNV	NGA-WE-Soil Compaction (PJQ-10) (NV)	03/08/2013	WE	Expired	Yes	Import	Expired
Premier Utility Services			PJQ10	CT-Soil Compaction (NV)	Passed	03/08/2010	03/18/2011			NGA-WE-Soil-CompactNV	NGA-WE-Soil Compaction (PJQ-10) (NV)	03/18/2011	WE	Expired	Yes	Import	Expired
Premier Utility Services			PJQ10	CT-Soil Compaction (NV)	Passed	02/11/2011	03/08/2013			NGA-WE-Soil-CompactNV	NGA-WE-Soil Compaction (PJQ-10) (NV)	02/11/2014	WE	Expired	Yes	Import	Expired
Premier Utility Services			PJQ10	CT-Soil Compaction (NV)	Passed	02/11/2011	03/08/2013			NGA-WE-Soil-CompactNV	NGA-WE-Soil Compaction (PJQ-10) (NV)	03/08/2013	WE	Expired	Yes	Import	Expired
Premier Utility Services			PJQ10	CT-Soil Compaction (NV)	Passed	02/11/2011	03/08/2013			NGA-WE-Soil-CompactNV	NGA-WE-Soil Compaction (PJQ-10) (NV)	03/18/2011	WE	Expired	Yes	Import	Expired
Premier Utility Services			02	CT02-Measure Pipe-to-Soil Potential	Failed	03/16/2016			Northeast Gas Association	NGA-WE-CT02	NGA-WE-CT02-Measuring Pipe-to-Soil Potential - 13792		WE	No	No	Online	No
Premier Utility Services			06A	CT06A-Inspecting for atmospheric Corrosion: Distribution Technician	Passed	07/06/2006	07/06/2011			NGA-WE-CT06A	NGA-WE-CT06A-Inspecting for Atmospheric Corrosion (NV) - 26513	07/06/2011	WE	Expired	Yes	Import	Expired
Premier Utility Services			06A	CT06A-Inspecting for atmospheric Corrosion: Distribution Technician	Failed	03/16/2016			Northeast Gas Association	NGA-WE-CT06A & CT08A	NGA-WE-CT06A & CT08A-Inspecting for Atmospheric Corrosion, Visually Inspecting for Internal Corrosion: Distribution Technician - 13797		WE	No	No	Online	No
Premier Utility Services			08A	CT08A-Visually inspecting for internal corrosion: Distribution Technician	Passed	07/06/2006	07/06/2011			NGA-WE-CT08A	NGA-WE-CT08A-Visually Inspecting for Internal Corrosion (NV) - 32127	07/06/2011	WE	Expired	Yes	Import	Expired
Premier Utility Services			08A	CT08A-Visually inspecting for internal corrosion: Distribution Technician	Failed	03/16/2016			Northeast Gas Association	NGA-WE-CT06A & CT08A	NGA-WE-CT06A & CT08A-Inspecting for Atmospheric Corrosion, Visually Inspecting for Internal Corrosion: Distribution Technician - 13797		WE	No	No	Online	No
Premier Utility Services			11A	CT11A-Applying pipe coating in the field	Passed	04/11/2014	09/20/2018			NGA-WE-CT11A, 12A & 17 A	NGA-WE-CT11A, 12A & 17 A-Applying Pipe Coating in the Field, Cleaning and either Coating or Jacketing Pipe for Atmospheric Corrosion, Repair Coating on a Steel Pipe: Distribution Technician - 13803	09/20/2018	WE	Expired	Yes	Import	Expired
Premier Utility Services			11A	CT11A-Applying pipe coating in the field	Passed	07/06/2006	07/06/2011			NGA-WE-CT11A	NGA-WE-CT11A-Applying Pipe Coating in the Field (NV) - 26518	07/06/2011	WE	Expired	Yes	Import	Expired
Premier Utility Services			11B	CT11B-Applying pipe coating in the field	Passed	03/16/2016	03/16/2019			NGA-WE-CT11B, 12B & 17B	NGA-WE-CT11B, 12B & 17B-Applying Pipe Coating in the Field, Cleaning and either Coating or Jacketing Pipe for Atmospheric Corrosion, Repair Coating on a Steel Pipe: Customer Service Technician - 13804	03/16/2019	WE	Expired	Yes	Online	Expired
Premier Utility Services			12A	CT12A-Cleaning and either coating or jacketing pipe for atmospheric corrosion: Distribution	Passed	04/11/2014	09/20/2018			NGA-WE-CT11A, 12A & 17 A	NGA-WE-CT11A, 12A & 17 A-Applying Pipe Coating in the Field, Cleaning and either Coating or Jacketing Pipe for Atmospheric Corrosion, Repair Coating on a Steel Pipe: Distribution Technician - 13803	09/20/2018	WE	Expired	Yes	Import	Expired
Premier Utility Services			12A	CT12A-Cleaning and either coating or jacketing pipe for atmospheric corrosion: Distribution	Passed	07/06/2006	07/06/2011			NGA-WE-CT12A	NGA-WE-CT12A-Cleaning and either Coating or Jacketing Pipe for Atmospheric Corrosion (NV) - 26521	07/06/2011	WE	Expired	Yes	Import	Expired
Premier Utility Services			12B	CT12B-Cleaning and either coating or jacketing pipe for atmospheric corrosion: Customer Service	Passed	03/16/2016	03/16/2019			NGA-WE-CT11B, 12B & 17B	NGA-WE-CT11B, 12B & 17B-Applying Pipe Coating in the Field, Cleaning and either Coating or Jacketing Pipe for Atmospheric Corrosion, Repair Coating on a Steel Pipe: Customer Service Technician - 13804	03/16/2019	WE	Expired	Yes	Online	Expired

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Premier Utility Services			14	CT14-Installing/replacing an anode on a pipeline	Passed	04/11/2014	09/20/2018			NGA-WE-CT14 & CT16	NGA-WE-CT14 & CT16-Installing/Replacing an Anode and a Corrosion Test Station on a Pipeline - 13808	09/20/2018	WE	Expired	Yes	Import	Expired
Premier Utility Services			14	CT14-Installing/replacing an anode on a pipeline	Passed	03/22/2007	03/22/2012			NGA-WE-CT14	NGA-WE-CT14-Installing/Replacing an Anode on a Pipeline (NV) - 26524	03/22/2012	WE	Expired	Yes	Import	Expired
Premier Utility Services			15	CT15-Installing/replacing and testing electrical isolation couplings on a pipeline	Passed	04/11/2014	09/20/2018			NGA-WE-CT15	NGA-WE-CT15-Installing/Replacing and Testing Electrical Isolation Couplings on a Pipeline - 13809	09/20/2018	WE	Expired	Yes	Import	Expired
Premier Utility Services			15	CT15-Installing/replacing and testing electrical isolation couplings on a pipeline	Passed	03/22/2007	03/22/2012			NGA-WE-CT15	NGA-WE-CT15-Installing/Replacing and Testing Electrical Isolation Couplings on a Pipeline - 13809	03/22/2012	WE	Expired	Yes	Import	Expired
Premier Utility Services			16	CT16-Install/replace a corrosion test station on a pipeline	Passed	04/11/2014	09/20/2018			NGA-WE-CT14 & CT16	NGA-WE-CT14 & CT16-Installing/Replacing an Anode and a Corrosion Test Station on a Pipeline - 13808	09/20/2018	WE	Expired	Yes	Import	Expired
Premier Utility Services			16	CT16-Install/replace a corrosion test station on a pipeline	Passed	03/22/2007	03/22/2012			NGA-WE-CT16	NGA-WE-CT16-Install/Replace a Corrosion Test Station on a Pipeline (NV) - 26525	03/22/2012	WE	Expired	Yes	Import	Expired
Premier Utility Services			17A	CT17A-Repair coating on a steel pipelines: Distribution	Passed	04/11/2014	09/20/2018			NGA-WE-CT11A, 12A & 17 A	NGA-WE-CT11A, 12A & 17 A-Applying Pipe Coating in the Field, Cleaning and either Coating or Jacketing Pipe for Atmospheric Corrosion, Repair Coating on a Steel Pipe: Distribution Technician - 13803	09/20/2018	WE	Expired	Yes	Import	Expired
Premier Utility Services			17A	CT17A-Repair coating on a steel pipelines: Distribution	Passed	07/06/2006	07/06/2011			NGA-WE-CT17A	NGA-WE-CT17A-Repair Coating on a Steel Pipeline (NV) - 26527	07/06/2011	WE	Expired	Yes	Import	Expired
Premier Utility Services			17B	CT17B-Repair coating on a steel pipelines: Customer Service	Passed	03/16/2016	03/16/2019		Northeast Gas Association	NGA-WE-CT11B, 12B & 17B	NGA-WE-CT11B, 12B & 17B-Applying Pipe Coating in the Field, Cleaning and either Coating or Jacketing Steel Pipe: Customer Service Technician - 13804	03/16/2019	WE	Expired	Yes	Online	Expired
Premier Utility Services			18	CT18-Conducting gas leakage surveys	Passed	02/25/2010	02/25/2013			NGA-WE-CT18	NGA-WE-CT18-Conducting Gas Leakage Surveys (NV) - 0	02/25/2013	WE	Expired	Yes	Import	Expired
Premier Utility Services			19	CT19-Patrolling and inspecting pipelines	Passed	02/25/2010	02/25/2013			NGA-WE-CT19NV	NGA-WE-CT19 (NV) - 0	02/25/2015	WE	Expired	Yes	Import	Expired
Premier Utility Services			20	CT20-Investigating Leak or Odor Complaints	Failed	03/16/2016			Northeast Gas Association	NGA-WE-20A	NGA-WE-20A- Investigating Leak or Odor Complaints (Inside and Outside)	04/11/2017	WE	No	No	Online	No
Premier Utility Services			20	CT20-Investigating Leak or Odor Complaints	Failed	03/16/2016			Northeast Gas Association	NGA-WE-20B	NGA-WE-20B- Investigating Leak or Odor Complaints (Outside Investigation Only)		WE	No	No	Online	No
Premier Utility Services			20A	CT20A-Investigating Leak/Odor Complaints(Outside)	Passed	04/11/2014	04/11/2017			NGA-WE-20A	NGA-WE-20A- Investigating Leak or Odor Complaints (Inside and Outside)	04/11/2017	WE	Expired	Yes	Import	Expired
Premier Utility Services			20A	CT20A-Investigating Leak/Odor Complaints(Outside)	Passed	06/21/2006	06/21/2009			NGA-WE-20A	NGA-WE-20A- Investigating Leak or Odor Complaints (Inside and Outside)	06/21/2009	WE	Expired	Yes	Import	Expired
Premier Utility Services			21	CT21-Line locating and mark out	Passed	06/21/2006	06/21/2009			NGA-PE-CT21	NGA-PE-CT21-Line Locating and Mark Out (NV) - 26476	06/21/2009		Expired	Yes	Import	Expired
Premier Utility Services			21	CT21-Line locating and mark out	Passed	06/21/2006	06/21/2009			NGA-WE-CT21.	NGA-WE-CT21-Line Locating and Mark Out - 13817	06/21/2009	WE	Expired	Yes	Import	Expired
Premier Utility Services			21	CT21-Line locating and mark out	Passed	02/26/2009	02/26/2012			NGA-PE-CT21	NGA-PE-CT21-Line Locating and Mark Out (NV) - 26476	06/21/2009		Expired	Yes	Import	Expired
Premier Utility Services			21	CT21-Line locating and mark out	Passed	02/26/2009	02/26/2012			NGA-WE-CT21.	NGA-WE-CT21-Line Locating and Mark Out - 13817	02/26/2012	WE	Expired	Yes	Import	Expired
Premier Utility Services			21	CT21-Line locating and mark out	Passed	03/16/2016			Northeast Gas Association	NGA-WE-CT21.	NGA-WE-CT21-Line Locating and Mark Out - 13817	03/16/2019	WE	Expired	No	Online	No
Premier Utility Services			22	CT22-Inspection of 3rd Party Excavations for Damage Prevention/Cast Iron Encroachment	Passed	07/06/2006	07/06/2009			NGA-WE-CT22	NGA-WE-CT22-Inspection of 3rd Party Excavations for Damage Prevention/Cast Iron Encroachment - 13818	07/06/2009	WE	Expired	Yes	Import	Expired
Premier Utility Services			23	CT23-Inspecting the condition of exposed	Passed	04/11/2014	04/11/2017			NGA-WE-CT23 & CT24	NGA-WE-CT23 & CT24-Inspect the Condition of Exposed Metallic Pipe or Pipe Coating and Inspecting Pipe for Damage - 13819	04/11/2017	WE	Expired	Yes	Import	Expired
Premier Utility Services			23	CT23-Inspecting the condition of exposed	Passed	07/06/2006	07/06/2009			NGA-WE-CT23	NGA-WE-CT23-Inspecting the Condition of Exposed Pipe or Pipe Coating (NV) - 26532	07/06/2009	WE	Expired	Yes	Import	Expired
Premier Utility Services			24	CT24-Inspect pipe for damage	Passed	04/11/2014	09/20/2018			NGA-WE-CT23 & CT24	NGA-WE-CT23 & CT24-Inspect the Condition of Exposed Metallic Pipe or Pipe Coating and Inspecting Pipe for Damage - 13819	09/20/2018	WE	Expired	Yes	Import	Expired
Premier Utility Services			24	CT24-Inspect pipe for damage	Passed	07/06/2006	07/06/2011			NGA-WE-CT24	NGA-WE-CT24-Inspecting Pipe for Damage (NV) - 26533	07/06/2011	WE	Expired	Yes	Import	Expired
Premier Utility Services			28	CT28-Uprating	Passed	02/25/2010	02/25/2013			NGA-WE-CT28	NGA-WE-CT28-Uprating - 13824	02/25/2013	WE	Expired	Yes	Import	Expired
Premier Utility Services			28	CT28-Uprating	Passed	03/16/2016	03/16/2019		Northeast Gas Association	NGA-WE-CT28	NGA-WE-CT28-Uprating - 13824	03/16/2019	WE	Expired	Yes	Online	Expired
Premier Utility Services			29	CT29-Repair distribution line leaks	Passed	04/11/2014	04/11/2017			NGA-WE-CT29 & CT30	NGA-WE-CT29 & CT30-Repair All Distribution Line Leaks - 13825	04/11/2017	WE	Expired	Yes	Import	Expired

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Premier Utility Services			29	CT29-Repair distribution line leaks	Passed	07/06/2006	07/06/2009			NGA-WE-CT29	NGA-WE-CT29-Repair Distribution Line Leaks (NV) - 14458	07/06/2009	WE	Expired	Yes	Import	Expired
Premier Utility Services			29	CT29-Repair distribution line leaks	Passed	02/26/2009	07/06/2009			NGA-WE-CT29	NGA-WE-CT29-Repair Distribution Line Leaks (NV) - 14458	07/06/2009	WE	Expired	Yes	Import	Expired
Premier Utility Services			29	CT29-Repair distribution line leaks	Passed	02/26/2009	07/06/2009			NGA-WE-CT29	NGA-WE-CT29-Repair Distribution Line Leaks (NV) - 14458	02/26/2012	WE	Expired	Yes	Import	Expired
Premier Utility Services			30	CT30-Repair a non-leaking pipe	Passed	04/11/2014	09/20/2018			NGA-WE-CT29 & CT30	NGA-WE-CT29 & CT30-Repair All Distribution Line Leaks - 13825	09/20/2018	WE	Expired	Yes	Import	Expired
Premier Utility Services			30	CT30-Repair a non-leaking pipe	Passed	07/06/2006				NGA-WE-CT30	NGA-WE-CT30-Repair a Non-Leaking Pipe - 13826		WE	No	No	Import	No
Premier Utility Services			30	CT30-Repair a non-leaking pipe	Passed	07/06/2006	07/06/2009			NGA-WE-CT29	NGA-WE-CT29-Repair Distribution Line Leaks (NV) - 14458	07/06/2009	WE	Expired	Yes	Import	Expired
Premier Utility Services			30	CT30-Repair a non-leaking pipe	Passed	02/26/2009	07/06/2009			NGA-WE-CT29	NGA-WE-CT29-Repair Distribution Line Leaks (NV) - 14458	07/06/2009	WE	Expired	Yes	Import	Expired
Premier Utility Services			30	CT30-Repair a non-leaking pipe	Passed	02/26/2009	07/06/2009			NGA-WE-CT29	NGA-WE-CT29-Repair Distribution Line Leaks (NV) - 14458	02/26/2012	WE	Expired	Yes	Import	Expired
Premier Utility Services			31A	CT31A-Installation of Pipe: Storage, Handling and Inspection of Pipe: General Knowledge	Passed	04/11/2014	04/11/2017			NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	04/11/2017	WE	Expired	Yes	Import	Expired
Premier Utility Services			31A	CT31A-Installation of Pipe: Storage, Handling and Inspection of Pipe: General Knowledge	Passed	06/19/2007	06/19/2010			NGA-WE-CT31	NGA-WE-CT31-Installation of Pipe (NV) - 26537	06/19/2010	WE	Expired	Yes	Import	Expired
Premier Utility Services			31A	CT31A-Installation of Pipe: Storage, Handling and Inspection of Pipe: General Knowledge	Passed	02/25/2010	02/25/2013			NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	02/25/2013	WE	Expired	Yes	Import	Expired
Premier Utility Services			31B	CT31B-Installation of Pipe: Install Pipe in a Ditch	Passed	04/11/2014	04/11/2017			NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	04/11/2017	WE	Expired	Yes	Import	Expired
Premier Utility Services			31B	CT31B-Installation of Pipe: Install Pipe in a Ditch	Passed	04/11/2014	04/11/2017			NGA-WE-31B	NGA-WE-31B-Installation of Pipe: Install Pipe in a Ditch - 14406	04/11/2017	WE	Expired	Yes	Import	Expired
Premier Utility Services			31B	CT31B-Installation of Pipe: Install Pipe in a Ditch	Passed	06/19/2007	06/19/2010			NGA-WE-CT31	NGA-WE-CT31-Installation of Pipe (NV) - 26537	06/19/2010	WE	Expired	Yes	Import	Expired
Premier Utility Services			31B	CT31B-Installation of Pipe: Install Pipe in a Ditch	Passed	02/25/2010	02/25/2013			NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	02/25/2013	WE	Expired	Yes	Import	Expired
Premier Utility Services			31B	CT31B-Installation of Pipe: Install Pipe in a Ditch	Passed	02/25/2010	02/25/2013			NGA-WE-31B	NGA-WE-31B-Installation of Pipe: Install Pipe in a Ditch - 14406	02/25/2013	WE	Expired	Yes	Import	Expired
Premier Utility Services			31C	CT31C-Installation of Pipe: Installing Pipe by Horizontal Directional Drilling	Passed	06/19/2007	06/19/2010			NGA-WE-CT31	NGA-WE-CT31-Installation of Pipe (NV) - 26537	06/19/2010	WE	Expired	Yes	Import	Expired
Premier Utility Services			31C	CT31C-Installation of Pipe: Installing Pipe by Horizontal Directional Drilling	Passed	02/25/2010	02/25/2013			NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	02/25/2013	WE	Expired	Yes	Import	Expired
Premier Utility Services			31C	CT31C-Installation of Pipe: Installing Pipe by Horizontal Directional Drilling	Passed	02/25/2010	02/25/2013			NGA-WE-31C	NGA-WE-31C-Installation of Pipe:Installing Pipe by Horizontal Directional Drilling - 14407	02/25/2013	WE	Expired	Yes	Import	Expired
Premier Utility Services			31C	CT31C-Installation of Pipe: Installing Pipe by Horizontal Directional Drilling	Failed	03/16/2016			Northeast Gas Association	NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	04/11/2017	WE	No	No	Online	No
Premier Utility Services			31C	CT31C-Installation of Pipe: Installing Pipe by Horizontal Directional Drilling	Failed	03/16/2016			Northeast Gas Association	NGA-WE-31C	NGA-WE-31C-Installation of Pipe:Installing Pipe by Horizontal Directional Drilling - 14407		WE	No	No	Online	No
Premier Utility Services			31C	CT31C-Installation of Pipe: Installing Pipe by Horizontal Directional Drilling	Failed	04/29/2016			Northeast Gas Association	NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	04/11/2017	WE	No	No	Online	No
Premier Utility Services			31C	CT31C-Installation of Pipe: Installing Pipe by Horizontal Directional Drilling	Failed	04/29/2016			Northeast Gas Association	NGA-WE-31C	NGA-WE-31C-Installation of Pipe:Installing Pipe by Horizontal Directional Drilling - 14407		WE	No	No	Online	No
Premier Utility Services			31D	CT31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools)	Passed	04/11/2014	04/11/2017			NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	04/11/2017	WE	Expired	Yes	Import	Expired
Premier Utility Services			31D	CT31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools)	Passed	04/11/2014	04/11/2017			NGA-WE-31D	NGA-WE-31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools) - 14408	04/11/2017	WE	Expired	Yes	Import	Expired
Premier Utility Services			31D	CT31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools)	Passed	06/19/2007	06/19/2010			NGA-WE-CT31	NGA-WE-CT31-Installation of Pipe (NV) - 26537	06/19/2010	WE	Expired	Yes	Import	Expired
Premier Utility Services			31D	CT31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools)	Passed	02/25/2010	02/25/2013			NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	02/25/2013	WE	Expired	Yes	Import	Expired
Premier Utility Services			31D	CT31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools)	Passed	02/25/2010	02/25/2013			NGA-WE-31D	NGA-WE-31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools) - 14408	02/25/2013	WE	Expired	Yes	Import	Expired

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified	
Premier Utility Services			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	04/11/2014	04/11/2017				NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	04/11/2017	WE	Expired	Yes	Import	Expired
Premier Utility Services			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	04/11/2014	04/11/2017				NGA-WE-31E	NGA-WE-31E-Installation of Pipe: Installing Pipe by Dead Insertion - 14409	04/11/2017	WE	Expired	Yes	Import	Expired
Premier Utility Services			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	06/19/2007	06/19/2010				NGA-WE-CT31	NGA-WE-CT31-Installation of Pipe (NV) - 26537	06/19/2010	WE	Expired	Yes	Import	Expired
Premier Utility Services			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	02/25/2010	02/25/2013				NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	02/25/2013	WE	Expired	Yes	Import	Expired
Premier Utility Services			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	02/25/2010	02/25/2013				NGA-WE-31E	NGA-WE-31E-Installation of Pipe: Installing Pipe by Dead Insertion - 14409	02/25/2013	WE	Expired	Yes	Import	Expired
Premier Utility Services			32	CT32-Purging a pipeline into service	Passed	04/11/2014	04/11/2017				NGA-WE-32 & 33	NGA-WE-32 & 33-Purging a Pipeline In and Out of Service - 13828	04/11/2017	WE	Expired	Yes	Import	Expired
Premier Utility Services			32	CT32-Purging a pipeline into service	Passed	06/21/2006	06/21/2009				NGA-WE-CT32	NGA-WE-CT32-Purging a Pipeline into Service (NV) - 26538	06/21/2009	WE	Expired	Yes	Import	Expired
Premier Utility Services			33	CT33-Purging a pipeline out of service	Passed	04/11/2014	04/11/2017				NGA-WE-32 & 33	NGA-WE-32 & 33-Purging a Pipeline In and Out of Service - 13828	04/11/2017	WE	Expired	Yes	Import	Expired
Premier Utility Services			33	CT33-Purging a pipeline out of service	Passed	06/21/2006	06/21/200				NGA-WE-CT33	NGA-WE-CT33-Purging a Pipeline out of Service (NV) - 26539	06/21/2009	WE	Expired	Yes	Import	Expired
Premier Utility Services			34	CT34-Performing pressure test on a pipeline	Passed	07/06/2006	07/06/2009				NGA-WE-34	NGA-WE-34-Performing Pressure Test on a Pipeline - 13830	07/06/2009	WE	Expired	Yes	Import	Expired
Premier Utility Services			34	CT34-Performing pressure test on a pipeline	Passed	03/16/2016	03/16/2019		Northeast Gas Association		NGA-WE-34	NGA-WE-34-Performing Pressure Test on a Pipeline - 13830	03/16/2019	WE	Expired	Yes	Online	Expired
Premier Utility Services			35A	CT35A-Stopping Gas Flow on Plastic Pipe	Passed	03/22/2007	03/22/2010				NGA-PE-CT35A	NGA-PE-CT35A-Stopping Gas on a Plastic Pipe - 14387	03/22/2010		Expired	Yes	Import	Expired
Premier Utility Services			35A	CT35A-Stopping Gas Flow on Plastic Pipe	Passed	03/22/2007	03/22/2010				NGA-WE-CT35	NGA-WE-CT35-Stopping Gas Flow (NV) - 26540	03/22/2010	WE	Expired	Yes	Import	Expired
Premier Utility Services			35A	CT35A-Stopping Gas Flow on Plastic Pipe	Passed	02/25/2010	02/25/2013				NGA-PE-CT35A	NGA-PE-CT35A-Stopping Gas on a Plastic Pipe - 14387	02/25/2013		Expired	Yes	Import	Expired
Premier Utility Services			35A	CT35A-Stopping Gas Flow on Plastic Pipe	Passed	02/25/2010	02/25/2013				NGA-PE-CT35A	NGA-PE-CT35A-Stopping Gas on a Plastic Pipe - 14387	03/22/2010		Expired	Yes	Import	Expired
Premier Utility Services			35A	CT35A-Stopping Gas Flow on Plastic Pipe	Passed	02/25/2010	02/25/2013				NGA-WE-CT35	NGA-WE-CT35-Stopping Gas Flow (NV) - 26540	02/25/2013	WE	Expired	Yes	Import	Expired
Premier Utility Services			35B	CT35B-Stopping Gas on an Elevated Pressure Steel Main	Passed	02/25/2010	02/25/2013				NGA-PE-CT35B & CT37B	NGA-PE-CT35B & CT37B-Tapping and Stopping Gas on an Elevated Pressure Steel Main - 14388	02/25/2013		Expired	Yes	Import	Expired
Premier Utility Services			35B	CT35B-Stopping Gas on an Elevated Pressure Steel Main	Passed	02/25/2010	02/25/2013				NGA-WE-CT35	NGA-WE-CT35-Stopping Gas Flow (NV) - 26540	02/25/2013	WE	Expired	Yes	Import	Expired
Premier Utility Services			36	CT36-Abandonment or deactivation of facilities	Passed	02/25/2010	03/22/2010				NGA-WE-CT36	NGA-WE-CT36-Abandonment of Deactivation of Facilities (NV) - 26541	03/22/2010	WE	Expired	Yes	Import	Expired
Premier Utility Services			36	CT36-Abandonment or deactivation of facilities	Passed	03/22/2007	03/22/2010				NGA-WE-CT36	NGA-WE-CT36-Abandonment of Deactivation of Facilities (NV) - 26541	03/22/2010	WE	Expired	Yes	Import	Expired
Premier Utility Services			36	CT36-Abandonment or deactivation of facilities	Failed	03/16/2016			Northeast Gas Association		NGA-WE-CT35, CT36 & CT39	NGA-WE-CT35, CT36 & CT39-Stopping Gas Flow, Abandonment or Decativation of Facilities, Remove Service Tee or Fitting from Steel or Cast Iron Mains - 13831		WE	No	No	Online	No
Premier Utility Services			37A	CT37A-Tapping a Low Pressure Main	Passed	02/25/2010	02/25/2013				NGA-PE-CT37A	NGA-PE-CT37A-Tapping a Low Pressure Main - 14389	02/25/2013		Expired	Yes	Import	Expired
Premier Utility Services			37A	CT37A-Tapping a Low Pressure Main	Passed	02/25/2010	02/25/2013				NGA-WE-CT37	NGA-WE-CT37-Tapping Pipelines Under Pressure - 13833	02/25/2013	WE	Expired	Yes	Import	Expired
Premier Utility Services			37A	CT37A-Tapping a Low Pressure Main	Passed	03/16/2016			Northeast Gas Association		NGA-WE-CT37	NGA-WE-CT37-Tapping Pipelines Under Pressure - 13833	03/16/2019	WE	Expired	No	Online	No
Premier Utility Services			37B	CT37B-Tapping an Elevated Pressure Main	Passed	02/25/2010	02/25/2013				NGA-PE-CT35B & CT37B	NGA-PE-CT35B & CT37B-Tapping and Stopping Gas on an Elevated Pressure Steel Main - 14388	02/25/2013		Expired	Yes	Import	Expired
Premier Utility Services			37B	CT37B-Tapping an Elevated Pressure Main	Passed	02/25/2010	02/25/2013				NGA-WE-CT37	NGA-WE-CT37-Tapping Pipelines Under Pressure - 13833	02/25/2013	WE	Expired	Yes	Import	Expired
Premier Utility Services			37B	CT37B-Tapping an Elevated Pressure Main	Passed	03/16/2016			Northeast Gas Association		NGA-WE-CT37	NGA-WE-CT37-Tapping Pipelines Under Pressure - 13833	03/16/2019	WE	Expired	No	Online	No
Premier Utility Services			38	CT38-Starting up or shutting down any part of a pipeline that could cause the MAOP to be exceeded	Passed	02/25/2010	02/25/2013				NGA-WE-CT38	NGA-WE-CT38-Starting Up or Shutting Down any part of a Pipeline that could cause the MAOP to be Exceeded - 13834	02/25/2013	WE	Expired	Yes	Import	Expired
Premier Utility Services			38	CT38-Starting up or shutting down any part of a pipeline that could cause the MAOP to be exceeded	Failed	03/16/2016			Northeast Gas Association		NGA-WE-CT38	NGA-WE-CT38-Starting Up or Shutting Down any part of a Pipeline that could cause the MAOP to be Exceeded - 13834		WE	No	No	Online	No
Premier Utility Services			39	CT39-Remove service tee or fitting from steel or cast iron mains	Passed	02/25/2010	02/25/2013				NGA-WE-CT39	NGA-WE-CT39-Remove Service Tee or Fitting from Steel or Cast Iron Mains (NV) - 26542	02/25/2015	WE	Expired	Yes	Import	Expired
Premier Utility Services			39	CT39-Remove service tee or fitting from steel or cast iron mains	Passed	03/22/2007	03/22/2012				NGA-WE-CT39	NGA-WE-CT39-Remove Service Tee or Fitting from Steel or Cast Iron Mains (NV) - 26542	03/22/2012	WE	Expired	Yes	Import	Expired

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified	
Premier Utility Services			39	CT39-Remove service tee or fitting from steel or cast iron mains	Failed	03/16/2016			Northeast Gas Association	NGA-WE-CT35, CT36 & CT39	NGA-WE-CT35, CT36 & CT39-Stopping Gas Flow, Abandonment or Decativation of Facilities, Remove Service Tee or Fitting from Steel or Cast Iron Mains - 13831		WE	No	No	Online	No	
Premier Utility Services			40	CT40-Install/Replace tracer wire	Passed	07/06/2006	07/06/2011				NGA-WE-CT40	NGA-WE-CT40-Install/Replace Tracer Wire - 13836	07/06/2011	WE	Expired	Yes	Import	Expired
Premier Utility Services			40	CT40-Install/Replace tracer wire	Passed	03/16/2016	03/16/2019			Northeast Gas Association	NGA-WE-CT40	NGA-WE-CT40-Install/Replace Tracer Wire - 13836	03/16/2019	WE	Expired	Yes	Online	Expired
Premier Utility Services			41	CT41-Inspect and operate valves	Passed	07/06/2006	07/06/2011				NGA-WE-CT41	NGA-WE-CT41-Inspect & Operate Valves (NV) - 26543	07/06/2011	WE	Expired	Yes	Import	Expired
Premier Utility Services			41	CT41-Inspect and operate valves	Failed	03/16/2016			Northeast Gas Association	NGA-WE-CT41, CT42 & CT43	NGA-WE-CT41, CT42 & CT43-Inspect and Operate Valves, Repair, Maintain, and Lubricate Distribution Line Valves - 13837		WE	No	No	Online	No	
Premier Utility Services			41	CT41-Inspect and operate valves	Failed	04/29/2016			Northeast Gas Association	NGA-WE-CT41, CT42 & CT43	NGA-WE-CT41, CT42 & CT43-Inspect and Operate Valves, Repair, Maintain, and Lubricate Distribution Line Valves - 13837		WE	No	No	Online	No	
Premier Utility Services			42	CT42-Repair and maintain distribution line valves	Passed	07/06/2006	07/06/2009				NGA-WE-CT42	NGA-WE-CT42-Repair and Maintain Distribution Line Valves (NV) - 26544	07/06/2009	WE	Expired	Yes	Import	Expired
Premier Utility Services			42	CT42-Repair and maintain distribution line valves	Failed	03/16/2016			Northeast Gas Association	NGA-WE-CT41, CT42 & CT43	NGA-WE-CT41, CT42 & CT43-Inspect and Operate Valves, Repair, Maintain, and Lubricate Distribution Line Valves - 13837		WE	No	No	Online	No	
Premier Utility Services			42	CT42-Repair and maintain distribution line valves	Failed	04/29/2016			Northeast Gas Association	NGA-WE-CT41, CT42 & CT43	NGA-WE-CT41, CT42 & CT43-Inspect and Operate Valves, Repair, Maintain, and Lubricate Distribution Line Valves - 13837		WE	No	No	Online	No	
Premier Utility Services			43	CT43-Lubricate distribution line valves	Passed	07/06/2006	07/06/2011				NGA-WE-CT43	NGA-WE-CT43-Lubricate Distribution Line Valves (NV) - 26545	07/06/2011	WE	Expired	Yes	Import	Expired
Premier Utility Services			43	CT43-Lubricate distribution line valves	Failed	03/16/2016			Northeast Gas Association	NGA-WE-CT41, CT42 & CT43	NGA-WE-CT41, CT42 & CT43-Inspect and Operate Valves, Repair, Maintain, and Lubricate Distribution Line Valves - 13837		WE	No	No	Online	No	
Premier Utility Services			43	CT43-Lubricate distribution line valves	Failed	04/29/2016			Northeast Gas Association	NGA-WE-CT41, CT42 & CT43	NGA-WE-CT41, CT42 & CT43-Inspect and Operate Valves, Repair, Maintain, and Lubricate Distribution Line Valves - 13837		WE	No	No	Online	No	
Premier Utility Services			45A	CT45A-Restore Service: Distribution	Passed	03/22/2007	03/22/2012				NGA-WE-CT45A	NGA-WE-CT45A-Restore Service: Distribution Technician - 13841	03/22/2012	WE	Expired	Yes	Import	Expired
Premier Utility Services			45A	CT45A-Restore Service: Distribution	Failed	03/16/2016			Northeast Gas Association	NGA-WE-CT45A	NGA-WE-CT45A-Restore Service: Distribution Technician - 13841		WE	No	No	Online	No	
Premier Utility Services			45B	CT45B-Restore Service: Customer Service	Failed	03/16/2016			Northeast Gas Association	NGA-WE-CT45B	NGA-WE-CT45B-Restore Service: Customer Service Technician - 13842		WE	No	No	Online	No	
Premier Utility Services			45B	CT45B-Restore Service: Customer Service	Failed	04/29/2016			Northeast Gas Association	NGA-WE-CT45B	NGA-WE-CT45B-Restore Service: Customer Service Technician - 13842		WE	No	No	Online	No	
Premier Utility Services			47	CT47-Abandon a gas service line	Passed	03/22/2007	03/22/2012				NGA-WE-CT47	NGA-WE-CT47-Abandon a Gas Service Line - 13844	03/22/2012	WE	Expired	Yes	Import	Expired
Premier Utility Services			47	CT47-Abandon a gas service line	Failed	03/16/2016			Northeast Gas Association	NGA-WE-CT47	NGA-WE-CT47-Abandon a Gas Service Line - 13844		WE	No	No	Online	No	
Premier Utility Services			49	CT49-Mechanical joining of pipe other than plastic	Passed	02/11/2011	02/11/2014				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	02/11/2014	WE	Expired	Yes	Import	Expired
Premier Utility Services			49	CT49-Mechanical joining of pipe other than plastic	Passed	03/08/2010	03/08/2013				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	03/08/2013	WE	Expired	Yes	Import	Expired
Premier Utility Services			49	CT49-Mechanical joining of pipe other than plastic	Passed	03/18/2008	03/18/2011				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	03/18/2011	WE	Expired	Yes	Import	Expired
Premier Utility Services			49	CT49-Mechanical joining of pipe other than plastic	Passed	02/15/2007	02/15/2010				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	02/15/2010	WE	Expired	Yes	Import	Expired
Premier Utility Services			49	CT49-Mechanical joining of pipe other than plastic	Passed	07/06/2006	07/06/2009				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	07/06/2009	WE	Expired	Yes	Import	Expired
Premier Utility Services			49	CT49-Mechanical Joining of Pipe Other than Plastic	Passed	03/16/2016			Northeast Gas Association	NGA-WE-49	NGA-WE-49- Mechanical Joining of Pipe Other than Plastic to Plastic Pipe	03/16/2019	WE	Expired	No	Online	No	
Premier Utility Services			49.1/49.2	CT49.1/49.2 Mechanical Joining of Pipe other than Plastic (Threaded and Flange)	Passed	03/16/2016	03/16/2019		Northeast Gas Association	NGA-WE-49	NGA-WE-49- Mechanical Joining of Pipe Other than Plastic to Plastic Pipe	03/16/2019	WE	Expired	Yes	Online	Expired	
Premier Utility Services			49.3	CT49.3 Mechanical Joining of Pipe other than Plastic (Compression)	Passed	03/16/2016			Northeast Gas Association	NGA-WE-49	NGA-WE-49- Mechanical Joining of Pipe Other than Plastic to Plastic Pipe		WE	Yes	No	Online	No	
Premier Utility Services			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	02/15/2007	07/06/2007				NGA-PE-CT49A & CT51A	NGA-PE-CT49A & CT51A-Bolted (Bolt On) Fitting (PJQ-06) - 14390	07/06/2007		Expired	Yes	Import	Expired
Premier Utility Services			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	02/15/2007	07/06/2007				NGA-PE-CT49A & CT51A	NGA-PE-CT49A & CT51A-Bolted (Bolt On) Fitting (PJQ-06) - 14390	02/15/2008		Expired	Yes	Import	Expired
Premier Utility Services			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	02/15/2007	07/06/2007				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	02/15/2010	WE	Expired	Yes	Import	Expired

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date		Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
						Knowledge Taken	Expires										
Premier Utility Services			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	02/15/2007	07/06/2007			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	07/06/2009	WE	Expired	Yes	Import	Expired
Premier Utility Services			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	03/18/2008				NGA-PE-CT49A & CT51A	NGA-PE-CT49A & CT51A-Bolted (Bolt On) Fitting (PJQ-06) - 14390			No	No	Import	No
Premier Utility Services			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	03/18/2008				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845		WE	No	No	Import	No
Premier Utility Services			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	03/18/2008				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845		WE	No	No	Import	No
Premier Utility Services			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	03/18/2008				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845		WE	No	No	Import	No
Premier Utility Services			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	03/08/2010				NGA-PE-CT49A & CT51A	NGA-PE-CT49A & CT51A-Bolted (Bolt On) Fitting (PJQ-06) - 14390			No	No	Import	No
Premier Utility Services			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	03/08/2010				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845		WE	No	No	Import	No
Premier Utility Services			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	03/08/2010				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845		WE	No	No	Import	No
Premier Utility Services			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	03/08/2010				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845		WE	No	No	Import	No
Premier Utility Services			49B	CT49B Stab - Fitting (PJQ-07)	Passed	06/02/2014	06/02/2015			NGA-PE-CT49B	NGA-PE-CT49B-Stab Fitting (PJQ-07) - 14391	06/02/2015		Expired	Yes	Import	Expired
Premier Utility Services			49B	CT49B Stab - Fitting (PJQ-07)	Passed	06/02/2014	06/02/2015			NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	06/02/2017	WE	Expired	Yes	Import	Expired
Premier Utility Services			49B	CT49B Stab - Fitting (PJQ-07)	Passed	06/02/2014	06/02/2015			NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213	06/02/2017	WE	Expired	Yes	Import	Expired
Premier Utility Services			49B	CT49B Stab - Fitting (PJQ-07)	Passed	02/15/2007	07/06/2007			NGA-PE-CT49B	NGA-PE-CT49B-Stab Fitting (PJQ-07) - 14391	07/06/2007		Expired	Yes	Import	Expired
Premier Utility Services			49B	CT49B Stab - Fitting (PJQ-07)	Passed	02/15/2007	07/06/2007			NGA-PE-CT49B	NGA-PE-CT49B-Stab Fitting (PJQ-07) - 14391	02/15/2008		Expired	Yes	Import	Expired
Premier Utility Services			49B	CT49B Stab - Fitting (PJQ-07)	Passed	02/15/2007	07/06/2007			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	02/15/2010	WE	Expired	Yes	Import	Expired
Premier Utility Services			49B	CT49B Stab - Fitting (PJQ-07)	Passed	02/15/2007	07/06/2007			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	07/06/2009	WE	Expired	Yes	Import	Expired
Premier Utility Services			49B	CT49B Stab - Fitting (PJQ-07)	Passed	03/18/2008				NGA-PE-CT49B	NGA-PE-CT49B-Stab Fitting (PJQ-07) - 14391			No	No	Import	No
Premier Utility Services			49B	CT49B Stab - Fitting (PJQ-07)	Passed	03/18/2008				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845		WE	No	No	Import	No
Premier Utility Services			49B	CT49B Stab - Fitting (PJQ-07)	Passed	03/18/2008				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845		WE	No	No	Import	No
Premier Utility Services			49B	CT49B Stab - Fitting (PJQ-07)	Passed	02/11/2011	02/11/2014			NGA-PE-CT49B	NGA-PE-CT49B-Stab Fitting (PJQ-07) - 14391	03/08/2011		Expired	Yes	Import	Expired
Premier Utility Services			49B	CT49B Stab - Fitting (PJQ-07)	Passed	02/11/2011	02/11/2014			NGA-PE-CT49B	NGA-PE-CT49B-Stab Fitting (PJQ-07) - 14391	02/11/2012		Expired	Yes	Import	Expired
Premier Utility Services			49B	CT49B Stab - Fitting (PJQ-07)	Passed	02/11/2011	02/11/2014			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	03/18/2011	WE	Expired	Yes	Import	Expired
Premier Utility Services			49B	CT49B Stab - Fitting (PJQ-07)	Passed	02/11/2011	02/11/2014			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	03/08/2013	WE	Expired	Yes	Import	Expired
Premier Utility Services			49B	CT49B Stab - Fitting (PJQ-07)	Passed	02/11/2011	02/11/2014			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	02/11/2014	WE	Expired	Yes	Import	Expired
Premier Utility Services			49C	CT49C - Compression Fitting (PJQ-08)	Passed	06/02/2014	06/02/2015			NGA-PE-CT49C	NGA-PE-CT49C-Compression Fitting (PJQ-08) - 14392	06/02/2015		Expired	Yes	Import	Expired
Premier Utility Services			49C	CT49C - Compression Fitting (PJQ-08)	Passed	06/02/2014	06/02/2015			NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	06/02/2017	WE	Expired	Yes	Import	Expired
Premier Utility Services			49C	CT49C - Compression Fitting (PJQ-08)	Passed	06/02/2014	06/02/2015			NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213	06/02/2017	WE	Expired	Yes	Import	Expired
Premier Utility Services			49C	CT49C - Compression Fitting (PJQ-08)	Passed	02/15/2007	07/06/2007			NGA-PE-CT49C	NGA-PE-CT49C-Compression Fitting (PJQ-08) - 14392	02/15/2008		Expired	Yes	Import	Expired
Premier Utility Services			49C	CT49C - Compression Fitting (PJQ-08)	Passed	02/15/2007	07/06/2007			NGA-PE-CT49C	NGA-PE-CT49C-Compression Fitting (PJQ-08) - 14392	07/06/2007		Expired	Yes	Import	Expired
Premier Utility Services			49C	CT49C - Compression Fitting (PJQ-08)	Passed	02/15/2007	07/06/2007			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	02/15/2010	WE	Expired	Yes	Import	Expired
Premier Utility Services			49C	CT49C - Compression Fitting (PJQ-08)	Passed	02/15/2007	07/06/2007			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	07/06/2009	WE	Expired	Yes	Import	Expired
Premier Utility Services			49C	CT49C - Compression Fitting (PJQ-08)	Passed	03/18/2008				NGA-PE-CT49C	NGA-PE-CT49C-Compression Fitting (PJQ-08) - 14392			No	No	Import	No
Premier Utility Services			49C	CT49C - Compression Fitting (PJQ-08)	Passed	03/18/2008				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845		WE	No	No	Import	No
Premier Utility Services			49C	CT49C - Compression Fitting (PJQ-08)	Passed	03/18/2008				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845		WE	No	No	Import	No
Premier Utility Services			49C	CT49C - Compression Fitting (PJQ-08)	Passed	03/18/2008				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845		WE	No	No	Import	No
Premier Utility Services			49C	CT49C - Compression Fitting (PJQ-08)	Passed	02/11/2011	02/11/2014			NGA-PE-CT49C	NGA-PE-CT49C-Compression Fitting (PJQ-08) - 14392	03/08/2011		Expired	Yes	Import	Expired
Premier Utility Services			49C	CT49C - Compression Fitting (PJQ-08)	Passed	02/11/2011	02/11/2014			NGA-PE-CT49C	NGA-PE-CT49C-Compression Fitting (PJQ-08) - 14392	02/11/2012		Expired	Yes	Import	Expired

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date		Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
						Knowledge Taken	Expires										
Premier Utility Services			49C	CT49C - Compression Fitting (PJQ-08)	Passed	02/11/2011	02/11/2014			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	03/18/2011	WE	Expired	Yes	Import	Expired
Premier Utility Services			49C	CT49C - Compression Fitting (PJQ-08)	Passed	02/11/2011	02/11/2014			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	03/08/2013	WE	Expired	Yes	Import	Expired
Premier Utility Services			49C	CT49C - Compression Fitting (PJQ-08)	Passed	02/11/2011	02/11/2014			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	02/11/2014	WE	Expired	Yes	Import	Expired
Premier Utility Services			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/15/2007	07/06/2007			NGA-PE-CT49D	NGA-PE-CT49D-Nut Follower (Threaded Fitting) (PJQ-09) - 14393	07/06/2007		Expired	Yes	Import	Expired
Premier Utility Services			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/15/2007	07/06/2007			NGA-PE-CT49D	NGA-PE-CT49D-Nut Follower (Threaded Fitting) (PJQ-09) - 14393	02/15/2008		Expired	Yes	Import	Expired
Premier Utility Services			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/15/2007	07/06/2007			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	07/06/2009	WE	Expired	Yes	Import	Expired
Premier Utility Services			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/15/2007	07/06/2007			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	02/15/2010	WE	Expired	Yes	Import	Expired
Premier Utility Services			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	03/18/2008				NGA-PE-CT49D	NGA-PE-CT49D-Nut Follower (Threaded Fitting) (PJQ-09) - 14393			No	No	Import	No
Premier Utility Services			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	03/18/2008				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845		WE	No	No	Import	No
Premier Utility Services			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	03/18/2008				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845		WE	No	No	Import	No
Premier Utility Services			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	03/18/2008				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845		WE	No	No	Import	No
Premier Utility Services			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	03/08/2010				NGA-PE-CT49D	NGA-PE-CT49D-Nut Follower (Threaded Fitting) (PJQ-09) - 14393			No	No	Import	No
Premier Utility Services			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	03/08/2010				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845		WE	No	No	Import	No
Premier Utility Services			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	03/08/2010				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845		WE	No	No	Import	No
Premier Utility Services			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/11/2011				NGA-PE-CT49D	NGA-PE-CT49D-Nut Follower (Threaded Fitting) (PJQ-09) - 14393			No	No	Import	No
Premier Utility Services			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/11/2011				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845		WE	No	No	Import	No
Premier Utility Services			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/11/2011				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845		WE	No	No	Import	No
Premier Utility Services			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/11/2011				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845		WE	No	No	Import	No
Premier Utility Services			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	06/02/2014				NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PJQ-01B) - 14395	06/02/2015		Expired	No	Import	No
Premier Utility Services			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	06/02/2014				NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PJQ-01A) - 14396	06/02/2015		Expired	No	Import	No
Premier Utility Services			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	06/02/2014				NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	06/02/2017	WE	Expired	No	Import	No
Premier Utility Services			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	06/02/2014				NGA-WE-(E)	NGA-WE-(E)-Manual Butt Fusion - 14669	06/02/2017	WE	Expired	No	Import	No
Premier Utility Services			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	02/15/2007				NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PJQ-01B) - 14395			No	No	Import	No
Premier Utility Services			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	02/15/2007				NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PJQ-01A) - 14396			No	No	Import	No
Premier Utility Services			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	03/18/2008				NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PJQ-01B) - 14395			No	No	Import	No
Premier Utility Services			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	03/18/2008				NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PJQ-01A) - 14396			No	No	Import	No
Premier Utility Services			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	03/08/2010				NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PJQ-01B) - 14395			No	No	Import	No
Premier Utility Services			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	03/08/2010				NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PJQ-01A) - 14396			No	No	Import	No
Premier Utility Services			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	02/11/2011				NGA-PE-CT50A & CT52A	NGA-PE-CT50A & CT52A-Hydraulic Fusion (PJQ-11) - 14394			No	No	Import	No
Premier Utility Services			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	02/11/2011				NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PJQ-01B) - 14395			No	No	Import	No
Premier Utility Services			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	02/11/2011				NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PJQ-01B) - 14395			No	No	Import	No
Premier Utility Services			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	02/11/2011				NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PJQ-01A) - 14396			No	No	Import	No
Premier Utility Services			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	02/11/2011				NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PJQ-01A) - 14396			No	No	Import	No





Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Premier Utility Services			50/51B.06	CT50/51-Joining Plastic Pipe-Bolted (Bolt On) Fitting-Mechanical Couplings	Passed	06/02/2014				NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213		WE	No	Yes	Import	No
Premier Utility Services			50B.08	CT50/51-Joining Plastic Pipe-Compression Fitting-Mechanical Couplings	Passed	06/02/2014				NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665		WE	No	Yes	Import	No
Premier Utility Services			50B.08	CT50/51-Joining Plastic Pipe-Compression Fitting-Mechanical Couplings	Passed	06/02/2014				NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213		WE	No	Yes	Import	No
Premier Utility Services			50B.09	CT50/51-Joining Plastic Pipe-Nut Follower (Threaded Fitting)-Mechanical Couplings	Passed	06/02/2014				NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665		WE	No	Yes	Import	No
Premier Utility Services			50B.09	CT50/51-Joining Plastic Pipe-Nut Follower (Threaded Fitting)-Mechanical Couplings	Passed	06/02/2014				NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213		WE	No	Yes	Import	No
Premier Utility Services			50B.07	CT50/51-Joining Plastic Pipe-Stab Fitting-Mechanical Couplings	Passed	06/02/2014				NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665		WE	No	Yes	Import	No
Premier Utility Services			50B.07	CT50/51-Joining Plastic Pipe-Stab Fitting-Mechanical Couplings	Passed	06/02/2014				NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213		WE	No	Yes	Import	No
Premier Utility Services			50/51/52C.04	CT50/51/52-Joining Plastic Pipe-Saddle Electrofusion	Passed	06/02/2014				NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665		WE	No	Yes	Import	No
Premier Utility Services			50/51/52C.04	CT50/51/52-Joining Plastic Pipe-Saddle Electrofusion	Passed	06/02/2014				NGA-WE-(C)	NGA-WE-(C)-Electrofusion - 14667		WE	No	Yes	Import	No
Premier Utility Services			50/52C.05	CT50/52-Joining Plastic Pipe-Coupling Electrofusion	Passed	06/02/2014				NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665		WE	No	Yes	Import	No
Premier Utility Services			50/52C.05	CT50/52-Joining Plastic Pipe-Coupling Electrofusion	Passed	06/02/2014				NGA-WE-(C)	NGA-WE-(C)-Electrofusion - 14667		WE	No	Yes	Import	No
Premier Utility Services			50/52D	CT50/52-Joining Plastic Pipe-Hydraulic Butt Fusion	Passed	06/02/2014				NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665		WE	No	Yes	Import	No
Premier Utility Services			50/52D	CT50/52-Joining Plastic Pipe-Hydraulic Butt Fusion	Passed	06/02/2014				NGA-WE-(E)	NGA-WE-(E)-Manual Butt Fusion - 14669		WE	No	Yes	Import	No
Premier Utility Services			50/52E	CT50/52-Joining Plastic Pipe-Manual Butt Fusion	Passed	06/02/2014				NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665		WE	No	Yes	Import	No
Premier Utility Services			50/52E	CT50/52-Joining Plastic Pipe-Manual Butt Fusion	Passed	06/02/2014				NGA-WE-(E)	NGA-WE-(E)-Manual Butt Fusion - 14669		WE	No	Yes	Import	No
Premier Utility Services			50B & 52B	CT50B & CT52B - Coiled Pipe Butt Fusion (PQ-1B)	Passed	06/02/2014	06/02/2015			NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PQ-01B) - 14395	06/02/2015		Expired	Yes	Import	Expired
Premier Utility Services			50B & 52B	CT50B & CT52B - Coiled Pipe Butt Fusion (PQ-1B)	Passed	06/02/2014	06/02/2015			NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	06/02/2017	WE	Expired	Yes	Import	Expired
Premier Utility Services			50B & 52B	CT50B & CT52B - Coiled Pipe Butt Fusion (PQ-1B)	Passed	06/02/2014	06/02/2015			NGA-WE-(E)	NGA-WE-(E)-Manual Butt Fusion - 14669	06/02/2017	WE	Expired	Yes	Import	Expired
Premier Utility Services			50B & 52B	CT50B & CT52B - Coiled Pipe Butt Fusion (PQ-1B)	Passed	02/15/2007				NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PQ-01B) - 14395			No	No	Import	No
Premier Utility Services			50B & 52B	CT50B & CT52B - Coiled Pipe Butt Fusion (PQ-1B)	Passed	03/18/2008				NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PQ-01B) - 14395			No	No	Import	No
Premier Utility Services			50B & 52B	CT50B & CT52B - Coiled Pipe Butt Fusion (PQ-1B)	Passed	03/08/2010				NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PQ-01B) - 14395			No	No	Import	No
Premier Utility Services			50B & 52B	CT50B & CT52B - Coiled Pipe Butt Fusion (PQ-1B)	Passed	02/11/2011				NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PQ-01B) - 14395			No	No	Import	No
Premier Utility Services			50B & 52B	CT50B & CT52B - Coiled Pipe Butt Fusion (PQ-1B)	Passed	02/11/2011				NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PQ-01B) - 14395			No	No	Import	No
Premier Utility Services			50C & 52C	CT50C & 52C - Straight Pipe Butt Fusion (PQ-1A)	Passed	06/02/2014	06/02/2015			NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PQ-01A) - 14396	06/02/2015		Expired	Yes	Import	Expired
Premier Utility Services			50C & 52C	CT50C & 52C - Straight Pipe Butt Fusion (PQ-1A)	Passed	06/02/2014	06/02/2015			NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	06/02/2017	WE	Expired	Yes	Import	Expired
Premier Utility Services			50C & 52C	CT50C & 52C - Straight Pipe Butt Fusion (PQ-1A)	Passed	06/02/2014	06/02/2015			NGA-WE-(E)	NGA-WE-(E)-Manual Butt Fusion - 14669	06/02/2017	WE	Expired	Yes	Import	Expired
Premier Utility Services			50C & 52C	CT50C & 52C - Straight Pipe Butt Fusion (PQ-1A)	Passed	02/15/2007				NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PQ-01A) - 14396			No	No	Import	No
Premier Utility Services			50C & 52C	CT50C & 52C - Straight Pipe Butt Fusion (PQ-1A)	Passed	03/18/2008				NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PQ-01A) - 14396			No	No	Import	No
Premier Utility Services			50C & 52C	CT50C & 52C - Straight Pipe Butt Fusion (PQ-1A)	Passed	03/08/2010				NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PQ-01A) - 14396			No	No	Import	No
Premier Utility Services			50C & 52C	CT50C & 52C - Straight Pipe Butt Fusion (PQ-1A)	Passed	02/11/2011				NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PQ-01A) - 14396			No	No	Import	No
Premier Utility Services			50C & 52C	CT50C & 52C - Straight Pipe Butt Fusion (PQ-1A)	Passed	02/11/2011				NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PQ-01A) - 14396			No	No	Import	No
Premier Utility Services			50D,51D,52	CT50D, 51D & 52D - Saddle Fusion (PQ-03)	Passed	06/02/2014				NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	06/02/2017	WE	Expired	No	Import	No
Premier Utility Services			50E,51E,52	CT50E, CT51E & 52E - Saddle Electrofusion (PQ-04)	Passed	06/02/2014	06/02/2015			NGA-PE-CT50E, CT51E & CT52E	NGA-PE-CT50E, CT51E & CT52E-Saddle Electrofusion (PQ-04) - 14398	06/02/2015		Expired	Yes	Import	Expired
Premier Utility Services			50E,51E,52	CT50E, CT51E & 52E - Saddle Electrofusion (PQ-04)	Passed	06/02/2014	06/02/2015			NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	06/02/2017	WE	Expired	Yes	Import	Expired





Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Premier Utility Services			52	CT52-Inspect Plastic Pipe Fusion Joint - Hydraulic Butt Fusion	Passed	02/11/2011				NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PQJ-01A) - 14396			No	No	Import	No
Premier Utility Services			52	CT52-Inspect Plastic Pipe Fusion Joint - Hydraulic Butt Fusion	Passed	02/11/2011				NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PQJ-01A) - 14396			No	No	Import	No
Premier Utility Services			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	06/02/2014	06/02/2015			NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PQJ-01B) - 14395	06/02/2015		Expired	Yes	Import	Expired
Premier Utility Services			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	06/02/2014	06/02/2015			NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PQJ-01A) - 14396	06/02/2015		Expired	Yes	Import	Expired
Premier Utility Services			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	06/02/2014	06/02/2015			NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	06/02/2017	WE	Expired	Yes	Import	Expired
Premier Utility Services			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	06/02/2014	06/02/2015			NGA-WE-(E)	NGA-WE-(E)-Manual Butt Fusion - 14669	06/02/2017	WE	Expired	Yes	Import	Expired
Premier Utility Services			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	02/15/2007				NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PQJ-01B) - 14395			No	No	Import	No
Premier Utility Services			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	02/15/2007				NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PQJ-01A) - 14396			No	No	Import	No
Premier Utility Services			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	03/18/2008				NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PQJ-01B) - 14395			No	No	Import	No
Premier Utility Services			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	03/18/2008				NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PQJ-01A) - 14396			No	No	Import	No
Premier Utility Services			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	03/08/2010				NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PQJ-01B) - 14395			No	No	Import	No
Premier Utility Services			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	03/08/2010				NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PQJ-01A) - 14396			No	No	Import	No
Premier Utility Services			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	02/11/2011				NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PQJ-01B) - 14395			No	No	Import	No
Premier Utility Services			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	02/11/2011				NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PQJ-01B) - 14395			No	No	Import	No
Premier Utility Services			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	02/11/2011				NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PQJ-01A) - 14396			No	No	Import	No
Premier Utility Services			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	02/11/2011				NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PQJ-01A) - 14396			No	No	Import	No
Premier Utility Services			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	06/02/2014				NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	06/02/2017	WE	Expired	No	Import	No
Premier Utility Services			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	06/02/2014				NGA-WE-(E)	NGA-WE-(E)-Manual Butt Fusion - 14669	06/02/2017	WE	Expired	No	Import	No
Premier Utility Services			52	CT52-Inspect Plastic Pipe Fusion Joint - Saddle Fusion	Passed	06/02/2014				NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665		WE	No	No	Import	No
Premier Utility Services			52	CT52-Inspect Plastic Pipe Fusion Joint - Socket Fusion	Passed	06/02/2014				NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665		WE	No	No	Import	No
Premier Utility Services			62A	CT62A-Inspect and test pressure regulator station	Passed	06/21/2006	06/21/2009			NGA-PE-CT62A & CT63A	NGA-PE-CT62A & CT63A-Inspect and Test Pressure Regulator Station and Over Pressure Protection - 14401	06/21/2009		Expired	Yes	Import	Expired
Premier Utility Services			62A	CT62A-Inspect and test pressure regulator station	Passed	06/21/2006	06/21/2009			NGA-WE-CT62	NGA-WE-CT62-Inspect and Test Pressure Regulator Station - 13858	06/21/2009	WE	Expired	Yes	Import	Expired
Premier Utility Services			62B	CT62B-Pilot Operation	Passed	06/21/2006	06/21/2009			NGA-PE-CT62B	NGA-PE-CT62B-Pilot Operation - 14402	06/21/2009		Expired	Yes	Import	Expired
Premier Utility Services			62B	CT62B-Pilot Operation	Passed	06/21/2006	06/21/2009			NGA-WE-CT62	NGA-WE-CT62-Inspect and Test Pressure Regulator Station - 13858	06/21/2009	WE	Expired	Yes	Import	Expired
Premier Utility Services			62C	CT62C-Leak Test and Monitoring of Confined Space	Passed	06/21/2006	06/21/2009			NGA-PE-CT62C	NGA-PE-CT62C-Leak Test and Monitoring of Confined Space - 14403	06/21/2009		Expired	Yes	Import	Expired
Premier Utility Services			62C	CT62C-Leak Test and Monitoring of Confined Space	Passed	06/21/2006	06/21/2009			NGA-WE-CT62	NGA-WE-CT62-Inspect and Test Pressure Regulator Station - 13858	06/21/2009	WE	Expired	Yes	Import	Expired
Premier Utility Services			63	CT63-Install and test overpressure protection	Passed	06/21/2006	06/21/2009			NGA-PE-CT62A & CT63A	NGA-PE-CT62A & CT63A-Inspect and Test Pressure Regulator Station and Over Pressure Protection - 14401	06/21/2009		Expired	Yes	Import	Expired
Premier Utility Services			63	CT63-Install and test overpressure protection	Passed	06/21/2006	06/21/2009			NGA-WE-CT63	NGA-WE-CT63-Inspect and Test Overpressure Protection - 13859	06/21/2009	WE	Expired	Yes	Import	Expired
Premier Utility Services			67	CT67-Inspecting a pressure regulator vault	Passed	06/21/2006	06/21/2011			NGA-PE-CT67	NGA-PE-CT67-Inspecting a Pressure Regulator Vault - 14404	06/21/2011		Expired	Yes	Import	Expired
Premier Utility Services			67	CT67-Inspecting a pressure regulator vault	Passed	06/21/2006	06/21/2011			NGA-WE-CT67	NGA-WE-CT67-Inspecting a Pressure Regulator Vault - 13863	06/21/2011	WE	Expired	Yes	Import	Expired
Premier Utility Services			70	CT70-Properties of Natural Gas and Abnormal Operating Conditions	Passed	04/11/2014	04/11/2017			NGA-WE-CT70	NGA-WE-CT70-Properties of Natural Gas and Abnormal Operating Conditions - 13866	04/11/2017	WE	Expired	Yes	Import	Expired
Premier Utility Services			70	CT70-Properties of Natural Gas and Abnormal Operating Conditions	Passed	02/26/2009	02/26/2012			NGA-WE-CT70	NGA-WE-CT70-Properties of Natural Gas and Abnormal Operating Conditions - 13866	02/26/2012	WE	Expired	Yes	Import	Expired
Premier Utility Services			70	CT70-Properties of Natural Gas and Abnormal Operating Conditions	Passed	06/21/2006	06/21/2009			NGA-WE-CT70	NGA-WE-CT70-Properties of Natural Gas and Abnormal Operating Conditions - 13866	06/21/2009	WE	Expired	Yes	Import	Expired

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Premier Utility Services	[REDACTED]	[REDACTED]	71	CT71-Operator Excavation and Backfilling in the Vicinity of a Pipeline	Passed	06/21/2006	06/21/2011	[REDACTED]	Northeast Gas Association	NGA-WE-CT71	NGA-WE-CT71-Operator Excavation and Backfilling in the Vicinity of a Pipeline - 13868	06/21/2011	WE	Expired	Yes	Import	Expired
Premier Utility Services	[REDACTED]	[REDACTED]	71	CT71-Operator Excavation and Backfilling in the Vicinity of a Pipeline	Passed	03/16/2016	03/16/2019	[REDACTED]	Northeast Gas Association	NGA-WE-CT71	NGA-WE-CT71-Operator Excavation and Backfilling in the Vicinity of a Pipeline - 13868	03/16/2019	WE	Expired	Yes	Online	Expired
Premier Utility Services	[REDACTED]	[REDACTED]	72	CT72-Installation of Customer Meters and Regulators	Passed	04/11/2014	09/20/2018	[REDACTED]	Northeast Gas Association	NGA-WE-CT72	NGA-WE-CT72-Installation of Customer Meters and Regulators - 13869	09/20/2018	WE	Expired	Yes	Import	Expired
Premier Utility Services	[REDACTED]	[REDACTED]	72	CT72-Installation of Customer Meters and Regulators	Passed	04/11/2014	09/20/2018	[REDACTED]	Northeast Gas Association	NGA-WE-CT72	NGA-WE-CT72-Installation of Customer Meters and Regulators - 13869	09/20/2018	WE	Expired	Yes	Import	Expired
Premier Utility Services	[REDACTED]	[REDACTED]	72	CT72-Installation of Customer Meters and Regulators	Passed	02/25/2010	02/25/2015	[REDACTED]	Northeast Gas Association	NGA-WE-CT72	NGA-WE-CT72-Installation of Customer Meters and Regulators - 13869	02/25/2015	WE	Expired	Yes	Import	Expired
Premier Utility Services	[REDACTED]	[REDACTED]	85	CT85-Meter Assembly Abnormal Operating Conditions	Passed	03/16/2016	03/16/2019	[REDACTED]	Northeast Gas Association	NGA-WE-CT85	NGA-WE-CT85-EXAM-Meter Assembly Abnormal Operating Conditions	03/16/2019	WE	Expired	Yes	Online	Expired
Premier Utility Services	[REDACTED]	[REDACTED]	70.	NGA-WE-CT70-COURSE Properties of Natural Gas and Abnormal Operating Conditions	Completed	04/11/2019		[REDACTED]						No	No	Online	No