

**OnBoard Learning Management System
Industrial Training Services, Inc. - Transcript**

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date		Proctor Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Cert Status	Knowledge Media Type	Is Qualified
						Knowledge Taken	Expires							
Columbia Gas of Massachusetts			PJQ10	CT-Soil Compaction	Passed	02/22/2018	02/22/2021		NGA-WE-(H)	NGA-WE-(H)-EXAM Soil Compaction - 14682	02/22/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			06A	CT06A-Inspecting for Atmospheric Corrosion, Including Evaluation and Remediation	Passed	04/16/2019	04/16/2022		NGA-WE-06A	NGA-WE-06A-Inspecting for Atmospheric Corrosion, Including Evaluation and Remediation	04/16/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			06B	CT06B-Inspecting for Atmospheric Corrosion	Passed	04/16/2019	04/16/2022		NGA-WE-06B	NGA-WE-06B-Inspecting for Atmospheric Corrosion	04/16/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			10	CT10-Clear a shorted casing	Passed	03/01/2016	03/01/2019		NGA-WE-CT10	NGA-WE-CT10-Clear a Shorted Casing - 13802	03/01/2019	Expired	Online	Expired
Columbia Gas of Massachusetts			10	CT10-Clear a shorted casing	Failed	09/05/2019			NGA-WE-10	NGA-WE-10-Clearing a Shorted Casing		No	Online	No
Columbia Gas of Massachusetts			11B/12B/17B	CT11B, 12B & 17B-Pipe Coatings (Hot Applied Tape)	Passed	04/16/2019	04/16/2022		NGA-WE-11A/12A/17A	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	04/16/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			11B/12B/17B	CT11B, 12B & 17B-Pipe Coatings (Hot Applied Tape)	Passed	04/16/2019	04/16/2022		NGA-WE-11B/12B/17B	NGA-WE-11B, 12B & 17B-Pipe Coatings (Hot Applied Tape)	04/16/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			11C/12C/17C	CT11C, 12C & 17C-Pipe Coatings (Heat Shrink Sleeve)	Passed	04/16/2019	04/16/2022		NGA-WE-11A/12A/17A	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	04/16/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			11C/12C/17C	CT11C, 12C & 17C-Pipe Coatings (Heat Shrink Sleeve)	Passed	04/16/2019	04/16/2022		NGA-WE-11C/12C/17C	NGA-WE-11C, 12C & 17C-Pipe Coatings (Heat Shrink Sleeve)	04/16/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			11D/12D/17D	CT11D, 12D & 17D-Pipe Coatings (Wax Tape)	Passed	04/16/2019	04/16/2022		NGA-WE-11A/12A/17A	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	04/16/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			11D/12D/17D	CT11D, 12D & 17D-Pipe Coatings (Wax Tape)	Passed	04/16/2019	04/16/2022		NGA-WE-11D/12D/17D	NGA-WE-11D, 12D & 17D-Pipe Coatings (Wax Tape)	04/16/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			11F/12F/17F	CT11F, 12F & 17F-Pipe Coatings (Cold Applied Tape)	Passed	04/16/2019	04/16/2022		NGA-WE-11A/12A/17A	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	04/16/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			11F/12F/17F	CT11F, 12F & 17F-Pipe Coatings (Cold Applied Tape)	Passed	04/16/2019	04/16/2022		NGA-WE-11F/12F/17F	NGA-WE-11F, 12F & 17F-Pipe Coatings (Cold Applied Tape)	04/16/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			11G/12G/17G	CT11G, 12G & 17G-Pipe Coatings (Two Part Epoxy)	Passed	04/16/2019	04/16/2022		NGA-WE-11A/12A/17A	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	04/16/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			11G/12G/17G	CT11G, 12G & 17G-Pipe Coatings (Two Part Epoxy)	Passed	04/16/2019	04/16/2022		NGA-WE-11G/12G/17G	NGA-WE-11G, 12G & 17G-Pipe Coatings (Two Part Epoxy)	04/16/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			11H/12H/17H	CT11H, 12H & 17H-Pipe Coatings (Paint)	Passed	04/16/2019	04/16/2022		NGA-WE-11H/12H/17H	NGA-WE-11H, 12H & 17H-Pipe Coatings (Paint)	04/16/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			15A	CT15A-Installing, Replacing and Testing Electrical Isolation Couplings	Passed	04/16/2019	04/16/2022		NGA-WE-15A	NGA-WE-15A-Installing, Replacing and Testing Electrical Isolation Couplings	04/16/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			18A	CT18A Conducting Gas Leakage Surveys (Mobile and Walking Surveys)	Passed	02/22/2018	02/22/2021		NGA-PE-18.1	NGA-PE-18.1-Leak Survey	02/23/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			18A	CT18A Conducting Gas Leakage Surveys (Mobile and Walking Surveys)	Passed	02/22/2018	02/22/2021		NGA-WE-CT18A	NGA-WE-CT18A-Conducting Gas Leakage Survey (Mobile and Walking Surveys)	02/22/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			19	CT19-Patrolling and Inspecting Pipelines	Passed	05/04/2016	05/04/2019		NGA-WE-CT19	NGA-WE-CT19-Patrolling and Inspecting Pipelines	05/04/2019	Expired	Online	Expired
Columbia Gas of Massachusetts			20A	CT20A-Investigating Leak or Odor Complaints (Inside and Outside)	Passed	02/22/2018	02/22/2021		NGA-WE-20A	NGA-WE-20A- Investigating Leak or Odor Complaints (Inside and Outside)	02/22/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			20D	CT20D-Leak Classification	Passed	04/18/2019	04/18/2022		NGA-WE-20D	NGA-WE-20D- Leak Classification	04/18/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			21-MA	CT21-Line Locating and Mark Out (Massachusetts)	Passed	02/16/2018	06/01/2020		NGA-PE-21.1	NGA-PE-21.1-Line Locating and Mark Out	06/01/2020	Yes	Online	Yes
Columbia Gas of Massachusetts			21-MA	CT21-Line Locating and Mark Out (Massachusetts)	Passed	02/16/2018	06/01/2020		NGA-WE-21	NGA-WE-21-Line Locating and Mark Out (Massachusetts)	09/15/2020	Yes	Online	Yes
Columbia Gas of Massachusetts			21-MA	CT21-Line Locating and Mark Out (Massachusetts)	Passed	02/16/2018	06/01/2020		NGA-WE-MA	NGA-WE-State Damage Prevention Regulations (Massachusetts)	02/16/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			22A	CT22A-Inspecting of 3rd Party Excavations for Damage Prevention, Including Root Cause Analysis	Passed	02/16/2018	02/16/2021		NGA-WE-22A	NGA-WE-22A-Inspecting of 3rd Party Excavations for Damage Prevention, Including Root Cause Analysis	02/16/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			22B	CT22B-Inspecting of 3rd Party Excavations for Damage Prevention	Passed	06/01/2017	06/01/2020		NGA-WE-22B	NGA-WE-22B-Inspecting of 3rd Party Excavations for Damage Prevention	06/01/2020	Yes	Online	Yes
Columbia Gas of Massachusetts			23/24	CT23 & 24 Inspecting the Condition of Exposed Pipe	Passed	02/16/2018	02/16/2021		NGA-WE-23/24	NGA-WE-23 & 24-Inspecting the Condition of Exposed Pipe	02/16/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			28	CT28-Uprating	Passed	05/04/2016	05/04/2019		NGA-WE-CT28	NGA-WE-CT28-Uprating - 13824	05/04/2019	Expired	Online	Expired
Columbia Gas of Massachusetts			29B/30B	CT29B & 30B-Repairing a Plastic Distribution Pipe	Passed	02/16/2018	02/16/2021		NGA-WE-29B/30B	NGA-WE-29B & 30B-Repairing a Plastic Distribution Pipe	02/16/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			29C/30C	CT29C & 30C-Repairing a Steel Distribution Pipe	Passed	01/31/2018	01/31/2021		NGA-WE-29C/30C	NGA-WE-29C & 30C-Repairing a Steel Distribution Pipe	01/31/2021	Yes	Online	Yes

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Cert Status	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			29E/30E	CT29E & 30E-Repairing Cast Iron Distribution Pipe, Not Including Anaerobic Sealing	Passed	02/16/2018	02/16/2021		GA-WE-29E/30E	NGA-WE-29E & 30E-Repairing Cast Iron Distribution Pipe, Not Including Anaerobic Sealing	02/16/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			31A	CT31A-Installation of Pipe: Storage, Handling and Inspection of Pipe: General Knowledge	Passed	01/31/2018	01/31/2021		GA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	01/31/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			31B	CT31B-Installation of Pipe: Install Pipe in a Ditch	Passed	01/31/2018	01/31/2021		GA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	01/31/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			31B	CT31B-Installation of Pipe: Install Pipe in a Ditch	Passed	01/31/2018	01/31/2021		GA-WE-31B	NGA-WE-31B-Installation of Pipe: Install Pipe in a Ditch - 14406	01/31/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			31C	CT31C-Installation of Pipe: Installing Pipe by Horizontal Directional Drilling	Passed	01/31/2018	01/31/2021		GA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	01/31/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			31C	CT31C-Installation of Pipe: Installing Pipe by Horizontal Directional Drilling	Passed	01/31/2018	01/31/2021		GA-WE-31C	NGA-WE-31C-Installation of Pipe:Installing Pipe by Horizontal Directional Drilling - 14407	01/31/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			31D	CT31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools)	Passed	01/31/2018	01/31/2021		GA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	01/31/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			31D	CT31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools)	Passed	01/31/2018	01/31/2021		GA-WE-31D	NGA-WE-31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools) - 14408	01/31/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	07/13/2018	01/31/2021		GA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	01/31/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	07/13/2018	01/31/2021		GA-WE-31E	NGA-WE-31E-Installation of Pipe: Installing Pipe by Dead Insertion - 14409	01/31/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			31F	CT31F-Installation of Pipe: Installing Pipe by Vibratory Plow	Passed	01/31/2018			GA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405		No	Online	No
Columbia Gas of Massachusetts			32	CT32-Purging a pipeline into service	Passed	01/19/2018	01/19/2021		GA-WE-32 & 33	NGA-WE-32 & 33-Purging a Pipeline In and Out of Service - 13828	01/19/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			33	CT33-Purging a pipeline out of service	Passed	01/19/2018	01/19/2021		GA-WE-32 & 33	NGA-WE-32 & 33-Purging a Pipeline In and Out of Service - 13828	01/19/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			34	CT34-Performing pressure test on a pipeline	Passed	01/19/2018	01/19/2021		GA-WE-34	NGA-WE-34-Performing Pressure Test on a Pipeline - 13830	01/19/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			35.1B	CT35.1B-Stopping Gas Flow (Mains and Services)	Passed	05/04/2016	05/04/2019				03/15/2019	Expired	Online	Expired
Columbia Gas of Massachusetts			35.1B	CT35.1B-Stopping Gas Flow (Mains and Services)	Passed	05/04/2016	05/04/2019		GA-PE-35.1	NGA-PE-35.1 Squeeze-Off	04/18/2022	Yes	Online	Expired
Columbia Gas of Massachusetts			35.1B	CT35.1B-Stopping Gas Flow (Mains and Services)	Passed	05/04/2016	05/04/2019		GA-WE-35.1B	NGA-WE-35.1B- Stopping Gas Flow (Squeeze-Off - Mains & Services)	05/04/2019	Expired	Online	Expired
Columbia Gas of Massachusetts			35.2	CT35.2-Stopping Gas Flow (Bagging)	Passed	05/04/2016	05/04/2019				03/15/2019	Expired	Online	Expired
Columbia Gas of Massachusetts			35.2	CT35.2-Stopping Gas Flow (Bagging)	Passed	05/04/2016	05/04/2019		GA-PE-35.2	NGA-PE-35.2 Bagging	04/18/2022	Yes	Online	Expired
Columbia Gas of Massachusetts			35.2	CT35.2-Stopping Gas Flow (Bagging)	Passed	05/04/2016	05/04/2019		GA-WE-5.2/35.3	NGA-WE-35.2/35.3- Stopping Gas Flow (Bagging, Valves and Mechanical Only)	05/04/2019	Expired	Online	Expired
Columbia Gas of Massachusetts			35.3	CT35.3-Stopping Gas Flow (Mechanical)	Passed	05/04/2016	05/04/2019		GA-PE-35.3	NGA-PE-35.3 Mechanical	06/28/2019	Expired	Online	Expired
Columbia Gas of Massachusetts			35.3	CT35.3-Stopping Gas Flow (Mechanical)	Passed	05/04/2016	05/04/2019		GA-WE-5.2/35.3	NGA-WE-35.2/35.3- Stopping Gas Flow (Bagging, Valves and Mechanical Only)	05/04/2019	Expired	Online	Expired
Columbia Gas of Massachusetts			36/47	CT36 & 47-Abandonment of Facilities	Passed	01/19/2018	01/19/2021		GA-WE-36/47	NGA-WE-36 & 47-Abandonment of Facilities	01/19/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			37A	CT37A-Tapping a Low Pressure Main	Passed	03/01/2016	03/01/2019		GA-PE-CT37A	NGA-PE-CT37A-Tapping a Low Pressure Main - 14389	06/28/2019	Expired	Online	Expired
Columbia Gas of Massachusetts			37A	CT37A-Tapping a Low Pressure Main	Passed	03/01/2016	03/01/2019		GA-WE-CT37	NGA-WE-CT37-Tapping Pipelines Under Pressure - 13833	03/01/2019	Expired	Online	Expired
Columbia Gas of Massachusetts			37C	CT37C-Tapping Steel Pipe with Specialized Equipment	Passed	02/22/2018	02/22/2021		GA-PE-7B.1/37C.1	NGA-PE-37B.1 & 37C.1-Tapping Cast Iron and Steel Pipe with Specialized Equipment	04/18/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			37C	CT37C-Tapping Steel Pipe with Specialized Equipment	Passed	02/22/2018	02/22/2021		GA-WE-37C	NGA-WE-37C-Tapping Steel Pipe with Specialized Equipment	02/22/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			38	CT38-Starting up or shutting down any part of a pipeline that could cause the MAOP to be exceeded	Passed	05/04/2016	05/04/2019		GA-WE-CT38	NGA-WE-CT38-Starting Up or Shutting Down any part of a Pipeline that could cause the MAOP to be Exceeded - 13834	05/04/2019	Expired	Online	Expired
Columbia Gas of Massachusetts			41/42	CT41 & 42-Inspecting, Lubricating, Repairing and Operating Distribution Valves	Passed	01/19/2018	01/19/2021		GA-WE-41/42	NGA-WE-41 & 42-Inspecting, Lubricating, Repairing and Operating Distribution Valves	01/19/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			45	CT45-Restore Service	Passed	04/18/2019	04/18/2022		GA-WE-45	NGA-WE-45-Restore Service	04/18/2022	Yes	Online	Yes

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date		Proctor Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Cert Status	Knowledge Media Type	Is Qualified
						Knowledge Taken	Expires							
Columbia Gas of Massachusetts			9.1/49.2	CT49.1/49.2 Mechanical Joining of Pipe other than Plastic (Threaded and Flange)	Passed	09/05/2019	09/05/2022		NGA-WE-49	NGA-WE-49- Mechanical Joining of Pipe Other than Plastic to Plastic Pipe	09/05/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			9.3	CT49.3 Mechanical Joining of Pipe other than Plastic (Compression)	Passed	09/05/2019	04/18/2022		NGA-PE-49.3	NGA-PE-49.3 Mechanical Joining of Pipe – Compression	04/18/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			9.3	CT49.3 Mechanical Joining of Pipe other than Plastic (Compression)	Passed	09/05/2019	04/18/2022		NGA-WE-49	NGA-WE-49- Mechanical Joining of Pipe Other than Plastic to Plastic Pipe	09/05/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			0/51B.06	CT50/51-Joining Plastic Pipe-Bolted (Bolt On) Fitting-Mechanical Couplings	Passed	09/05/2019	04/18/2020		NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	01/19/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			0/51B.06	CT50/51-Joining Plastic Pipe-Bolted (Bolt On) Fitting-Mechanical Couplings	Passed	09/05/2019	04/18/2020		NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213	09/05/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			0/51B.06	CT50/51-Joining Plastic Pipe-Bolted (Bolt On) Fitting-Mechanical Couplings	Passed	09/05/2019	04/18/2020		PJQ-06	NGA-PE-CT50-Bolted (Bolt On) Fitting (PJQ-06)	04/18/2020	Yes	Online	Yes
Columbia Gas of Massachusetts			0B.08	CT50/51-Joining Plastic Pipe-Compression Fitting-Mechanical Couplings	Passed	09/05/2019	04/18/2020		NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	01/19/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			0B.08	CT50/51-Joining Plastic Pipe-Compression Fitting-Mechanical Couplings	Passed	09/05/2019	04/18/2020		NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213	09/05/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			0B.08	CT50/51-Joining Plastic Pipe-Compression Fitting-Mechanical Couplings	Passed	09/05/2019	04/18/2020		PJQ-08	NGA-PE-CT50-Compression Fitting (PJQ-08)	04/18/2020	Yes	Online	Yes
Columbia Gas of Massachusetts			0B.09	CT50/51-Joining Plastic Pipe-Nut Follower (Threaded Fitting)-Mechanical Couplings	Passed	09/05/2019	04/18/2020		NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	01/19/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			0B.09	CT50/51-Joining Plastic Pipe-Nut Follower (Threaded Fitting)-Mechanical Couplings	Passed	09/05/2019	04/18/2020		NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213	09/05/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			0B.09	CT50/51-Joining Plastic Pipe-Nut Follower (Threaded Fitting)-Mechanical Couplings	Passed	09/05/2019	04/18/2020		PJQ-09	NGA-PE-CT50-Nut Follower (Threaded Fitting) (PJQ-09)	04/18/2020	Yes	Online	Yes
Columbia Gas of Massachusetts			0B.07	CT50/51-Joining Plastic Pipe-Stab Fitting-Mechanical Couplings	Passed	09/05/2019	04/18/2020		NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	01/19/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			0B.07	CT50/51-Joining Plastic Pipe-Stab Fitting-Mechanical Couplings	Passed	09/05/2019	04/18/2020		NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213	09/05/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			0B.07	CT50/51-Joining Plastic Pipe-Stab Fitting-Mechanical Couplings	Passed	09/05/2019	04/18/2020		PJQ-07	NGA-PE-CT50-Stab Fitting (PJQ-07)	04/18/2020	Yes	Online	Yes
Columbia Gas of Massachusetts			0/51/52C.04	CT50/51/52-Joining Plastic Pipe-Saddle Electrofusion	Passed	09/05/2019	04/18/2020		NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	01/19/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			0/51/52C.04	CT50/51/52-Joining Plastic Pipe-Saddle Electrofusion	Passed	09/05/2019	04/18/2020		NGA-WE-(C)	NGA-WE-(C)-Electrofusion - 14667	09/05/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			0/51/52C.04	CT50/51/52-Joining Plastic Pipe-Saddle Electrofusion	Passed	09/05/2019	04/18/2020		PJQ-04	NGA-PE-CT50-Saddle Electrofusion (PJQ-04)	04/18/2020	Yes	Online	Yes
Columbia Gas of Massachusetts			0/52C.05	CT50/52-Joining Plastic Pipe-Coupling Electrofusion	Passed	09/05/2019	04/18/2020		NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	01/19/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			0/52C.05	CT50/52-Joining Plastic Pipe-Coupling Electrofusion	Passed	09/05/2019	04/18/2020		NGA-WE-(C)	NGA-WE-(C)-Electrofusion - 14667	09/05/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			0/52C.05	CT50/52-Joining Plastic Pipe-Coupling Electrofusion	Passed	09/05/2019	04/18/2020		PJQ-05	NGA-PE-CT50-Coupling Electrofusion (PJQ-05)	04/18/2020	Yes	Online	Yes
Columbia Gas of Massachusetts			0/52D	CT50/52-Joining Plastic Pipe-Hydraulic Butt Fusion	Passed	09/05/2019	03/23/2019		NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	01/19/2021	Yes	Online	Expired
Columbia Gas of Massachusetts			0/52D	CT50/52-Joining Plastic Pipe-Hydraulic Butt Fusion	Passed	09/05/2019	03/23/2019		NGA-WE-(D)	NGA-WE-(D)-Hydraulic Butt Fusion - 14668	02/22/2021	Yes	Online	Expired
Columbia Gas of Massachusetts			0/52D	CT50/52-Joining Plastic Pipe-Hydraulic Butt Fusion	Passed	09/05/2019	03/23/2019		NGA-WE-(E)	NGA-WE-(E)-Manual Butt Fusion - 14669	09/05/2022	Yes	Online	Expired
Columbia Gas of Massachusetts			0/52D	CT50/52-Joining Plastic Pipe-Hydraulic Butt Fusion	Passed	09/05/2019	03/23/2019		PJQ-01B	NGA-PE-CT50-Coiled Pipe Butt Fusion (PJQ-01B)	04/18/2020	Yes	Online	Expired
Columbia Gas of Massachusetts			0/52D	CT50/52-Joining Plastic Pipe-Hydraulic Butt Fusion	Passed	09/05/2019	03/23/2019		PJQ-11	NGA-PE-CT50-Hydraulic Fusion (PJQ-11)	03/23/2019	Expired	Online	Expired
Columbia Gas of Massachusetts			0/52E	CT50/52-Joining Plastic Pipe-Manual Butt Fusion	Passed	09/05/2019	04/18/2020		NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	01/19/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			0/52E	CT50/52-Joining Plastic Pipe-Manual Butt Fusion	Passed	09/05/2019	04/18/2020		NGA-WE-(E)	NGA-WE-(E)-Manual Butt Fusion - 14669	09/05/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			0/52E	CT50/52-Joining Plastic Pipe-Manual Butt Fusion	Passed	09/05/2019	04/18/2020		PJQ-01B	NGA-PE-CT50-Coiled Pipe Butt Fusion (PJQ-01B)	04/18/2020	Yes	Online	Yes
Columbia Gas of Massachusetts			1D	CT51D-Tapping Using Plastic and Steel Self Tapping Tees	Passed	02/22/2018	02/22/2021				03/23/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			1D	CT51D-Tapping Using Plastic and Steel Self Tapping Tees	Passed	02/22/2018	02/22/2021		NGA-PE-51D.1/51D.2	NGA-PE-51D.1 & 51D.2-Tapping a Plastic and Steel Self Tapping Tee	04/18/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			1D	CT51D-Tapping Using Plastic and Steel Self Tapping Tees	Passed	02/22/2018	02/22/2021		NGA-WE-51D	NGA-WE-51D-Tapping Using Plastic and Steel Self Tapping Tees	02/22/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			1	CT61-Inspecting a Pressure Recording Gauge	Failed	05/04/2018			NGA-WE-61	NGA-WE-61-Inspecting a Pressure Recording Gauge		No	Online	No
Columbia Gas of Massachusetts			6B	CT66B-Field Interpretation of Pressure Recording Charts	Failed	05/04/2018			NGA-WE-66B	NGA-WE-66B-Field Interpretation of Pressure Recording Charts		No	Online	No

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Cert Status	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			69	CT69-Monitor natural gas odorization levels	Passed	05/04/2016	05/04/2019		GA-WE-CT69	NGA-WE-CT69-Monitor Natural Gas Odorization Levels - 13865	05/04/2019	Expired	Online	Suspended
Columbia Gas of Massachusetts			69	CT69-Monitor Natural Gas Odorization Levels	Failed	04/18/2019			GA-WE-69	NGA-WE-69-Monitor Natural Gas Odorization Levels		No	Online	No
Columbia Gas of Massachusetts			70	CT70-Properties of Natural Gas and Abnormal Operating Conditions	Passed	06/01/2017	06/01/2020		GA-WE-70	NGA-WE-70-Properties of Natural Gas and Abnormal Operating Conditions	06/01/2020	Yes	Online	Yes
Columbia Gas of Massachusetts			72A	CT72A-Installing and Turning Off Residential, Small Commercial, Large Commercial and Industrial Meters and Regulators	Passed	04/18/2019	04/18/2022		GA-WE-72A	NGA-WE-72A-Installing and Turning Off Residential, Small Commercial, Large Commercial and Industrial Meters and Regulators	04/18/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			85	CT85-Meter Assembly Abnormal Operating Conditions	Passed	04/16/2019	04/16/2022		GA-WE-CT85	NGA-WE-CT85-EXAM-Meter Assembly Abnormal Operating Conditions	04/16/2022	Yes	Online	Yes
Columbia Gas of Massachusetts				NGA-Proctor-Tr NGA Proctor Training	Passed	06/14/2016	10/14/2049				10/14/2049	Yes	Online	Yes
Columbia Gas of Massachusetts				NGA-Proctor-Tr NGA Proctor Training	Passed	01/31/2017	01/31/2067		GAPP	NGA Proctoring Presentation	01/31/2067	Yes	Online	Yes
Columbia Gas of Massachusetts			02.	NGA-WE-CT02-COURSE Pipe-to-Soil Potential	Completed	09/11/2018						No	Online	No
Columbia Gas of Massachusetts			08.	NGA-WE-CT08-COURSE Internal Corrosion	Completed	09/11/2018						No	Online	No
Columbia Gas of Massachusetts			11,12&17.	NGA-WE-CT11, 12 & 17-COURSE Pipe Coatings	Completed	04/12/2019						No	Online	No
Columbia Gas of Massachusetts			14.	NGA-WE-CT14-COURSE Anodes	Completed	09/11/2018						No	Online	No
Columbia Gas of Massachusetts			15.	NGA-WE-CT15-COURSE Electrical Isolation Couplings	Completed	09/11/2018						No	Online	No
Columbia Gas of Massachusetts			16.	NGA-WE-CT16-COURSE Test Stations	Completed	09/11/2018						No	Online	No
Columbia Gas of Massachusetts			29/30.	NGA-WE-CT29 & 30-COURSE-Repairing a Distribution Pipe	Completed	01/12/2018						No	Online	No
Columbia Gas of Massachusetts			85.	NGA-WE-CT85-COURSE Meter Assembly Abnormal Operating Conditions	Completed	05/04/2016						No	Online	No
Columbia Gas of Massachusetts			CDOP0.0	Odor Impairment Screening	Passed	07/26/2018	07/26/2019		DOP00241	PE CDOP00241 - Annual Odorant Scratch & Sniff Test (NHANES)	07/26/2019	Expired	Online	Expired

**OnBoard Learning Management System
Industrial Training Services, Inc. - Detailed Task Report**

Company Name	User Full Name	User Name	Task Code	Task_Code	Task	Knowledge Status	Date Skill Taken	Qualification Date	Expires	Evaluator Name	Affidavit	Skill Method	Media Type	Is Qualified
Columbia Gas of Massachusetts			NGA-WE-06A	06A	NGA-WE-06A-Inspecting for Atmospheric Corrosion, Including Evaluation and Remediation	Passed	04/16/2019	04/16/2019	04/16/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-06B	06B	NGA-WE-06B-Inspecting for Atmospheric Corrosion	Passed	04/16/2019	04/16/2019	04/16/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-10	10	NGA-WE-10-Clearing a Shorted Casing	Failed	09/05/2019					WE	Online	No
Columbia Gas of Massachusetts			NGA-WE-CT10	10	NGA-WE-CT10-Clear a Shorted Casing - 13802	Passed	03/01/2016	03/01/2016	03/01/2019			WE	Online	Expired
Columbia Gas of Massachusetts			NGA-WE-11A/12A/17A	11B/12B/17B	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	Passed	04/16/2019	04/16/2019	04/16/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-11B/12B/17B	11B/12B/17B	NGA-WE-11B, 12B & 17B-Pipe Coatings (Hot Applied Tape)	Passed	04/16/2019	04/16/2019	04/16/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-11A/12A/17A	11C/12C/17C	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	Passed	04/16/2019	04/16/2019	04/16/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-11C/12C/17C	11C/12C/17C	NGA-WE-11C, 12C & 17C-Pipe Coatings (Heat Shrink Sleeve)	Passed	04/16/2019	04/16/2019	04/16/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-11A/12A/17A	11D/12D/17D	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	Passed	04/16/2019	04/16/2019	04/16/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-11D/12D/17D	11D/12D/17D	NGA-WE-11D, 12D & 17D-Pipe Coatings (Wax Tape)	Passed	04/16/2019	04/16/2019	04/16/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-11A/12A/17A	11F/12F/17F	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	Passed	04/16/2019	04/16/2019	04/16/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-11F/12F/17F	11F/12F/17F	NGA-WE-11F, 12F & 17F-Pipe Coatings (Cold Applied Tape)	Passed	04/16/2019	04/16/2019	04/16/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-11A/12A/17A	11G/12G/17G	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	Passed	04/16/2019	04/16/2019	04/16/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-11G/12G/17G	11G/12G/17G	NGA-WE-11G, 12G & 17G-Pipe Coatings (Two Part Epoxy)	Passed	04/16/2019	04/16/2019	04/16/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-11H/12H/17H	11H/12H/17H	NGA-WE-11H, 12H & 17H-Pipe Coatings (Paint)	Passed	04/16/2019	04/16/2019	04/16/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-15A	15A	NGA-WE-15A-Installing, Replacing and Testing Electrical Isolation Couplings	Passed	04/16/2019	04/16/2019	04/16/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-PE-18.1	18A	NGA-PE-18.1-Leak Survey	Passed	02/23/2018	02/23/2018	02/23/2021		3913e8-cbfc-4315-b86c-0562fa6cd6.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-CT18A	18A	NGA-WE-CT18A-Conducting Gas Leakage Survey (Mobile and Walking Surveys)	Passed	02/22/2018	02/23/2018	02/22/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-CT19	19	NGA-WE-CT19-Patrolling and Inspecting Pipelines	Passed	05/04/2016	05/04/2016	05/04/2019			WE	Online	Expired
Columbia Gas of Massachusetts			NGA-WE-20A	20A	NGA-WE-20A- Investigating Leak or Odor Complaints (Inside and Outside)	Passed	02/22/2018	02/22/2018	02/22/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-20D	20D	NGA-WE-20D- Leak Classification	Passed	04/18/2019	04/18/2019	04/18/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-PE-21.1	21-MA	NGA-PE-21.1-Line Locating and Mark Out	Passed	06/01/2017	02/16/2018	06/01/2020		afa34b-39d8-44f6-b80b-cfda7b85c1.pdf	POJ	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-21	21-MA	NGA-WE-21-Line Locating and Mark Out	Passed	09/15/2017	02/16/2018	09/15/2020			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-MA	21-MA	NGA-WE-State Damage Prevention Regulations (Massachusetts)	Passed	02/16/2018	02/16/2018	02/16/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-22A	22A	NGA-WE-22A-Inspecting of 3rd Party Excavations for Damage Prevention, Including Root Cause Analysis	Passed	02/16/2018	02/16/2018	02/16/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-22B	22B	NGA-WE-22B-Inspecting of 3rd Party Excavations for Damage Prevention	Passed	06/01/2017	06/01/2017	06/01/2020			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-23/24	23/24	NGA-WE-23 & 24-Inspecting the Condition of Exposed Pipe	Passed	02/16/2018	02/16/2018	02/16/2021			WE	Online	Yes

Company Name	User Full Name	User Name	Task Code	Task_Code	Task	Knowledge Status	Date Skill Taken	Qualification Date	Expires	Evaluator Name	Affidavit	Skill Method	Media Type	Is Qualified
Columbia Gas of Massachusetts			NGA-WE-CT28	28	NGA-WE-CT28-Uprating - 13824	Passed	05/04/2016	05/04/2016	05/04/2019			WE	Online	Expired
Columbia Gas of Massachusetts			NGA-WE-29B/30B	29B/30B	NGA-WE-29B & 30B-Repairing a Plastic Distribution Pipe	Passed	02/16/2018	02/16/2018	02/16/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-29C/30C	29C/30C	NGA-WE-29C & 30C-Repairing a Steel Distribution Pipe	Passed	01/31/2018	01/31/2018	01/31/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-29E/30E	29E/30E	NGA-WE-29E & 30E-Repairing Cast Iron Distribution Pipe, Not Including Anaerobic Sealing	Passed	02/16/2018	02/16/2018	02/16/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-31A	31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	Passed	01/31/2018	01/31/2018	01/31/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-31A	31B	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	Passed	01/31/2018	01/31/2018	01/31/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-31B	31B	NGA-WE-31B-Installation of Pipe: Install Pipe in a Ditch - 14406	Passed	01/31/2018	01/31/2018	01/31/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-31A	31C	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	Passed	01/31/2018	01/31/2018	01/31/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-31C	31C	NGA-WE-31C-Installation of Pipe:Installing Pipe by Horizontal Directional Drilling - 14407	Passed	01/31/2018	01/31/2018	01/31/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-31A	31D	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	Passed	01/31/2018	01/31/2018	01/31/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-31D	31D	NGA-WE-31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools) - 14408	Passed	01/31/2018	01/31/2018	01/31/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-31A	31E	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	Passed	01/31/2018	07/13/2018	01/31/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-31E	31E	NGA-WE-31E-Installation of Pipe: Installing Pipe by Dead Insertion - 14409	Passed	07/13/2018	07/13/2018	01/31/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-31A	31F	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	Passed	01/31/2018					WE	Online	No
Columbia Gas of Massachusetts			NGA-WE-32 & 33	32	NGA-WE-32 & 33-Purging a Pipeline In and Out of Service - 13828	Passed	01/19/2018	01/19/2018	01/19/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-32 & 33	33	NGA-WE-32 & 33-Purging a Pipeline In and Out of Service - 13828	Passed	01/19/2018	01/19/2018	01/19/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-34	34	NGA-WE-34-Performing Pressure Test on a Pipeline - 13830	Passed	01/19/2018	01/19/2018	01/19/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-PE-35.1	35.1B	NGA-PE-35.1 Squeeze-Off	Passed	04/18/2019	04/18/2019	04/18/2022		aed8f6b4-d252-48d1-b103-36768e2d0456.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-35.1B	35.1B	NGA-WE-35.1B- Stopping Gas Flow (Squeeze-Off - Mains & Services)	Passed	05/04/2016	05/04/2016	05/04/2019			WE	Online	Expired
Columbia Gas of Massachusetts			NGA-PE-35.2	35.2	NGA-PE-35.2 Bagging	Passed	04/18/2019	04/18/2019	04/18/2022		6de234db-fe2f-44b6-bbb3-c09738f50500.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-35.2/35.3	35.2	NGA-WE-35.2/35.3- Stopping Gas Flow (Bagging, Valves and Mechanical Only)	Passed	05/04/2016	05/04/2016	05/04/2019			WE	Online	Expired
Columbia Gas of Massachusetts			NGA-PE-35.3	35.3	NGA-PE-35.3 Mechanical	Passed	06/28/2016	06/28/2016	06/28/2019		8ae65eb2-ce02-4205-8a5f-e21019fba339.pdf	SIM	Online	Expired
Columbia Gas of Massachusetts			NGA-WE-35.2/35.3	35.3	NGA-WE-35.2/35.3- Stopping Gas Flow (Bagging, Valves and Mechanical Only)	Passed	05/04/2016	05/04/2016	05/04/2019			WE	Online	Expired
Columbia Gas of Massachusetts			NGA-WE-36/47	36/47	NGA-WE-36 & 47-Abandonment of Facilities	Passed	01/19/2018	01/19/2018	01/19/2021			WE	Online	Yes

Company Name	User Full Name	User Name	Task Code	Task_Code	Task	Knowledge Status	Date Skill Taken	Qualification Date	Expires	Evaluator Name	Affidavit	Skill Method	Media Type	Is Qualified
Columbia Gas of Massachusetts			NGA-PE-CT37A	37A	NGA-PE-CT37A-Tapping a Low Pressure Main - 14389	Passed	06/28/2016	06/28/2016	06/28/2019		1c6e3312-870f-46da-8ccd-43fdeec8a7f7.pdf	SIM	Online	Expired
Columbia Gas of Massachusetts			NGA-WE-CT37	37A	NGA-WE-CT37-Tapping Pipelines Under Pressure - 13833	Passed	03/01/2016	03/01/2016	03/01/2019			WE	Online	Expired
Columbia Gas of Massachusetts			NGA-PE-37B.1/37C.1	37C	NGA-PE-37B.1 & 37C.1-Tapping Cast Iron and Steel Pipe with Specialized Equipment	Passed	04/18/2019	04/18/2019	04/18/2022		5aaec54b-31b1-43a0-993d-579029d8953e.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-37C	37C	NGA-WE-37C-Tapping Steel Pipe with Specialized Equipment	Passed	02/22/2018	04/18/2019	02/22/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-CT38	38	NGA-WE-CT38-Starting Up or Shutting Down any part of a Pipeline that could cause the MAOP to be Exceeded - 13834	Passed	05/04/2016	05/04/2016	05/04/2019			WE	Online	Expired
Columbia Gas of Massachusetts			NGA-WE-41/42	41/42	NGA-WE-41 & 42-Inspecting, Lubricating, Repairing and Operating Distribution Valves	Passed	01/19/2018	01/19/2018	01/19/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-45	45	NGA-WE-45-Restore Service	Passed	04/18/2019	04/18/2019	04/18/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-49	49.1/49.2	NGA-WE-49- Mechanical Joining of Pipe Other than Plastic to Plastic Pipe	Passed	09/05/2019	09/05/2019	09/05/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-PE-49.3	49.3	NGA-PE-49.3 Mechanical Joining of Pipe – Compression	Passed	04/18/2019	09/05/2019	04/18/2022		e1a1eb75-802a-4cf6-ac63-d14e234de361.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-49	49.3	NGA-WE-49- Mechanical Joining of Pipe Other than Plastic to Plastic Pipe	Passed	09/05/2019	09/05/2019	09/05/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(A)	50/51/52C.04	NGA-WE-(A)-General Knowledge - 14665	Passed	01/19/2018	09/05/2019	01/19/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(C)	50/51/52C.04	NGA-WE-(C)-Electrofusion - 14667	Passed	09/05/2019	09/05/2019	09/05/2022			WE	Online	Yes
Columbia Gas of Massachusetts			PJQ-04	50/51/52C.04	NGA-PE-CT50-Saddle Electrofusion (PJQ-04)	Passed	04/18/2019	09/05/2019	04/18/2020		12253d4d-829d-4292-937c-c94476351e92.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(A)	50/51B.06	NGA-WE-(A)-General Knowledge - 14665	Passed	01/19/2018	09/05/2019	01/19/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(B)	50/51B.06	NGA-WE-(B)-Mechanical Couplings - 17213	Passed	09/05/2019	09/05/2019	09/05/2022			WE	Online	Yes
Columbia Gas of Massachusetts			PJQ-06	50/51B.06	NGA-PE-CT50-Bolted (Bolt On) Fitting (PJQ-06)	Passed	04/18/2019	09/05/2019	04/18/2020		c7799deb-3ca7-4b1a-a9a8-3b62cd427ef9.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(A)	50/52C.05	NGA-WE-(A)-General Knowledge - 14665	Passed	01/19/2018	09/05/2019	01/19/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(C)	50/52C.05	NGA-WE-(C)-Electrofusion - 14667	Passed	09/05/2019	09/05/2019	09/05/2022			WE	Online	Yes
Columbia Gas of Massachusetts			PJQ-05	50/52C.05	NGA-PE-CT50-Coupling Electrofusion (PJQ-05)	Passed	04/18/2019	09/05/2019	04/18/2020		cc90b075-b054-408d-87af-18ecbfb2c40.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(A)	50/52D	NGA-WE-(A)-General Knowledge - 14665	Passed	01/19/2018	09/05/2019	01/19/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(D)	50/52D	NGA-WE-(D)-Hydraulic Butt Fusion - 14668	Passed	02/22/2018	09/05/2019	02/22/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(E)	50/52D	NGA-WE-(E)-Manual Butt Fusion - 14669	Passed	09/05/2019	09/05/2019	09/05/2022			WE	Online	Yes
Columbia Gas of Massachusetts			PJQ-01B	50/52D	NGA-PE-CT50-Coiled Pipe Butt Fusion (PJQ-01B)	Passed	04/18/2019	09/05/2019	04/18/2020		711684db-3608-4b5f-822b-97ab8e1436e3.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			PJQ-11	50/52D	NGA-PE-CT50-Hydraulic Fusion (PJQ-11)	Passed	03/23/2018	09/05/2019	03/23/2019		8183db9e-3e7e-4f7b-b9bf-67691fde132e.pdf	SIM	Online	Expired
Columbia Gas of Massachusetts			NGA-WE-(A)	50/52E	NGA-WE-(A)-General Knowledge - 14665	Passed	01/19/2018	09/05/2019	01/19/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(E)	50/52E	NGA-WE-(E)-Manual Butt Fusion - 14669	Passed	09/05/2019	09/05/2019	09/05/2022			WE	Online	Yes
Columbia Gas of Massachusetts			PJQ-01B	50/52E	NGA-PE-CT50-Coiled Pipe Butt Fusion (PJQ-01B)	Passed	04/18/2019	09/05/2019	04/18/2020		711684db-3608-4b5f-822b-97ab8e1436e3.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(A)	50B.07	NGA-WE-(A)-General Knowledge - 14665	Passed	01/19/2018	09/05/2019	01/19/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(B)	50B.07	NGA-WE-(B)-Mechanical Couplings - 17213	Passed	09/05/2019	09/05/2019	09/05/2022			WE	Online	Yes
Columbia Gas of Massachusetts			PJQ-07	50B.07	NGA-PE-CT50-Stab Fitting (PJQ-07)	Passed	04/18/2019	09/05/2019	04/18/2020		efb1b60e-6772-4401-b9db-f8faf859ccac.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(A)	50B.08	NGA-WE-(A)-General Knowledge - 14665	Passed	01/19/2018	09/05/2019	01/19/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(B)	50B.08	NGA-WE-(B)-Mechanical Couplings - 17213	Passed	09/05/2019	09/05/2019	09/05/2022			WE	Online	Yes
Columbia Gas of Massachusetts			PJQ-08	50B.08	NGA-PE-CT50-Compression Fitting (PJQ-08)	Passed	04/18/2019	09/05/2019	04/18/2020		f17b5d73-78f5-493d-82cb-7dbcf40bfc86.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(A)	50B.09	NGA-WE-(A)-General Knowledge - 14665	Passed	01/19/2018	09/05/2019	01/19/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(B)	50B.09	NGA-WE-(B)-Mechanical Couplings - 17213	Passed	09/05/2019	09/05/2019	09/05/2022			WE	Online	Yes
Columbia Gas of Massachusetts			PJQ-09	50B.09	NGA-PE-CT50-Nut Follower (Threaded Fitting) (PJQ-09)	Passed	04/18/2019	09/05/2019	04/18/2020		43e6e14e-89d9-426c-8c0f-f6b897c0b6ff.pdf	SIM	Online	Yes

Company Name	User Full Name	User Name	Task Code	Task_Code	Task	Knowledge Status	Date Skill Taken	Qualification Date	Expires	Evaluator Name	Affidavit	Skill Method	Media Type	Is Qualified
Columbia Gas of Massachusetts			NGA-PE-51D.1/51D.2	51D	NGA-PE-51D.1 & 51D.2-Tapping a Plastic and Steel Self Tapping Tee	Passed	04/18/2019	04/18/2019	04/18/2022		217719b4-7f26-47f2-ad06-3a9b3c3e1f6e.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-51D	51D	NGA-WE-51D-Tapping Using Plastic and Steel Self Tapping Tees	Passed	02/22/2018	03/23/2018	02/22/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-61	61	NGA-WE-61-Inspecting a Pressure Recording Gauge	Failed	05/04/2018					WE	Online	No
Columbia Gas of Massachusetts			NGA-WE-66B	66B	NGA-WE-66B-Field Interpretation of Pressure Recording Charts	Failed	05/04/2018					WE	Online	No
Columbia Gas of Massachusetts			NGA-WE-69	69	NGA-WE-69-Monitor Natural Gas Odorization Levels	Failed	04/18/2019					WE	Online	No
Columbia Gas of Massachusetts			NGA-WE-CT69	69	NGA-WE-CT69-Monitor Natural Gas Odorization Levels - 13865	Passed	05/04/2016	05/04/2016	05/04/2019			WE	Online	Suspended
Columbia Gas of Massachusetts			NGA-WE-70	70	NGA-WE-70-Properties of Natural Gas and Abnormal Operating Conditions	Passed	06/01/2017	06/01/2017	06/01/2020			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-72A	72A	NGA-WE-72A-Installing and Turning Off Residential, Small Commercial, Large Commercial and Industrial Meters and Regulators	Passed	04/18/2019	04/18/2019	04/18/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-CT85	85	NGA-WE-CT85-EXAM-Meter Assembly Abnormal Operating Conditions	Passed	04/16/2019	04/16/2019	04/16/2022			WE	Online	Yes
Columbia Gas of Massachusetts			CDOP00241	CDOP0.0	PE CDOP00241 - Annual Odorant Scratch & Sniff Test (NHANES)	Passed	07/26/2018	07/26/2018	07/26/2019		ca700f1c-66f0-41b4-beea-797d9f8b2179.pdf	POJ	Online	Expired
Columbia Gas of Massachusetts			NGAPP	NGA-Proctor-Training	NGA Proctoring Presentation	Passed	01/31/2017	01/31/2017	01/31/2067			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(H)	PJQ10	NGA-WE-(H)-EXAM Soil Compaction - 14682	Passed	02/22/2018	02/22/2018	02/22/2021			WE	Online	Yes

OnBoard Learning Management System
Industrial Training Services Inc. - Transcript Archives

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			PJQ10	CT-Soil Compaction	Passed	02/11/2014	02/11/2017		Columbia Gas of Massachusetts	NGA-WE-(H)	NGA-WE-(H)-EXAM Soil Compaction - 14682	02/11/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			PJQ10	CT-Soil Compaction	Passed	02/06/2015	02/06/2018		Columbia Gas of Massachusetts Northeast Gas Association	NGA-WE-(H)	NGA-WE-(H)-EXAM Soil Compaction - 14682	02/06/2018	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			PJQ10	CT-Soil Compaction	Passed	02/22/2018	02/22/2021			NGA-WE-(H)	NGA-WE-(H)-EXAM Soil Compaction - 14682	02/22/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			02	CT02-Measure Pipe-to-Soil Potential	Passed	05/29/2014	09/20/2018			NGA-WE-CT02	NGA-WE-CT02-Measuring Pipe-to-Soil Potential - 13792	09/20/2018	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			02	CT02-Measure Pipe-to-Soil Potential	Failed	04/18/2014				NGA-WE-CT02	NGA-WE-CT02-Measuring Pipe-to-Soil Potential - 13792		WE	No	No	Import	No
Columbia Gas of Massachusetts			06A	CT06A-Inspecting for Atmospheric Corrosion, Including Evaluation and Remediation	Passed	04/16/2019	04/16/2022			NGA-WE-06A	NGA-WE-06A-Inspecting for Atmospheric Corrosion, Including Evaluation and Remediation	04/16/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			06A	CT06A-Inspecting for atmospheric Corrosion: Distribution Technician	Passed	05/29/2014	09/20/2018			NGA-WE-CT06A & CT08A	NGA-WE-CT06A & CT08A-Inspecting for Atmospheric Corrosion, Visually Inspecting for Internal Corrosion: Distribution Technician - 13797	09/20/2018	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			06B	CT06B-Inspecting for Atmospheric Corrosion	Passed	04/16/2019	04/16/2022			NGA-WE-06B	NGA-WE-06B-Inspecting for Atmospheric Corrosion	04/16/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			06B	CT06B-Inspecting for atmospheric Corrosion: Customer Service Technician	Passed	03/01/2016	03/01/2019		Columbia Gas of Massachusetts	NGA-WE-CT06B & CT08B	NGA-WE-CT06B & CT08B-Inspecting for Atmospheric Corrosion:Customer Service Technician - 13798	03/01/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			08A	CT08A-Visually inspecting for internal corrosion: Distribution Technician	Passed	05/29/2014	09/20/2018			NGA-WE-CT06A & CT08A	NGA-WE-CT06A & CT08A-Inspecting for Atmospheric Corrosion, Visually Inspecting for Internal Corrosion: Distribution Technician - 13797	09/20/2018	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			08B	CT08B-Visually inspecting for internal corrosion: Customer Service Technician	Passed	03/01/2016	03/01/2019		Columbia Gas of Massachusetts	NGA-WE-CT06B & CT08B	NGA-WE-CT06B & CT08B-Inspecting for Atmospheric Corrosion, Visually Inspecting for Internal Corrosion:Customer Service Technician - 13798	03/01/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			10	CT10-Clear a shorted casing	Passed	03/01/2016	03/01/2019		Columbia Gas of Massachusetts	NGA-WE-CT10	NGA-WE-CT10-Clear a Shorted Casing - 13802	03/01/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			10	CT10-Clear a shorted casing	Failed	09/05/2019				NGA-WE-10	NGA-WE-10-Clearing a Shorted Casing		WE	No	No	Online	No
Columbia Gas of Massachusetts			11A	CT11A-Applying pipe coating in the field	Passed	05/29/2014	09/20/2018			NGA-WE-CT11A, 12A & 17 A	NGA-WE-CT11A, 12A & 17 A-Applying Pipe Coating in the Field, Cleaning and either Coating or Jacketing Pipe for Atmospheric Corrosion, Repair Coating on a Steel Pipe: Distribution Technician - 13803	09/20/2018	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			11A	CT11A-Applying pipe coating in the field	Passed	05/29/2014	09/20/2018			NGA-WE-CT11A, 12A & 17 A	NGA-WE-CT11A, 12A & 17 A-Applying Pipe Coating in the Field, Cleaning and either Coating or Jacketing Pipe for Atmospheric Corrosion, Repair Coating on a Steel Pipe: Distribution Technician - 13803	09/20/2018	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			11B/12B/17B	CT11B, 12B & 17B-Pipe Coatings (Hot Applied Tape)	Passed	04/16/2019	04/16/2022			NGA-WE-11A/12A/17A	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	04/16/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			11B/12B/17B	CT11B, 12B & 17B-Pipe Coatings (Hot Applied Tape)	Passed	04/16/2019	04/16/2022			NGA-WE-11B/12B/17B	NGA-WE-11B, 12B & 17B-Pipe Coatings (Hot Applied Tape)	04/16/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			11B	CT11B-Applying pipe coating in the field	Passed	05/04/2016	05/04/2019		Columbia Gas of Massachusetts	NGA-WE-CT11B, 12B & 17B	NGA-WE-CT11B, 12B & 17B-Applying Pipe Coating in the Field, Cleaning and either Coating or Jacketing Pipe for Atmospheric Corrosion, Repair Coating on a Steel Pipe: Customer Service Technician - 13804	05/04/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			11C/12C/17C	CT11C, 12C & 17C-Pipe Coatings (Heat Shrink Sleeve)	Passed	04/16/2019	04/16/2022			NGA-WE-11A/12A/17A	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	04/16/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			11C/12C/17C	CT11C, 12C & 17C-Pipe Coatings (Heat Shrink Sleeve)	Passed	04/16/2019	04/16/2022			NGA-WE-11C/12C/17C	NGA-WE-11C, 12C & 17C-Pipe Coatings (Heat Shrink Sleeve)	04/16/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			11D/12D/17D	CT11D, 12D & 17D-Pipe Coatings (Wax Tape)	Passed	04/16/2019	04/16/2022			NGA-WE-11A/12A/17A	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	04/16/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			11D/12D/17D	CT11D, 12D & 17D-Pipe Coatings (Wax Tape)	Passed	04/16/2019	04/16/2022			NGA-WE-11D/12D/17D	NGA-WE-11D, 12D & 17D-Pipe Coatings (Wax Tape)	04/16/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			11F/12F/17F	CT11F, 12F & 17F-Pipe Coatings (Cold Applied Tape)	Passed	04/16/2019	04/16/2022			NGA-WE-11A/12A/17A	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	04/16/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			11F/12F/17F	CT11F, 12F & 17F-Pipe Coatings (Cold Applied Tape)	Passed	04/16/2019	04/16/2022			NGA-WE-11F/12F/17F	NGA-WE-11F, 12F & 17F-Pipe Coatings (Cold Applied Tape)	04/16/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			11G/12G/17G	CT11G, 12G & 17G-Pipe Coatings (Two Part Epoxy)	Passed	04/16/2019	04/16/2022			NGA-WE-11A/12A/17A	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	04/16/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			11G/12G/17G	CT11G, 12G & 17G-Pipe Coatings (Two Part Epoxy)	Passed	04/16/2019	04/16/2022			NGA-WE-11G/12G/17G	NGA-WE-11G, 12G & 17G-Pipe Coatings (Two Part Epoxy)	04/16/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			11H/12H/17H	CT11H, 12H & 17H-Pipe Coatings (Paint)	Passed	04/16/2019	04/16/2022			NGA-WE-11H/12H/17H	NGA-WE-11H, 12H & 17H-Pipe Coatings (Paint)	04/16/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			12A	CT12A-Cleaning and either coating or jacketing pipe for atmospheric corrosion: Distribution	Passed	05/29/2014	09/20/2018			NGA-WE-CT11A, 12A & 17 A	NGA-WE-CT11A, 12A & 17 A-Applying Pipe Coating in the Field, Cleaning and either Coating or Jacketing Pipe for Atmospheric Corrosion, Repair Coating on a Steel Pipe: Distribution Technician - 13803	09/20/2018	WE	Expired	Yes	Import	Expired

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			12A	CT12A-Cleaning and either coating or jacketing pipe for atmospheric corrosion: Distribution	Passed	05/29/2014	09/20/201		Columbia Gas of Massachusetts	NGA-WE-CT11A, 12A & 17 A	NGA-WE-CT11A, 12A & 17 A-Applying Pipe Coating in the Field, Cleaning and either Coating or Jacketing Pipe for Atmospheric Corrosion, Repair Coating on a Steel Pipe: Distribution Technician - 13803	09/20/2018	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			12B	CT12B-Cleaning and either coating or jacketing pipe for atmospheric corrosion: Customer Service	Passed	05/04/2016	05/04/201		Columbia Gas of Massachusetts	NGA-WE-CT11B, 12B & 17B	NGA-WE-CT11B, 12B & 17B-Applying Pipe Coating in the Field, Cleaning and either Coating or Jacketing Pipe for Atmospheric Corrosion, Repair Coating on a Steel Pipe: Customer Service Technician - 13804	05/04/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			14	CT14-Installing/replacing an anode on a pipeline	Passed	05/29/2014	09/20/201		Columbia Gas of Massachusetts	NGA-WE-CT14 & CT16	NGA-WE-CT14 & CT16-Installing/Replacing an Anode and a Corrosion Test Station on a Pipeline - 13808	09/20/2018	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			15	CT15-Installing/replacing and testing electrical isolation couplings on a pipeline	Passed	05/29/2014	09/20/201		Columbia Gas of Massachusetts	NGA-WE-CT15	NGA-WE-CT15-Installing/Replacing and Testing Electrical Isolation Couplings on a Pipeline - 13809	09/20/2018	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			15A	CT15A-Installing, Replacing and Testing Electrical Isolation Couplings	Passed	04/16/2019	04/16/202		Columbia Gas of Massachusetts	NGA-WE-15A	NGA-WE-15A-Installing, Replacing and Testing Electrical Isolation Couplings	04/16/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			16	CT16-Install/replace a corrosion test station on a pipeline	Passed	05/29/2014	09/20/201		Columbia Gas of Massachusetts	NGA-WE-CT14 & CT16	NGA-WE-CT14 & CT16-Installing/Replacing an Anode and a Corrosion Test Station on a Pipeline - 13808	09/20/2018	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			17A	CT17A-Repair coating on a steel pipelines: Distribution	Passed	05/29/2014	09/20/201		Columbia Gas of Massachusetts	NGA-WE-CT11A, 12A & 17 A	NGA-WE-CT11A, 12A & 17 A-Applying Pipe Coating in the Field, Cleaning and either Coating or Jacketing Pipe for Atmospheric Corrosion, Repair Coating on a Steel Pipe: Distribution Technician - 13803	09/20/2018	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			17A	CT17A-Repair coating on a steel pipelines: Distribution	Passed	05/29/2014	09/20/201		Columbia Gas of Massachusetts	NGA-WE-CT11A, 12A & 17 A	NGA-WE-CT11A, 12A & 17 A-Applying Pipe Coating in the Field, Cleaning and either Coating or Jacketing Pipe for Atmospheric Corrosion, Repair Coating on a Steel Pipe: Distribution Technician - 13803	09/20/2018	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			17B	CT17B-Repair coating on a steel pipelines: Customer Service	Passed	05/04/2016	05/04/201		Columbia Gas of Massachusetts	NGA-WE-CT11B, 12B & 17B	NGA-WE-CT11B, 12B & 17B-Applying Pipe Coating in the Field, Cleaning and either Coating or Jacketing Pipe for Atmospheric Corrosion, Repair Coating on a Steel Pipe: Customer Service Technician - 13804	05/04/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			18A	CT18A Conducting Gas Leakage Surveys (Mobile and Walking Surveys)	Passed	02/22/2018	02/22/202		Northeast Gas Association	NGA-PE-18.1	NGA-PE-18.1-Leak Survey	02/23/2021	SIM	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			18A	CT18A Conducting Gas Leakage Surveys (Mobile and Walking Surveys)	Passed	02/22/2018	02/22/202		Northeast Gas Association	NGA-WE-CT18A	NGA-WE-CT18A-Conducting Gas Leakage Survey (Mobile and Walking Surveys)	02/22/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			19	CT19-Patrolling and Inspecting Pipelines	Passed	05/04/2016	05/04/201		Columbia Gas of Massachusetts	NGA-WE-CT19	NGA-WE-CT19-Patrolling and Inspecting Pipelines	05/04/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			20	CT20-Investigating Leak or Odor Complaints	Passed	05/06/2016	05/29/201		Columbia Gas of Massachusetts	NGA-WE-20A	NGA-WE-20A- Investigating Leak or Odor Complaints (Inside and Outside)	05/29/2017	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			20	CT20-Investigating Leak or Odor Complaints	Passed	05/06/2016	05/29/201		Columbia Gas of Massachusetts	NGA-WE-20D	NGA-WE-20D- Leak Classification	05/06/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			20A	CT20A-Investigating Leak or Odor Complaints (Inside and Outside)	Passed	02/22/2018	02/22/202		Northeast Gas Association	NGA-WE-20A	NGA-WE-20A- Investigating Leak or Odor Complaints (Inside and Outside)	02/22/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			20A	CT20A-Investigating Leak/Odor Complaints(Outside)	Passed	05/29/2014	05/29/201		Columbia Gas of Massachusetts	NGA-WE-20A	NGA-WE-20A- Investigating Leak or Odor Complaints (Inside and Outside)	05/29/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			20D	CT20D-Leak Classification	Passed	05/06/2016	05/06/201		Columbia Gas of Massachusetts	NGA-WE-20D	NGA-WE-20D- Leak Classification	05/29/2017	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			20D	CT20D-Leak Classification	Passed	04/18/2019	04/18/202		Columbia Gas of Massachusetts	NGA-WE-20D	NGA-WE-20D- Leak Classification	04/18/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			21	CT21-Line locating and mark out	Passed	05/29/2014	05/29/201		Columbia Gas of Massachusetts	NGA-PE1-CT21	NGA-PE1-CT21-Line Locating and Mark Out - 14525	12/02/2017	SIM	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			21	CT21-Line locating and mark out	Passed	05/29/2014	05/29/201		Columbia Gas of Massachusetts	NGA-WE-CT21.	NGA-WE-CT21-Line Locating and Mark Out - 13817	05/29/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			21-MA	CT21-Line Locating and Mark Out (Massachusetts)	Passed	02/16/2018	06/01/202		Iberdrola	NGA-PE-21.1	NGA-PE-21.1-Line Locating and Mark Out	06/01/2020	POJ	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			21-MA	CT21-Line Locating and Mark Out (Massachusetts)	Passed	02/16/2018	06/01/202		Iberdrola	NGA-WE-21	NGA-WE-21-Line Locating and Mark Out	09/15/2020	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			21-MA	CT21-Line Locating and Mark Out (Massachusetts)	Passed	02/16/2018	06/01/202		Iberdrola	NGA-WE-MA	NGA-WE-State Damage Prevention Regulations (Massachusetts)	02/16/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			22	CT22-Inspection of 3rd Party Excavations for Damage Prevention/Cast Iron Encroachment	Passed	05/29/2014	05/29/201		Columbia Gas of Massachusetts	NGA-WE-CT22	NGA-WE-CT22-Inspection of 3rd Party Excavations for Damage Prevention/Cast Iron Encroachment - 13818	05/29/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			22A	CT22A-Inspecting of 3rd Party Excavations for Damage Prevention, Including Root Cause Analysis	Passed	02/16/2018	02/16/202		Iberdrola	NGA-WE-22A	NGA-WE-22A-Inspecting of 3rd Party Excavations for Damage Prevention, Including Root Cause Analysis	02/16/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			22A-MA	CT22A-Inspecting of 3rd Party Excavations for Damage Prevention, Including Root Cause Analysis (Massachusetts)	Passed	02/16/2018	02/16/202		Iberdrola	NGA-WE-22A	NGA-WE-22A-Inspecting of 3rd Party Excavations for Damage Prevention, Including Root Cause Analysis	02/16/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			22A-MA	CT22A-Inspecting of 3rd Party Excavations for Damage Prevention, Including Root Cause Analysis (Massachusetts)	Passed	02/16/2018	02/16/202		Iberdrola	NGA-WE-MA	NGA-WE-State Damage Prevention Regulations (Massachusetts)	02/16/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			22B	CT22B-Inspecting of 3rd Party Excavations for Damage Prevention	Passed	06/01/2017	06/01/202		Northeast Gas Association	NGA-WE-22B	NGA-WE-22B-Inspecting of 3rd Party Excavations for Damage Prevention	06/01/2020	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			22B-MA	CT22B-Inspecting of 3rd Party Excavations for Damage Prevention (Massachusetts)	Passed	02/16/2018	06/01/202		Iberdrola	NGA-WE-22B	NGA-WE-22B-Inspecting of 3rd Party Excavations for Damage Prevention	06/01/2020	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			22B-MA	CT22B-Inspecting of 3rd Party Excavations for Damage Prevention (Massachusetts)	Passed	02/16/2018	06/01/202		Iberdrola	NGA-WE-MA	NGA-WE-State Damage Prevention Regulations (Massachusetts)	02/16/2021	WE	Yes	Yes	Online	Yes

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			23/24	CT23 & 24 Inspecting the Condition of Exposed Pipe	Passed	02/16/2018	02/16/202		Iberdrola	NGA-WE-23/24	NGA-WE-23 & 24-Inspecting the Condition of Exposed Pipe NGA-WE-CT23 & CT24-Inspect the Condition of Exposed Metallic Pipe or Pipe Coating and Inspecting Pipe for Damage - 13819	02/16/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			23	CT23-Inspecting the condition of exposed	Passed	05/29/2014	05/29/201			NGA-WE-CT23 & CT24	NGA-WE-CT23 & CT24-Inspect the Condition of Exposed Metallic Pipe or Pipe Coating and Inspecting Pipe for Damage - 13819	05/29/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			24	CT24-Inspect pipe for damage	Passed	05/29/2014	09/20/201			NGA-WE-CT23 & CT24	NGA-WE-CT23 & CT24-Inspect the Condition of Exposed Metallic Pipe or Pipe Coating and Inspecting Pipe for Damage - 13819	09/20/2018	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			28	CT28-Uprating	Passed	05/04/2016	05/04/201		Columbia Gas of Massachusetts	NGA-WE-CT28	NGA-WE-CT28-Uprating - 13824	05/04/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			29	CT29-Repair distribution line leaks	Passed	05/29/2014	05/29/201			NGA-WE-CT29 & CT30	NGA-WE-CT29 & CT30-Repair All Distribution Line Leaks - 13825	05/29/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			29B/30B	CT29B & 30B-Repairing a Plastic Distribution Pipe	Passed	02/16/2018	02/16/202		Iberdrola	NGA-WE-29B/30B	NGA-WE-29B & 30B-Repairing a Plastic Distribution Pipe	02/16/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			29C/30C	CT29C & 30C-Repairing a Steel Distribution Pipe	Passed	01/31/2018	01/31/202		Northeast Gas Association	NGA-WE-29C/30C	NGA-WE-29C & 30C-Repairing a Steel Distribution Pipe	01/31/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			29E/30E	CT29E & 30E-Repairing Cast Iron Distribution Pipe, Not Including Anaerobic Sealing	Passed	02/16/2018	02/16/202		Iberdrola	NGA-WE-29E/30E	NGA-WE-29E & 30E-Repairing Cast Iron Distribution Pipe, Not Including Anaerobic Sealing	02/16/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			30	CT30-Repair a non-leaking pipe	Passed	05/29/2014	09/20/201			NGA-WE-CT29 & CT30	NGA-WE-CT29 & CT30-Repair All Distribution Line Leaks - 13825	09/20/2018	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			30	CT30-Repair a non-leaking pipe	Passed	06/02/2014	09/20/201			NGA-WE-CT29 & CT30	NGA-WE-CT29 & CT30-Repair All Distribution Line Leaks - 13825	09/20/2018	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			30	CT30-Repair a non-leaking pipe	Passed	06/02/2014	09/20/201			NGA-WE-CT30	NGA-WE-CT30-Repair a Non-Leaking Pipe - 13826	09/20/2018	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			31A	CT31A-Installation of Pipe: Storage, Handling and Inspection of Pipe: General Knowledge	Passed	06/02/2014	06/02/201			NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	06/02/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			31A	CT31A-Installation of Pipe: Storage, Handling and Inspection of Pipe: General Knowledge	Passed	01/31/2018	01/31/202		Northeast Gas Association	NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	01/31/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			31B	CT31B-Installation of Pipe: Install Pipe in a Ditch	Passed	06/02/2014	06/02/201			NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	06/02/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			31B	CT31B-Installation of Pipe: Install Pipe in a Ditch	Passed	06/02/2014	06/02/201			NGA-WE-31B	NGA-WE-31B-Installation of Pipe: Install Pipe in a Ditch - 14406	06/02/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			31B	CT31B-Installation of Pipe: Install Pipe in a Ditch	Passed	01/31/2018			Northeast Gas Association	NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405		WE	No	No	Online	No
Columbia Gas of Massachusetts			31B	CT31B-Installation of Pipe: Install Pipe in a Ditch	Passed	01/31/2018	01/31/202		Northeast Gas Association	NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	01/31/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			31B	CT31B-Installation of Pipe: Install Pipe in a Ditch	Passed	01/31/2018	01/31/202		Northeast Gas Association	NGA-WE-31B	NGA-WE-31B-Installation of Pipe: Install Pipe in a Ditch - 14406	01/31/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			31C	CT31C-Installation of Pipe: Installing Pipe by Horizontal Directional Drilling	Passed	01/31/2018			Northeast Gas Association	NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405		WE	No	No	Online	No
Columbia Gas of Massachusetts			31C	CT31C-Installation of Pipe: Installing Pipe by Horizontal Directional Drilling	Passed	01/31/2018	01/31/202		Northeast Gas Association	NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	01/31/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			31C	CT31C-Installation of Pipe: Installing Pipe by Horizontal Directional Drilling	Passed	01/31/2018	01/31/202		Northeast Gas Association	NGA-WE-31C	NGA-WE-31C-Installation of Pipe:Installing Pipe by Horizontal Directional Drilling - 14407	01/31/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			31D	CT31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools)	Failed	06/02/2014				NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405		WE	No	No	Import	No
Columbia Gas of Massachusetts			31D	CT31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools)	Failed	06/02/2014				NGA-WE-31D	NGA-WE-31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools) - 14408		WE	No	No	Import	No
Columbia Gas of Massachusetts			31D	CT31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools)	Failed	02/06/2015			Columbia Gas of Massachusetts	NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	06/02/2017	WE	No	No	Online	No
Columbia Gas of Massachusetts			31D	CT31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools)	Failed	02/06/2015			Columbia Gas of Massachusetts	NGA-WE-31D	NGA-WE-31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools) - 14408		WE	No	No	Online	No
Columbia Gas of Massachusetts			31D	CT31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools)	Passed	03/01/2016	03/01/201		Columbia Gas of Massachusetts	NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	06/02/2017	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			31D	CT31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools)	Passed	03/01/2016	03/01/201		Columbia Gas of Massachusetts	NGA-WE-31D	NGA-WE-31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools) - 14408	03/01/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			31D	CT31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools)	Passed	01/31/2018	01/31/202		Northeast Gas Association	NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	01/31/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			31D	CT31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools)	Passed	01/31/2018	01/31/202		Northeast Gas Association	NGA-WE-31D	NGA-WE-31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools) - 14408	03/01/2019	WE	Expired	Yes	Online	Yes
Columbia Gas of Massachusetts			31D	CT31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools)	Passed	01/31/2018	01/31/202		Northeast Gas Association	NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	01/31/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			31D	CT31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools)	Passed	01/31/2018	01/31/202		Northeast Gas Association	NGA-WE-31D	NGA-WE-31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools) - 14408	01/31/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	06/02/2014	06/02/201			NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	01/31/2021	WE	Yes	Yes	Import	Expired
Columbia Gas of Massachusetts			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	06/02/2014	06/02/201			NGA-WE-31E	NGA-WE-31E-Installation of Pipe: Installing Pipe by Dead Insertion - 14409	06/02/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	01/31/2018			Northeast Gas Association	NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405		WE	No	No	Online	No

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Failed	01/31/2018			Northeast Gas Association	NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405		WE	No	No	Online	No
Columbia Gas of Massachusetts			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Failed	01/31/2018			Northeast Gas Association	NGA-WE-31E	NGA-WE-31E-Installation of Pipe: Installing Pipe by Dead Insertion - 14409		WE	No	No	Online	No
Columbia Gas of Massachusetts			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Failed	05/10/2018			Northeast Gas Association	NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405		WE	No	No	Online	No
Columbia Gas of Massachusetts			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Failed	05/10/2018			Northeast Gas Association	NGA-WE-31E	NGA-WE-31E-Installation of Pipe: Installing Pipe by Dead Insertion - 14409		WE	No	No	Online	No
Columbia Gas of Massachusetts			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	07/13/2018	01/31/202			NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	01/31/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	07/13/2018	01/31/202			NGA-WE-31E	NGA-WE-31E-Installation of Pipe: Installing Pipe by Dead Insertion - 14409	01/31/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			31F	CT31F-Installation of Pipe: Installing Pipe by Vibratory Plow	Passed	01/31/2018			Northeast Gas Association	NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405		WE	No	No	Online	No
Columbia Gas of Massachusetts			32	CT32-Purging a pipeline into service	Passed	06/02/2014	06/02/201			NGA-WE-32 & 33	NGA-WE-32 & 33-Purging a Pipeline In and Out of Service - 13828	06/02/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			32	CT32-Purging a pipeline into service	Passed	01/19/2018	01/19/202			NGA-WE-32 & 33	NGA-WE-32 & 33-Purging a Pipeline In and Out of Service - 13828	01/19/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			33	CT33-Purging a pipeline out of service	Passed	06/02/2014	06/02/201			NGA-WE-32 & 33	NGA-WE-32 & 33-Purging a Pipeline In and Out of Service - 13828	06/02/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			33	CT33-Purging a pipeline out of service	Passed	01/19/2018	01/19/202			NGA-WE-32 & 33	NGA-WE-32 & 33-Purging a Pipeline In and Out of Service - 13828	01/19/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			34	CT34-Performing pressure test on a pipeline	Passed	06/02/2014	06/02/201			NGA-WE-34	NGA-WE-34-Performing Pressure Test on a Pipeline - 13830	06/02/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			34	CT34-Performing pressure test on a pipeline	Passed	01/19/2018	01/19/202			NGA-WE-34	NGA-WE-34-Performing Pressure Test on a Pipeline - 13830	01/19/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			35	CT35-Stopping Gas Flow	Passed	05/04/2016	05/04/201			NGA-PE-35.1	NGA-PE-35.1 Squeeze-Off	03/15/2019	SIM	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			35	CT35-Stopping Gas Flow	Passed	05/04/2016	05/04/201			NGA-PE-35.2	NGA-PE-35.2 Bagging	03/15/2019	SIM	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			35	CT35-Stopping Gas Flow	Passed	05/04/2016	05/04/201			NGA-PE-35.3	NGA-PE-35.3 Mechanical	06/28/2019	SIM	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			35	CT35-Stopping Gas Flow	Passed	05/04/2016	05/04/201			NGA-WE-35A	NGA-WE-35A- Stopping Gas Flow (Valves, Bagging, Mechanical & Squeeze-Off)	05/04/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			35.1B	CT35.1B-Stopping Gas Flow (Mains and Services)	Passed	05/04/2016	05/04/201			NGA-PE-35.1	NGA-PE-35.1 Squeeze-Off	04/18/2022	SIM	Yes	Yes	Online	Expired
Columbia Gas of Massachusetts			35.1B	CT35.1B-Stopping Gas Flow (Mains and Services)	Passed	05/04/2016	05/04/201			NGA-PE-35.1	NGA-PE-35.1 Squeeze-Off	03/15/2019	SIM	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			35.1B	CT35.1B-Stopping Gas Flow (Mains and Services)	Passed	05/04/2016	05/04/201			NGA-WE-35.1B	NGA-WE-35.1B- Stopping Gas Flow (Squeeze-Off - Mains & Services)	05/04/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			35.2	CT35.2-Stopping Gas Flow (Bagging)	Passed	05/04/2016	05/04/201			NGA-PE-35.2	NGA-PE-35.2 Bagging	04/18/2022	SIM	Yes	Yes	Online	Expired
Columbia Gas of Massachusetts			35.2	CT35.2-Stopping Gas Flow (Bagging)	Passed	05/04/2016	05/04/201			NGA-PE-35.2	NGA-PE-35.2 Bagging	03/15/2019	SIM	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			35.2	CT35.2-Stopping Gas Flow (Bagging)	Passed	05/04/2016	05/04/201			NGA-WE-35.2/35.3	NGA-WE-35.2/35.3- Stopping Gas Flow (Bagging, Valves and Mechanical Only)	05/04/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			35.3	CT35.3-Stopping Gas Flow (Mechanical)	Passed	05/04/2016	05/04/201			NGA-PE-35.3	NGA-PE-35.3 Mechanical	06/28/2019	SIM	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			35.3	CT35.3-Stopping Gas Flow (Mechanical)	Passed	05/04/2016	05/04/201			NGA-WE-35.2/35.3	NGA-WE-35.2/35.3- Stopping Gas Flow (Bagging, Valves and Mechanical Only)	05/04/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			35A	CT35A-Stopping Gas Flow on Plastic Pipe	Passed	06/02/2014	06/02/201			NGA-PE-CT35A	NGA-PE-CT35A-Stopping Gas on a Plastic Pipe - 14387	04/28/2018	SIM	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			35A	CT35A-Stopping Gas Flow on Plastic Pipe	Passed	06/02/2014	06/02/201			NGA-WE-CT35, CT36 & CT39	NGA-WE-CT35, CT36 & CT39-Stopping Gas Flow, Abandonment or Decativation of Facilities, Remove Service Tee or Fitting from Steel or Cast Iron Mains - 13831	06/02/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			35B	CT35B-Stopping Gas on an Elevated Pressure Steel Main- Tapping and Stopping With Plastic Pipe	Passed	06/02/2014	06/02/201			NGA-PE-CT35A	NGA-PE-CT35A-Stopping Gas on a Plastic Pipe - 14387	04/28/2018	SIM	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			35B	CT35B-Stopping Gas on an Elevated Pressure Steel Main- Tapping and Stopping With Plastic Pipe	Passed	06/02/2014	06/02/201			NGA-PE-CT35B & CT37B	NGA-PE-CT35B & CT37B-Tapping and Stopping Gas on an Elevated Pressure Steel Main - 14388	06/28/2019	SIM	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			35B	CT35B-Stopping Gas on an Elevated Pressure Steel Main- Tapping and Stopping With Plastic Pipe	Passed	06/02/2014	06/02/201			NGA-WE-CT35, CT36 & CT39	NGA-WE-CT35, CT36 & CT39-Stopping Gas Flow, Abandonment or Decativation of Facilities, Remove Service Tee or Fitting from Steel or Cast Iron Mains - 13831	06/02/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			36/47	CT36 & 47-Abandonment of Facilities	Passed	01/19/2018	01/19/202			NGA-WE-36/47	NGA-WE-36 & 47-Abandonment of Facilities	01/19/2021	WE	Yes	Yes	Online	Yes

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			36	CT36-Abandonment or deactivation of facilities	Passed	06/02/2014	06/02/201			NGA-WE-CT35, CT36 & CT39	NGA-WE-CT35, CT36 & CT39-Stopping Gas Flow, Abandonment or Decativation of Facilities, Remove Service Tee or Fitting from Steel or Cast Iron Mains - 13831	06/02/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			37A	CT37A-Tapping a Low Pressure Main	Passed	06/02/2014			Columbia Gas of Massachusetts	NGA-WE-CT37	NGA-WE-CT37-Tapping Pipelines Under Pressure - 13833	06/02/2017	WE	Expired	No	Import	No
Columbia Gas of Massachusetts			37A	CT37A-Tapping a Low Pressure Main	Passed	03/01/2016	03/01/201		Columbia Gas of Massachusetts	NGA-PE-CT37A	NGA-PE-CT37A-Tapping a Low Pressure Main - 14389	06/28/2019	SIM	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			37A	CT37A-Tapping a Low Pressure Main	Passed	03/01/2016	03/01/201		Columbia Gas of Massachusetts	NGA-WE-CT37	NGA-WE-CT37-Tapping Pipelines Under Pressure - 13833	03/01/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			37B	CT37B-Tapping an Elevated Pressure Main	Passed	06/02/2014			Columbia Gas of Massachusetts	NGA-WE-CT37	NGA-WE-CT37-Tapping Pipelines Under Pressure - 13833	06/02/2017	WE	Expired	No	Import	No
Columbia Gas of Massachusetts			37B	CT37B-Tapping an Elevated Pressure Main	Passed	03/01/2016	03/01/201		Columbia Gas of Massachusetts	NGA-PE-CT35B & CT37B	NGA-PE-CT35B & CT37B-Tapping and Stopping Gas on an Elevated Pressure Steel Main - 14388	06/28/2019	SIM	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			37B	CT37B-Tapping an Elevated Pressure Main	Passed	03/01/2016	03/01/201		Columbia Gas of Massachusetts	NGA-WE-CT37	NGA-WE-CT37-Tapping Pipelines Under Pressure - 13833	03/01/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			37C	CT37C-Tapping Steel Pipe with Specialized Equipment	Passed	02/22/2018	02/22/202		Northeast Gas Association	NGA-PE-37B.1/37C.1	NGA-PE-37B.1 & 37C.1-Tapping Cast Iron and Steel Pipe with Specialized Equipment	04/18/2022	SIM	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			37C	CT37C-Tapping Steel Pipe with Specialized Equipment	Passed	02/22/2018	02/22/202		Northeast Gas Association	NGA-WE-37C	NGA-WE-37C-Tapping Steel Pipe with Specialized Equipment	02/22/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			38	CT38-Starting up or shutting down any part of a pipeline that could cause the MAOP to be exceeded	Passed	05/04/2016	05/04/201		Columbia Gas of Massachusetts	NGA-WE-CT38	NGA-WE-CT38-Starting Up or Shutting Down any part of a Pipeline that could cause the MAOP to be Exceeded - 13834	05/04/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			39	CT39-Remove service tee or fitting from steel or cast iron mains	Passed	06/02/2014	09/20/201			NGA-WE-CT35, CT36 & CT39	NGA-WE-CT35, CT36 & CT39-Stopping Gas Flow, Abandonment or Decativation of Facilities, Remove Service Tee or Fitting from Steel or Cast Iron Mains - 13831	09/20/2018	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			40	CT40-Install/Replace tracer wire	Passed	06/02/2014	09/20/201			NGA-WE-CT40	NGA-WE-CT40-Install/Replace Tracer Wire - 13836	09/20/2018	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			41/42	CT41 & 42-Inspecting, Lubricating, Repairing and Operating Distribution Valves	Passed	01/19/2018	01/19/202		Northeast Gas Association	NGA-WE-41/42	NGA-WE-41 & 42-Inspecting, Lubricating, Repairing and Operating Distribution Valves	01/19/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			41	CT41-Inspect and operate valves	Passed	06/02/2014	06/02/201			NGA-WE-CT41, CT42 & CT43	NGA-WE-CT41, CT42 & CT43-Inspect and Operate Valves, Repair, Maintain, and Lubricate Distribution Line Valves - 13837	06/02/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			42	CT42-Repair and maintain distribution line valves	Passed	06/02/2014	06/02/201			NGA-WE-CT41, CT42 & CT43	NGA-WE-CT41, CT42 & CT43-Inspect and Operate Valves, Repair, Maintain, and Lubricate Distribution Line Valves - 13837	06/02/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			43	CT43-Lubricate distribution line valves	Passed	06/02/2014	06/02/201			NGA-WE-CT41, CT42 & CT43	NGA-WE-CT41, CT42 & CT43-Inspect and Operate Valves, Repair, Maintain, and Lubricate Distribution Line Valves - 13837	06/02/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			45	CT45-Restore Service	Passed	04/18/2019	04/18/202			NGA-WE-45	NGA-WE-45-Restore Service	04/18/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			45A	CT45A-Restore Service: Distribution	Passed	06/02/2014	09/20/201			NGA-WE-CT45A	NGA-WE-CT45A-Restore Service: Distribution Technician - 13841	09/20/2018	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			45B	CT45B-Restore Service: Customer Service	Passed	03/01/2016	03/01/201		Columbia Gas of Massachusetts	NGA-WE-CT45B	NGA-WE-CT45B-Restore Service: Customer Service Technician - 13842	03/01/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			47	CT47-Abandon a gas service line	Passed	06/02/2014	09/20/201			NGA-WE-CT47	NGA-WE-CT47-Abandon a Gas Service Line - 13844	09/20/2018	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49	CT49-Mechanical joining of pipe other than plastic	Passed	02/11/2014	02/11/201			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	02/11/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49	CT49-Mechanical joining of pipe other than plastic	Passed	02/06/2015	02/06/201		Columbia Gas of Massachusetts	NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	02/06/2018	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			49	CT49-Mechanical Joining of Pipe Other than Plastic	Passed	03/01/2016			Columbia Gas of Massachusetts	NGA-WE-49	NGA-WE-49- Mechanical Joining of Pipe Other than Plastic to Plastic Pipe	03/01/2019	WE	Expired	No	Online	No
Columbia Gas of Massachusetts			49.1/49.2	CT49.1/49.2 Mechanical Joining of Pipe other than Plastic (Threaded and Flange)	Passed	03/01/2016	03/01/201		Columbia Gas of Massachusetts	NGA-WE-49	NGA-WE-49- Mechanical Joining of Pipe Other than Plastic to Plastic Pipe	03/01/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			49.1/49.2	CT49.1/49.2 Mechanical Joining of Pipe other than Plastic (Threaded and Flange)	Passed	09/05/2019	09/05/202			NGA-WE-49	NGA-WE-49- Mechanical Joining of Pipe Other than Plastic to Plastic Pipe	09/05/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			49.3	CT49.3 Mechanical Joining of Pipe other than Plastic (Compression)	Passed	03/01/2016	03/01/201		Columbia Gas of Massachusetts	NGA-PE-49.3	NGA-PE-49.3 Mechanical Joining of Pipe – Compression	03/23/2021	SIM	Yes	Yes	Online	Expired
Columbia Gas of Massachusetts			49.3	CT49.3 Mechanical Joining of Pipe other than Plastic (Compression)	Passed	03/01/2016	03/01/201		Columbia Gas of Massachusetts	NGA-WE-49	NGA-WE-49- Mechanical Joining of Pipe Other than Plastic to Plastic Pipe	03/01/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			49.3	CT49.3 Mechanical Joining of Pipe other than Plastic (Compression)	Passed	09/05/2019	04/18/202			NGA-PE-49.3	NGA-PE-49.3 Mechanical Joining of Pipe – Compression	04/18/2022	SIM	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			49.3	CT49.3 Mechanical Joining of Pipe other than Plastic (Compression)	Passed	09/05/2019	04/18/202			NGA-WE-49	NGA-WE-49- Mechanical Joining of Pipe Other than Plastic to Plastic Pipe	09/05/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Failed	03/06/2014				NGA-PE-CT49A & CT51A	NGA-PE-CT49A & CT51A-Bolted (Bolt On) Fitting (PJQ-06) - 14390			No	No	Import	No
Columbia Gas of Massachusetts			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Failed	03/06/2014				NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/06/2018	WE	No	No	Import	No
Columbia Gas of Massachusetts			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Failed	03/06/2014				NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/11/2017	WE	No	No	Import	No
Columbia Gas of Massachusetts			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Failed	03/06/2014				NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213	02/11/2017	WE	No	No	Import	No
Columbia Gas of Massachusetts			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Failed	03/06/2014				NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213	03/01/2019	WE	No	No	Import	No

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Mechanical Couplings	Passed	03/01/2016	03/02/201		Columbia Gas of Massachusetts	NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/06/2018	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Mechanical Couplings	Passed	03/01/2016	03/02/201		Columbia Gas of Massachusetts	NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213	03/01/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Mechanical Couplings	Passed	03/01/2016	03/02/201		Columbia Gas of Massachusetts	PJQ-06	NGA-PE-CT50-Bolted (Bolt On) Fitting (PJQ-06)	03/02/2017	SIM	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Saddle Fusion	Passed	02/11/2014				NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/11/2017	WE	Expired	No	Import	No
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Saddle Fusion	Passed	02/11/2014				NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/06/2018	WE	Expired	No	Import	No
Columbia Gas of Massachusetts			51D	CT51D-Tapping Using Plastic and Steel Self Tapping Tees	Passed	02/22/2018	02/22/202		Northeast Gas Association	NGA-PE-51D.1/51D.2	NGA-PE-51D.1 & 51D.2-Tapping a Plastic and Steel Self Tapping Tee	03/23/2021	SIM	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			51D	CT51D-Tapping Using Plastic and Steel Self Tapping Tees	Passed	02/22/2018	02/22/202		Northeast Gas Association	NGA-PE-51D.1/51D.2	NGA-PE-51D.1 & 51D.2-Tapping a Plastic and Steel Self Tapping Tee	04/18/2022	SIM	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			51D	CT51D-Tapping Using Plastic and Steel Self Tapping Tees	Passed	02/22/2018	02/22/202		Northeast Gas Association	NGA-WE-51D	NGA-PE-51D-Tapping Using Plastic and Steel Self Tapping Tees	02/22/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Electrofusion	Passed	02/06/2015	03/06/201		Columbia Gas of Massachusetts	NGA-PE-CT50E, CT51E & CT52E	NGA-PE-CT50E, CT51E & CT52E-Saddle Electrofusion (PJQ-04) - 14398	03/06/2015		Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Electrofusion	Passed	02/06/2015	03/06/201		Columbia Gas of Massachusetts	NGA-PE-CT50G & CT52G	NGA-PE-CT50G & CT52G-Coupling Electrofusion (PJQ-05) - 14400	03/06/2015		Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Electrofusion	Passed	02/06/2015	03/06/201		Columbia Gas of Massachusetts	NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/06/2018	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Electrofusion	Passed	02/06/2015	03/06/201		Columbia Gas of Massachusetts	NGA-WE-(C)	NGA-WE-(C)-Electrofusion - 14667	02/06/2018	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Electrofusion	Passed	03/01/2016			Columbia Gas of Massachusetts	NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/06/2018	WE	Expired	No	Online	No
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Electrofusion	Passed	03/01/2016			Columbia Gas of Massachusetts	NGA-WE-(C)	NGA-WE-(C)-Electrofusion - 14667	03/01/2019	WE	Expired	No	Online	No
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Electrofusion	Passed	03/01/2016			Columbia Gas of Massachusetts	PJQ-05	NGA-PE-CT50-Coupling Electrofusion (PJQ-05)	03/02/2017	SIM	Expired	No	Online	No
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Electrofusion	Passed	02/06/2015			Columbia Gas of Massachusetts	NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/06/2018	WE	Expired	No	Online	No
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Electrofusion	Passed	02/06/2015			Columbia Gas of Massachusetts	PJQ-05	NGA-PE-CT50-Coupling Electrofusion (PJQ-05)	03/02/2017	SIM	Expired	No	Online	No
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Hydraulic Butt Fusion	Passed	02/11/2014				NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665		WE	No	No	Import	No
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Hydraulic Butt Fusion	Passed	03/01/2016			Columbia Gas of Massachusetts	NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/06/2018	WE	Expired	No	Online	No
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Hydraulic Butt Fusion	Passed	03/01/2016			Columbia Gas of Massachusetts	NGA-WE-(E)	NGA-WE-(E)-Manual Butt Fusion - 14669	03/01/2019	WE	Expired	No	Online	No
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	02/06/2015			Columbia Gas of Massachusetts	NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/06/2018	WE	Expired	No	Online	No
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	02/06/2015			Columbia Gas of Massachusetts	NGA-WE-(E)	NGA-WE-(E)-Manual Butt Fusion - 14669	02/06/2018	WE	Expired	No	Online	No
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	03/01/2016			Columbia Gas of Massachusetts	NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/06/2018	WE	Expired	No	Online	No
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	03/01/2016			Columbia Gas of Massachusetts	NGA-WE-(E)	NGA-WE-(E)-Manual Butt Fusion - 14669	03/01/2019	WE	Expired	No	Online	No
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Saddle Fusion	Passed	02/11/2014				NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/11/2017	WE	Expired	No	Import	No
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Saddle Fusion	Passed	02/11/2014				NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/06/2018	WE	Expired	No	Import	No
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Socket Fusion	Passed	02/11/2014				NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/11/2017	WE	Expired	No	Import	No
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Socket Fusion	Passed	02/11/2014				NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/06/2018	WE	Expired	No	Import	No
Columbia Gas of Massachusetts			61	CT61-Inspecting a Pressure Recording Gauge	Failed	05/04/2018			Northeast Gas Association	NGA-WE-61	NGA-WE-61-Inspecting a Pressure Recording Gauge		WE	No	No	Online	No
Columbia Gas of Massachusetts			66B	CT66B-Field Interpretation of Pressure Recording Charts	Failed	05/04/2018			Northeast Gas Association	NGA-WE-66B	NGA-WE-66B-Field Interpretation of Pressure Recording Charts		WE	No	No	Online	No
Columbia Gas of Massachusetts			69	CT69-Monitor natural gas odorization levels	Passed	05/04/2016	05/04/201		Columbia Gas of Massachusetts	NGA-WE-CT69	NGA-WE-CT69-Monitor Natural Gas Odorization Levels - 13865	05/04/2019	WE	Suspended	Yes	Online	Suspended
Columbia Gas of Massachusetts			69	CT69-Monitor Natural Gas Odorization Levels	Failed	04/18/2019				NGA-WE-69	NGA-WE-69-Monitor Natural Gas Odorization Levels		WE	No	No	Online	No
Columbia Gas of Massachusetts			70	CT70-Properties of Natural Gas and Abnormal Operating Conditions	Passed	06/02/2014	06/02/201			NGA-WE-CT70	NGA-WE-CT70-Properties of Natural Gas and Abnormal Operating Conditions - 13866	06/02/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			70	CT70-Properties of Natural Gas and Abnormal Operating Conditions	Passed	06/01/2017	06/01/202		Northeast Gas Association	NGA-WE-70	NGA-WE-70-Properties of Natural Gas and Abnormal Operating Conditions	06/01/2020	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			71-MA	CT71- Excavation & Backfill (Massachusetts)	Passed	02/16/2018			Iberdrola	NGA-WE-MA	NGA-WE-State Damage Prevention Regulations (Massachusetts)		WE	No	No	Online	No
Columbia Gas of Massachusetts			71	CT71-Operator Excavation and Backfilling in the Vicinity of a Pipeline	Passed	06/02/2014	09/20/201			NGA-WE-CT71	NGA-WE-CT71-Operator Excavation and Backfilling in the Vicinity of a Pipeline - 13868	09/20/2018	WE	Expired	Yes	Import	Expired

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			72	CT72-Installation of Customer Meters and Regulators	Failed	06/02/2014				NGA-WE-CT72	NGA-WE-CT72-Installation of Customer Meters and Regulators - 13869		WE	No	No	Import	No
Columbia Gas of Massachusetts			72	CT72-Installation of Customer Meters and Regulators	Passed	03/01/2016	03/01/201		Columbia Gas of Massachusetts	NGA-WE-CT72	NGA-WE-CT72-Installation of Customer Meters and Regulators - 13869	03/01/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			72A	CT72A-Installing and Turning Off Residential, Small Commercial, Large Commercial and Industrial Meters and Regulators	Passed	04/18/2019	04/18/202			NGA-WE-72A	NGA-WE-72A-Installing and Turning Off Residential, Small Commercial, Large Commercial and Industrial Meters and Regulators	04/18/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			85	CT85-Meter Assembly Abnormal Operating Conditions	Passed	05/06/2016	05/06/201		Columbia Gas of Massachusetts	NGA-WE-CT85	NGA-WE-CT85-EXAM-Meter Assembly Abnormal Operating Conditions	05/06/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			85	CT85-Meter Assembly Abnormal Operating Conditions	Passed	04/16/2019	04/16/202			NGA-WE-CT85	NGA-WE-CT85-EXAM-Meter Assembly Abnormal Operating Conditions	04/16/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			NGA-Proctor-Training	NGA Proctor Training	Passed	06/14/2016	10/14/204			NGAPP	NGA Proctoring Presentation	10/14/2049	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			NGA-Proctor-Training	NGA Proctor Training	Passed	01/31/2017	01/31/206			NGAPP	NGA Proctoring Presentation	01/31/2067	WE	Yes	No	Online	Yes
Columbia Gas of Massachusetts			02.	NGA-WE-CT02-COURSE Pipe-to-Soil Potential	Completed	09/11/2018								No	No	Online	No
Columbia Gas of Massachusetts			08.	NGA-WE-CT08-COURSE Internal Corrosion	Completed	09/11/2018								No	No	Online	No
Columbia Gas of Massachusetts			11,12&17.	NGA-WE-CT11, 12 & 17-COURSE Pipe Coatings	Completed	04/12/2019								No	No	Online	No
Columbia Gas of Massachusetts			14.	NGA-WE-CT14-COURSE Anodes	Completed	09/11/2018								No	No	Online	No
Columbia Gas of Massachusetts			14.	NGA-WE-CT14-COURSE Anodes	Completed	09/11/2018								No	No	Online	No
Columbia Gas of Massachusetts			15.	NGA-WE-CT15-COURSE Electrical Isolation Couplings	Completed	09/11/2018								No	No	Online	No
Columbia Gas of Massachusetts			16.	NGA-WE-CT16-COURSE Test Stations	Completed	09/11/2018								No	No	Online	No
Columbia Gas of Massachusetts			29/30.	NGA-WE-CT29 & 30-COURSE-Repairing a Distribution Pipe	Completed	01/12/2018								No	No	Online	No
Columbia Gas of Massachusetts			85.	NGA-WE-CT85-COURSE Meter Assembly Abnormal Operating Conditions	Completed	05/04/2016								No	No	Online	No
Columbia Gas of Massachusetts			CDOP0.0	Odor Impairment Screening	Passed	07/26/2018	07/26/201		Columbia Gas of Massachusetts	CDOP00241	PE CDOP00241 - Annual Odorant Scratch & Sniff Test (NHANES)	07/26/2019	POJ	Expired	Yes	Online	Expired
Columbia Gas of Virginia			VG0A-9a.0	VG0A 9A EXAM - Joining Plastic Pipe (Static Electricity and AOCs)	Passed	01/30/2017	01/30/202		Columbia Gas of Virginia					No	Yes	Online	Yes
Columbia Gas of Virginia			VG0A-9b.0	VG0A 9B EXAM - Joining Plastic Pipe (Manual Butt Fusion)	Passed	01/30/2017	01/30/201		Columbia Gas of Virginia	VG0A9b.1	Manual Butt Fusion-Process Evaluation	01/30/2018	PERF/DE ST	Expired	Yes	Online	Expired
Columbia Gas of Virginia			VG0A-9b.0	VG0A 9B EXAM - Joining Plastic Pipe (Manual Butt Fusion)	Passed	01/30/2017	01/30/201		Columbia Gas of Virginia	VG0A9b.1D	Manual Butt Fusion-Destructive Test	01/30/2018	PERF/DE ST	Expired	Yes	Online	Expired
Columbia Gas of Virginia			VG0A-9c.0	VG0A 9C EXAM - Joining Plastic Pipe (Hydraulic Butt Fusion)	Passed	01/30/2017	01/30/201		Columbia Gas of Virginia	VG0A9c.1	Hydraulic Butt Fusion-Process Evaluation	01/30/2018	PERF/DE ST	Expired	Yes	Online	Expired
Columbia Gas of Virginia			VG0A-9c.0	VG0A 9C EXAM - Joining Plastic Pipe (Hydraulic Butt Fusion)	Passed	01/30/2017	01/30/201		Columbia Gas of Virginia	VG0A9c.1D	Hydraulic Butt Fusion-Destructive Test	01/30/2018	PERF/DE ST	Expired	Yes	Online	Expired
Columbia Gas of Virginia			VG0A-9f.0	VG0A 9F EXAM - Joining Plastic Pipe (Electrofusion)	Passed	01/30/2017	01/30/201		Columbia Gas of Virginia	VG0A9.1	Electrofusion Saddle-Process Evaluation	01/30/2018	PERF/DE ST	Expired	Yes	Online	Expired
Columbia Gas of Virginia			VG0A-9f.0	VG0A 9F EXAM - Joining Plastic Pipe (Electrofusion)	Passed	01/30/2017	01/30/201		Columbia Gas of Virginia	VG0A9.2	Electrofusion Coupling-Process Evaluation	01/30/2018	PERF/DE ST	Expired	Yes	Online	Expired
Columbia Gas of Virginia			VG0A-9f.0	VG0A 9F EXAM - Joining Plastic Pipe (Electrofusion)	Passed	01/30/2017	01/30/201		Columbia Gas of Virginia	VG0A9f.1D	Electrofusion Saddle-Destructive Test	01/30/2018	PERF/DE ST	Expired	Yes	Online	Expired
Columbia Gas of Virginia			VG0A-9f.0	VG0A 9F EXAM - Joining Plastic Pipe (Electrofusion)	Passed	01/30/2017	01/30/201		Columbia Gas of Virginia	VG0A9f.2D	Electrofusion Coupling-Destructive Test	01/30/2018	PERF/DE ST	Expired	Yes	Online	Expired
Columbia Gas of Virginia			VG0A-9g.0	VG0A 9G EXAM - Joining Plastic Pipe (Mechanical Joining of Plastic Pipe)	Passed	01/30/2017	01/30/201		Columbia Gas of Virginia	VG0A9g.1	Bolted Fitting	01/30/2018	PERF/DE ST	Expired	Yes	Online	Expired
Columbia Gas of Virginia			VG0A-9g.0	VG0A 9G EXAM - Joining Plastic Pipe (Mechanical Joining of Plastic Pipe)	Passed	01/30/2017	01/30/201		Columbia Gas of Virginia	VG0A9g 2	Compression Fitting	01/30/2018	PERF/DE ST	Expired	Yes	Online	Expired
Columbia Gas of Virginia			VG0A-9g.0	VG0A 9G EXAM - Joining Plastic Pipe (Mechanical Joining of Plastic Pipe)	Passed	01/30/2017	01/30/201		Columbia Gas of Virginia	VG0A9g 3	Stab Fittings	01/30/2018	PERF/DE ST	Expired	Yes	Online	Expired
Columbia Gas of Virginia			VG0A-PT.0c	VG0A COURSE Proctor Training	Passed	01/20/2017	01/20/202							No	Yes	Online	Yes