

OnBoard Learning Management System
Industrial Training Services, Inc. - Transcript

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Taken	Expires	Proctor Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Cert Status	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			PJQ10	CT-Soil Compaction	Passed	05/03/2018	05/03/2021		NGA-WE-(H)	NGA-WE-(H)-EXAM Soil Compaction - 14682	05/03/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			01	CT01-Inspecting for Shorted Casings	Passed	04/26/2016	04/26/2019		NGA-WE-CT01	NGA-WE-CT01-Inspecting for Shorted Casings - 13791	04/26/2019	Yes	Online	Yes
Columbia Gas of Massachusetts			02A	CT02A-Measuring Pipe-To-Soil Potential (Measuring and Interpreting Readings)	Failed	12/14/2017			NGA-WE-02A	NGA-WE-02A-Measuring Pipe-To-Soil Potential (Measuring and Interpreting Readings)		No	Online	No
Columbia Gas of Massachusetts			02B	CT02B-Measuring Pipe-To-Soil Potential (Measuring Only)	Passed	11/15/2018	11/15/2021		NGA-WE-02B	NGA-WE-02B-Measuring Pipe-To-Soil Potential (Measuring Only)	11/15/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			06A	CT06A-Inspecting for Atmospheric Corrosion, Including Evaluation and Remediation	Passed	01/10/2019	01/10/2022		NGA-WE-06A	NGA-WE-06A-Inspecting for Atmospheric Corrosion, Including Evaluation and Remediation	01/10/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			08	CT08--Visually Inspecting for Internal Corrosion	Passed	01/10/2019	01/10/2022		NGA-WE-08	NGA-WE-08-Visually Inspecting for Internal Corrosion	01/10/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			10	CT10-Clear a shorted casing	Passed	03/08/2019	03/08/2022		NGA-WE-10	NGA-WE-10-Clearing a Shorted Casing	03/08/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			11C/12C/17C	CT11C, 12C & 17C-Pipe Coatings (Heat Shrink Sleeve)	Passed	01/10/2019	01/10/2022		NGA-WE-11A/12A/17A	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	01/10/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			11C/12C/17C	CT11C, 12C & 17C-Pipe Coatings (Heat Shrink Sleeve)	Passed	01/10/2019	01/10/2022		NGA-WE-11C/12C/17C	NGA-WE-11C, 12C & 17C-Pipe Coatings (Heat Shrink Sleeve)	01/10/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			11D/12D/17D	CT11D, 12D & 17D-Pipe Coatings (Wax Tape)	Passed	01/10/2019	01/10/2022		NGA-WE-11A/12A/17A	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	01/10/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			11D/12D/17D	CT11D, 12D & 17D-Pipe Coatings (Wax Tape)	Passed	01/10/2019	01/10/2022		NGA-WE-11D/12D/17D	NGA-WE-11D, 12D & 17D-Pipe Coatings (Wax Tape)	01/10/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			11F/12F/17F	CT11F, 12F & 17F-Pipe Coatings (Cold Applied Tape)	Passed	01/10/2019	01/10/2022		NGA-WE-11A/12A/17A	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	01/10/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			11F/12F/17F	CT11F, 12F & 17F-Pipe Coatings (Cold Applied Tape)	Passed	01/10/2019	01/10/2022		NGA-WE-11F/12F/17F	NGA-WE-11F, 12F & 17F-Pipe Coatings (Cold Applied Tape)	01/10/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			11H/12H/17H	CT11H, 12H & 17H-Pipe Coatings (Paint)	Passed	01/10/2019	01/10/2022		NGA-WE-11H/12H/17H	NGA-WE-11H, 12H & 17H-Pipe Coatings (Paint)	01/10/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			14A	CT14A - Installing/Replacing an Anode on a Pipeline including Exothermic Welding	Passed	01/10/2019	01/10/2022		NGA-PE-14/16	NGA-PE-14/16-Exothermic Welding	02/14/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			14A	CT14A - Installing/Replacing an Anode on a Pipeline including Exothermic Welding	Passed	01/10/2019	01/10/2022		NGA-WE-14	NGA-WE-14-Installing/Replacing an Anode	01/10/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			14B	CT14B - Installing/Replacing an Anode on a Pipeline	Passed	01/10/2019	01/10/2022		NGA-WE-14	NGA-WE-14-Installing/Replacing an Anode	01/10/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			15A	CT15A-Installing, Replacing and Testing Electrical Isolation Couplings	Passed	01/10/2019	01/10/2022		NGA-WE-15A	NGA-WE-15A-Installing, Replacing and Testing Electrical Isolation Couplings	01/10/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			16A	CT16A - Installing or Replacing a Corrosion Test Station on a Pipeline including Exothermic Welding	Passed	02/07/2019	02/07/2022		NGA-PE-14/16	NGA-PE-14/16-Exothermic Welding	02/14/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			16A	CT16A - Installing or Replacing a Corrosion Test Station on a Pipeline including Exothermic Welding	Passed	02/07/2019	02/07/2022		NGA-WE-16	NGA-WE-16-Installing or Replacing a Corrosion Test Station on a Pipeline	02/07/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			16B	CT16B - Installing or Replacing a Corrosion Test Station on a Pipeline	Passed	02/07/2019	02/07/2022		NGA-WE-16	NGA-WE-16-Installing or Replacing a Corrosion Test Station on a Pipeline	02/07/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			18A	CT18A Conducting Gas Leakage Surveys (Mobile and Walking Surveys)	Passed	02/28/2019	02/14/2022		NGA-PE-18.1	NGA-PE-18.1-Leak Survey	02/14/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			18A	CT18A Conducting Gas Leakage Surveys (Mobile and Walking Surveys)	Passed	02/28/2019	02/14/2022		NGA-WE-CT18A	NGA-WE-CT18A-Conducting Gas Leakage Survey (Mobile and Walking Surveys)	02/28/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			19A	CT19A-Patrolling - Inspecting Right of Ways, Pipeline Markers and Exposed Above Ground Mains	Passed	02/28/2019	02/28/2022		NGA-WE-19A	NGA-WE-19A-Patrolling - Inspecting Right of Ways, Pipeline Markers and Exposed Above Ground Mains	02/28/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			20A	CT20A-Investigating Leak or Odor Complaints (Inside and Outside)	Passed	02/25/2019	02/25/2022		NGA-WE-20A	NGA-WE-20A- Investigating Leak or Odor Complaints (Inside and Outside)	02/25/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			20D	CT20D-Leak Classification	Passed	02/25/2019	02/25/2022		NGA-WE-20D	NGA-WE-20D- Leak Classification	02/25/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			21-MA	CT21-Line Locating and Mark Out (Massachusetts)	Passed	01/10/2019	01/10/2022		NGA-PE-21.1	NGA-PE-21.1-Line Locating and Mark Out	02/14/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			21-MA	CT21-Line Locating and Mark Out (Massachusetts)	Passed	01/10/2019	01/10/2022		NGA-WE-21	NGA-WE-21-Line Locating and Mark Out	02/07/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			21-MA	CT21-Line Locating and Mark Out (Massachusetts)	Passed	01/10/2019	01/10/2022		NGA-WE-MA	NGA-WE-State Damage Prevention Regulations (Massachusetts)	01/10/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			22	CT22-Inspection of 3rd Party Excavations for Damage Prevention/Cast Iron Encroachment	Passed	04/26/2016	04/26/2019		NGA-WE-CT22	NGA-WE-CT22-Inspection of 3rd Party Excavations for Damage Prevention/Cast Iron Encroachment - 13818	04/26/2019	Yes	Online	Yes

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Knowledge Taken	Expires	Proctor Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Cert Status	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			22B	CT22B-Inspecting of 3rd Party Excavations for Damage Prevention	Passed	02/28/2019	02/28/2022		NGA-WE-22B	NGA-WE-22B-Inspecting of 3rd Party Excavations for Damage Prevention	02/28/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			23/24	CT23 & 24 Inspecting the Condition of Exposed Pipe	Passed	02/25/2019	02/25/2022		NGA-WE-23/24	NGA-WE-23 & 24-Inspecting the Condition of Exposed Pipe	02/25/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			28	CT28-Uprating	Passed	02/28/2019	02/28/2022		NGA-WE-28	NGA-WE-28-Uprating	02/28/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			29B/30B	CT29B & 30B-Repairing a Plastic Distribution Pipe	Passed	02/14/2019	02/14/2022		NGA-WE-29B/30B	NGA-WE-29B & 30B-Repairing a Plastic Distribution Pipe	02/14/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			29C/30C	CT29C & 30C-Repairing a Steel Distribution Pipe	Passed	02/07/2019	02/07/2022		NGA-WE-29C/30C	NGA-WE-29C & 30C-Repairing a Steel Distribution Pipe	02/07/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			29E/30E	CT29E & 30E-Repairing Cast Iron Distribution Pipe, Not Including Anaerobic Sealing	Passed	02/14/2019	02/14/2022		NGA-WE-29E/30E	NGA-WE-29E & 30E-Repairing Cast Iron Distribution Pipe, Not Including Anaerobic Sealing	02/14/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			31A	CT31A-Installation of Pipe: Storage, Handling and Inspection of Pipe: General Knowledge	Passed	03/05/2019	03/05/2022		NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	03/05/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			31B	CT31B-Installation of Pipe: Install Pipe in a Ditch	Passed	03/05/2019	03/05/2022		NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	03/05/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			31B	CT31B-Installation of Pipe: Install Pipe in a Ditch	Passed	03/05/2019	03/05/2022		NGA-WE-31B	NGA-WE-31B-Installation of Pipe: Install Pipe in a Ditch - 14406	03/05/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			31C	CT31C-Installation of Pipe: Installing Pipe by Horizontal Directional Drilling	Passed	03/05/2019	03/05/2022		NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	03/05/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			31C	CT31C-Installation of Pipe: Installing Pipe by Horizontal Directional Drilling	Passed	03/05/2019	03/05/2022		NGA-WE-31C	NGA-WE-31C-Installation of Pipe:Installing Pipe by Horizontal Directional Drilling - 14407	03/05/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			31D	CT31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools)	Passed	03/05/2019	03/05/2022		NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	03/05/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			31D	CT31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools)	Passed	03/05/2019	03/05/2022		NGA-WE-31D	NGA-WE-31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools) - 14408	03/05/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	03/05/2019	03/05/2022		NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	03/05/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	03/05/2019	03/05/2022		NGA-WE-31E	NGA-WE-31E-Installation of Pipe: Installing Pipe by Dead Insertion - 14409	03/05/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			31F	CT31F-Installation of Pipe: Installing Pipe by Vibratory Plow	Passed	03/05/2019			NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405		No	Online	No
Columbia Gas of Massachusetts			32	CT32-Purging a pipeline into service	Passed	02/25/2019	02/25/2022		NGA-WE-32 & 33	NGA-WE-32 & 33-Purging a Pipeline In and Out of Service - 13828	02/25/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			33	CT33-Purging a pipeline out of service	Passed	02/25/2019	02/25/2022		NGA-WE-32 & 33	NGA-WE-32 & 33-Purging a Pipeline In and Out of Service - 13828	02/25/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			34	CT34-Performing pressure test on a pipeline	Passed	02/25/2019	02/25/2022		NGA-WE-34	NGA-WE-34-Performing Pressure Test on a Pipeline - 13830	02/25/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			35.1B	CT35.1B-Stopping Gas Flow (Mains and Services)	Passed	02/14/2019	02/14/2022		NGA-PE-35.1	NGA-PE-35.1 Squeeze-Off	02/14/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			35.1B	CT35.1B-Stopping Gas Flow (Mains and Services)	Passed	02/14/2019	02/14/2022		NGA-WE-35.1B	NGA-WE-35.1B- Stopping Gas Flow (Squeeze-Off - Mains & Services)	02/14/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			35.2	CT35.2-Stopping Gas Flow (Bagging)	Passed	03/08/2019	02/14/2022		NGA-PE-35.2	NGA-PE-35.2 Bagging	02/14/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			35.2	CT35.2-Stopping Gas Flow (Bagging)	Passed	03/08/2019	02/14/2022		NGA-WE-35.2/35.3	NGA-WE-35.2/35.3- Stopping Gas Flow (Bagging, Valves and Mechanical Only)	03/08/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			35.3	CT35.3-Stopping Gas Flow (Mechanical)	Passed	03/08/2019	02/14/2022		NGA-PE-35.3	NGA-PE-35.3 Mechanical	02/14/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			35.3	CT35.3-Stopping Gas Flow (Mechanical)	Passed	03/08/2019	02/14/2022		NGA-WE-35.2/35.3	NGA-WE-35.2/35.3- Stopping Gas Flow (Bagging, Valves and Mechanical Only)	03/08/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			36/47	CT36 & 47-Abandonment of Facilities	Passed	01/18/2019	01/18/2022		NGA-WE-36/47	NGA-WE-36 & 47-Abandonment of Facilities	01/18/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			37A	CT37A - Tapping Plastic Pipe with Specialized Equipment	Passed	03/08/2019	02/14/2022		NGA-PE-37A.1	NGA-PE-37A.1-Tapping Plastic Pipe with Specialized Equipment	02/14/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			37A	CT37A - Tapping Plastic Pipe with Specialized Equipment	Passed	03/08/2019	02/14/2022		NGA-WE-37A	NGA-WE-37A-Tapping Plastic Pipe with Specialized Equipment	03/08/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			37B	CT37B - Tapping Cast Iron Pipe with Specialized Equipment	Passed	03/08/2019	02/14/2022		NGA-PE-37B.1/37C.1	NGA-PE-37B.1 & 37C.1-Tapping Cast Iron and Steel Pipe with Specialized Equipment	02/14/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			37B	CT37B - Tapping Cast Iron Pipe with Specialized Equipment	Passed	03/08/2019	02/14/2022		NGA-WE-37B	NGA-WE-37B-Tapping Cast Iron Pipe with Specialized Equipment	03/08/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			37C	CT37C-Tapping Steel Pipe with Specialized Equipment	Passed	03/08/2019	02/14/2022		NGA-PE-37B.1 & 37C.1	NGA-PE-37B.1 & 37C.1-Tapping Cast Iron and Steel Pipe with Specialized Equipment	02/14/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			37C	CT37C-Tapping Steel Pipe with Specialized Equipment	Passed	03/08/2019	02/14/2022		NGA-WE-37C	NGA-WE-37C-Tapping Steel Pipe with Specialized Equipment	03/08/2022	Yes	Online	Yes

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Taken	Expires	Proctor Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Cert Status	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			8A	CT38A-Starting Up or Shutting Down Any Part of a Pipeline that Could Cause the MAOP to be Exceeded, Including Turning Valves and Monitoring Flows and Pressure	Passed	02/28/2019	02/28/2022		NGA-WE-38A	NGA-WE-38A-Starting Up or Shutting Down Any Part of a Pipeline that Could Cause the MAOP to be Exceeded, Including Turning Valves and Monitoring Flows and Pressure	02/28/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			9A	CT39A - Removing Service Tee or Fitting from Steel and Cast Iron Pipe	Passed	02/07/2019	02/07/2022		NGA-WE-39A	NGA-WE-39A - Removing Service Tee or Fitting from Steel and Cast Iron Pipe	02/07/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			0	CT40-Install/Replace tracer wire	Passed	01/18/2019	01/18/2022		NGA-WE-40	NGA-WE-40-Install/Replace Tracer Wire	01/18/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			1/42	CT41 & 42-Inspecting, Lubricating, Repairing and Operating Distribution Valves	Passed	03/08/2019	03/08/2022		NGA-WE-41/42	NGA-WE-41 & 42-Inspecting, Lubricating, Repairing and Operating Distribution Valves	03/08/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			5	CT45-Restore Service	Passed	03/08/2019	03/08/2022		NGA-WE-45	NGA-WE-45-Restore Service	03/08/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			9.1/49.2	CT49.1/49.2 Mechanical Joining of Pipe other than Plastic (Threaded and Flange)	Passed	12/14/2017	12/14/2020		NGA-WE-49	NGA-WE-49- Mechanical Joining of Pipe Other than Plastic to Plastic Pipe	12/14/2020	Yes	Online	Yes
Columbia Gas of Massachusetts			9.3	CT49.3 Mechanical Joining of Pipe other than Plastic (Compression)	Passed	12/14/2017	12/14/2020		NGA-PE-49.3	NGA-PE-49.3 Mechanical Joining of Pipe – Compression	01/31/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			9.3	CT49.3 Mechanical Joining of Pipe other than Plastic (Compression)	Passed	12/14/2017	12/14/2020		NGA-WE-49	NGA-WE-49- Mechanical Joining of Pipe Other than Plastic to Plastic Pipe	12/14/2020	Yes	Online	Yes
Columbia Gas of Massachusetts			0/51B.06	CT50/51-Joining Plastic Pipe-Bolted (Bolt On) Fitting-Mechanical Couplings	Passed	01/10/2018	01/31/2020				02/06/2018	Expired	Online	Yes
Columbia Gas of Massachusetts			0/51B.06	CT50/51-Joining Plastic Pipe-Bolted (Bolt On) Fitting-Mechanical Couplings	Passed	01/10/2018	01/31/2020				01/10/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			0/51B.06	CT50/51-Joining Plastic Pipe-Bolted (Bolt On) Fitting-Mechanical Couplings	Passed	01/10/2018	01/31/2020				02/01/2019	Expired	Online	Yes
Columbia Gas of Massachusetts			0/51B.06	CT50/51-Joining Plastic Pipe-Bolted (Bolt On) Fitting-Mechanical Couplings	Passed	01/10/2018	01/31/2020				02/05/2018	Expired	Online	Yes
Columbia Gas of Massachusetts			0/51B.06	CT50/51-Joining Plastic Pipe-Bolted (Bolt On) Fitting-Mechanical Couplings	Passed	01/10/2018	01/31/2020		NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	03/08/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			0/51B.06	CT50/51-Joining Plastic Pipe-Bolted (Bolt On) Fitting-Mechanical Couplings	Passed	01/10/2018	01/31/2020		NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213	01/10/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			0/51B.06	CT50/51-Joining Plastic Pipe-Bolted (Bolt On) Fitting-Mechanical Couplings	Passed	01/10/2018	01/31/2020		PJQ-06	NGA-PE-CT50-Bolted (Bolt On) Fitting (PJQ-06)	01/31/2020	Yes	Online	Yes
Columbia Gas of Massachusetts			0B.08	CT50/51-Joining Plastic Pipe-Compression Fitting-Mechanical Couplings	Passed	01/10/2018	01/31/2020				02/05/2018	Expired	Online	Yes
Columbia Gas of Massachusetts			0B.08	CT50/51-Joining Plastic Pipe-Compression Fitting-Mechanical Couplings	Passed	01/10/2018	01/31/2020				02/06/2018	Expired	Online	Yes
Columbia Gas of Massachusetts			0B.08	CT50/51-Joining Plastic Pipe-Compression Fitting-Mechanical Couplings	Passed	01/10/2018	01/31/2020				01/10/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			0B.08	CT50/51-Joining Plastic Pipe-Compression Fitting-Mechanical Couplings	Passed	01/10/2018	01/31/2020				02/01/2019	Expired	Online	Yes
Columbia Gas of Massachusetts			0B.08	CT50/51-Joining Plastic Pipe-Compression Fitting-Mechanical Couplings	Passed	01/10/2018	01/31/2020		NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	03/08/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			0B.08	CT50/51-Joining Plastic Pipe-Compression Fitting-Mechanical Couplings	Passed	01/10/2018	01/31/2020		NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213	01/10/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			0B.08	CT50/51-Joining Plastic Pipe-Compression Fitting-Mechanical Couplings	Passed	01/10/2018	01/31/2020		PJQ-08	NGA-PE-CT50-Compression Fitting (PJQ-08)	01/31/2020	Yes	Online	Yes
Columbia Gas of Massachusetts			0B.09	CT50/51-Joining Plastic Pipe-Nut Follower (Threaded Fitting)-Mechanical Couplings	Passed	01/10/2018	01/31/2020				02/01/2019	Expired	Online	Yes
Columbia Gas of Massachusetts			0B.09	CT50/51-Joining Plastic Pipe-Nut Follower (Threaded Fitting)-Mechanical Couplings	Passed	01/10/2018	01/31/2020				01/10/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			0B.09	CT50/51-Joining Plastic Pipe-Nut Follower (Threaded Fitting)-Mechanical Couplings	Passed	01/10/2018	01/31/2020				02/06/2018	Expired	Online	Yes
Columbia Gas of Massachusetts			0B.09	CT50/51-Joining Plastic Pipe-Nut Follower (Threaded Fitting)-Mechanical Couplings	Passed	01/10/2018	01/31/2020				02/05/2018	Expired	Online	Yes
Columbia Gas of Massachusetts			0B.09	CT50/51-Joining Plastic Pipe-Nut Follower (Threaded Fitting)-Mechanical Couplings	Passed	01/10/2018	01/31/2020		NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	03/08/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			0B.09	CT50/51-Joining Plastic Pipe-Nut Follower (Threaded Fitting)-Mechanical Couplings	Passed	01/10/2018	01/31/2020		NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213	01/10/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			0B.09	CT50/51-Joining Plastic Pipe-Nut Follower (Threaded Fitting)-Mechanical Couplings	Passed	01/10/2018	01/31/2020		PJQ-09	NGA-PE-CT50-Nut Follower (Threaded Fitting) (PJQ-09)	01/31/2020	Yes	Online	Yes
Columbia Gas of Massachusetts			0B.07	CT50/51-Joining Plastic Pipe-Stab Fitting-Mechanical Couplings	Passed	01/10/2018	01/31/2020				02/01/2019	Expired	Online	Yes

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Cert Status	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			50B.07	CT50/51-Joining Plastic Pipe-Stub Fitting-Mechanical Couplings	Passed	01/10/2018	01/31/2020				01/10/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			50B.07	CT50/51-Joining Plastic Pipe-Stub Fitting-Mechanical Couplings	Passed	01/10/2018	01/31/2020				02/06/2018	Expired	Online	Yes
Columbia Gas of Massachusetts			50B.07	CT50/51-Joining Plastic Pipe-Stub Fitting-Mechanical Couplings	Passed	01/10/2018	01/31/2020				02/05/2018	Expired	Online	Yes
Columbia Gas of Massachusetts			50B.07	CT50/51-Joining Plastic Pipe-Stub Fitting-Mechanical Couplings	Passed	01/10/2018	01/31/2020		NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	03/08/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			50B.07	CT50/51-Joining Plastic Pipe-Stub Fitting-Mechanical Couplings	Passed	01/10/2018	01/31/2020		NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213	01/10/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			50B.07	CT50/51-Joining Plastic Pipe-Stub Fitting-Mechanical Couplings	Passed	01/10/2018	01/31/2020		PJQ-07	NGA-PE-CT50-Stub Fitting (PJQ-07)	01/31/2020	Yes	Online	Yes
Columbia Gas of Massachusetts			50/51/52C.04	CT50/51/52-Joining Plastic Pipe-Saddle Electrofusion	Passed	01/10/2018	01/31/2020				02/06/2018	Expired	Online	Yes
Columbia Gas of Massachusetts			50/51/52C.04	CT50/51/52-Joining Plastic Pipe-Saddle Electrofusion	Passed	01/10/2018	01/31/2020				01/10/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			50/51/52C.04	CT50/51/52-Joining Plastic Pipe-Saddle Electrofusion	Passed	01/10/2018	01/31/2020				02/01/2019	Expired	Online	Yes
Columbia Gas of Massachusetts			50/51/52C.04	CT50/51/52-Joining Plastic Pipe-Saddle Electrofusion	Passed	01/10/2018	01/31/2020		NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	03/08/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			50/51/52C.04	CT50/51/52-Joining Plastic Pipe-Saddle Electrofusion	Passed	01/10/2018	01/31/2020		NGA-WE-(C)	NGA-WE-(C)-Electrofusion - 14667	01/10/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			50/51/52C.04	CT50/51/52-Joining Plastic Pipe-Saddle Electrofusion	Passed	01/10/2018	01/31/2020		PJQ-04	NGA-PE-CT50-Saddle Electrofusion (PJQ-04)	01/31/2020	Yes	Online	Yes
Columbia Gas of Massachusetts			50/52C.05	CT50/52-Joining Plastic Pipe-Coupling Electrofusion	Passed	01/10/2018	01/31/2020				02/01/2019	Expired	Online	Yes
Columbia Gas of Massachusetts			50/52C.05	CT50/52-Joining Plastic Pipe-Coupling Electrofusion	Passed	01/10/2018	01/31/2020				02/06/2018	Expired	Online	Yes
Columbia Gas of Massachusetts			50/52C.05	CT50/52-Joining Plastic Pipe-Coupling Electrofusion	Passed	01/10/2018	01/31/2020				01/10/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			50/52C.05	CT50/52-Joining Plastic Pipe-Coupling Electrofusion	Passed	01/10/2018	01/31/2020		NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	03/08/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			50/52C.05	CT50/52-Joining Plastic Pipe-Coupling Electrofusion	Passed	01/10/2018	01/31/2020		NGA-WE-(C)	NGA-WE-(C)-Electrofusion - 14667	01/10/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			50/52C.05	CT50/52-Joining Plastic Pipe-Coupling Electrofusion	Passed	01/10/2018	01/31/2020		PJQ-05	NGA-PE-CT50-Coupling Electrofusion (PJQ-05)	01/31/2020	Yes	Online	Yes
Columbia Gas of Massachusetts			50/52D	CT50/52-Joining Plastic Pipe-Hydraulic Butt Fusion	Passed	02/14/2019	01/31/2020				01/10/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			50/52D	CT50/52-Joining Plastic Pipe-Hydraulic Butt Fusion	Passed	02/14/2019	01/31/2020		NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	03/08/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			50/52D	CT50/52-Joining Plastic Pipe-Hydraulic Butt Fusion	Passed	02/14/2019	01/31/2020		NGA-WE-(D)	NGA-WE-(D)-Hydraulic Butt Fusion - 14668	02/14/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			50/52D	CT50/52-Joining Plastic Pipe-Hydraulic Butt Fusion	Passed	02/14/2019	01/31/2020		NGA-WE-(E)	NGA-WE-(E)-Manual Butt Fusion - 14669	02/14/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			50/52D	CT50/52-Joining Plastic Pipe-Hydraulic Butt Fusion	Passed	02/14/2019	01/31/2020		PJQ-01B	NGA-PE-CT50-Coiled Pipe Butt Fusion (PJQ-01B)	01/31/2020	Yes	Online	Yes
Columbia Gas of Massachusetts			50/52D	CT50/52-Joining Plastic Pipe-Hydraulic Butt Fusion	Passed	02/14/2019	01/31/2020		PJQ-11	NGA-PE-CT50-Hydraulic Fusion (PJQ-11)	01/31/2020	Yes	Online	Yes
Columbia Gas of Massachusetts			50/52E	CT50/52-Joining Plastic Pipe-Manual Butt Fusion	Passed	02/14/2019	01/31/2020				01/10/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			50/52E	CT50/52-Joining Plastic Pipe-Manual Butt Fusion	Passed	02/14/2019	01/31/2020		NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	03/08/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			50/52E	CT50/52-Joining Plastic Pipe-Manual Butt Fusion	Passed	02/14/2019	01/31/2020		NGA-WE-(E)	NGA-WE-(E)-Manual Butt Fusion - 14669	02/14/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			50/52E	CT50/52-Joining Plastic Pipe-Manual Butt Fusion	Passed	02/14/2019	01/31/2020		PJQ-01B	NGA-PE-CT50-Coiled Pipe Butt Fusion (PJQ-01B)	01/31/2020	Yes	Online	Yes
Columbia Gas of Massachusetts			51D	CT51D-Tapping Using Plastic and Steel Self Tapping Tees	Passed	03/08/2019	10/11/2021		NGA-PE-51D.1/51D.2	NGA-PE-51D.1 & 51D.2-Tapping a Plastic and Steel Self Tapping Tee	10/11/2021	Yes	Online	Yes
Columbia Gas of Massachusetts			51D	CT51D-Tapping Using Plastic and Steel Self Tapping Tees	Passed	03/08/2019	10/11/2021		NGA-WE-51D	NGA-WE-51D-Tapping Using Plastic and Steel Self Tapping Tees	03/08/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			66	CT66-Field interpretation of pressure recording charts	Passed	02/26/2008	02/26/2011		NGA-WE-CT66	NGA-WE-CT66-Field Interpretation of Pressure Recording Charts - 13862	02/26/2011	Expired	Import	Expired
Columbia Gas of Massachusetts			66B	CT66B-Field Interpretation of Pressure Recording Charts	Failed	07/21/2017			NGA-WE-66B	NGA-WE-66B-Field Interpretation of Pressure Recording Charts		No	Online	No
Columbia Gas of Massachusetts			70	CT70-Properties of Natural Gas and Abnormal Operating Conditions	Passed	01/18/2019	01/18/2022		NGA-WE-70	NGA-WE-70-Properties of Natural Gas and Abnormal Operating Conditions	01/18/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			71	CT71-Excavation & Backfill	Passed	01/18/2019	01/18/2022		NGA-WE-71	NGA-WE-71-Excavation & Backfill	01/18/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			72A	CT72A-Installing and Turning Off Residential, Small Commercial, Large Commercial and Industrial Meters and Regulators	Passed	01/18/2019	01/18/2022		NGA-WE-72A	NGA-WE-72A-Installing and Turning Off Residential, Small Commercial, Large Commercial and Industrial Meters and Regulators	01/18/2022	Yes	Online	Yes

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Cert Status	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			85	CT85-Meter Assembly Abnormal Operating Conditions	Passed	03/05/2019	03/05/2022		NGA-WE-CT85	NGA-WE-CT85-EXAM-Meter Assembly Abnormal Operating Conditions	03/05/2022	Yes	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(A).	NGA-WE-(A)-COURSE General Knowledge	Completed	01/08/2018						No	Online	No
Columbia Gas of Massachusetts			NGA-WE-(B).	NGA-WE-(B)-COURSE Mechanical Fittings	Completed	03/01/2019						No	Online	No
Columbia Gas of Massachusetts			NGA-WE-(C).	NGA-WE-(C)-COURSE Electrofusion	Completed	03/01/2019						No	Online	No
Columbia Gas of Massachusetts			NGA-WE-(D&E).	NGA-WE-(D&E)-COURSE Butt Fusion (Manual & Hydraulic)	Completed	03/01/2019						No	Online	No
Columbia Gas of Massachusetts			01.	NGA-WE-CT01-COURSE Inspecting for a Shorted Casings	Completed	03/01/2019						No	Online	No
Columbia Gas of Massachusetts			02.	NGA-WE-CT02-COURSE Pipe-to-Soil Potential	Completed	11/13/2018						No	Online	No
Columbia Gas of Massachusetts			06.	NGA-WE-CT06-COURSE Atmospheric Corrosion	Completed	01/08/2019						No	Online	No
Columbia Gas of Massachusetts			08.	NGA-WE-CT08-COURSE Internal Corrosion	Completed	01/08/2019						No	Online	No
Columbia Gas of Massachusetts			10.	NGA-WE-CT10-COURSE Clearing a Shorted Casing	Completed	02/26/2019						No	Online	No
Columbia Gas of Massachusetts			11,12&17.	NGA-WE-CT11, 12 & 17-COURSE Pipe Coatings	Completed	01/08/2019						No	Online	No
Columbia Gas of Massachusetts			14.	NGA-WE-CT14-COURSE Anodes	Completed	01/08/2019						No	Online	No
Columbia Gas of Massachusetts			15.	NGA-WE-CT15-COURSE Electrical Isolation Couplings	Completed	01/09/2019						No	Online	No
Columbia Gas of Massachusetts			16.	NGA-WE-CT16-COURSE Test Stations	Completed	01/21/2019						No	Online	No
Columbia Gas of Massachusetts			18.	NGA-WE-CT18-COURSE Conducting Mobile and Walking Leak Surveys	Completed	02/22/2019						No	Online	No
Columbia Gas of Massachusetts			19.	NGA-WE-CT19-COURSE Patrolling and Inspecting Pipelines	Completed	02/22/2019						No	Online	No
Columbia Gas of Massachusetts			20.	NGA-WE-CT20-COURSE Investigating Leak/Odor Complaints	Completed	02/05/2019						No	Online	No
Columbia Gas of Massachusetts			20D.	NGA-WE-CT20D-COURSE Classifying Gas Leaks	Completed	02/05/2019						No	Online	No
Columbia Gas of Massachusetts			21.	NGA-WE-CT21-COURSE Line Locating and Mark Out	Completed	01/21/2019						No	Online	No
Columbia Gas of Massachusetts			22.	NGA-WE-CT22-COURSE Inspection of Third Party Excavations for Damage Prevention	Completed	02/22/2019						No	Online	No
Columbia Gas of Massachusetts			23/24.	NGA-WE-CT23 & 24-COURSE Inspecting the Condition of Exposed Pipe	Completed	02/05/2019						No	Online	No
Columbia Gas of Massachusetts			26/27/41/42.	NGA-WE-CT26 & 27 & 41 & 42-COURSE Inspect, Lubricate, Repair and Operate Valves	Completed	02/26/2019						No	Online	No
Columbia Gas of Massachusetts			28.	NGA-WE-CT28-COURSE Uprating	Completed	02/22/2019						No	Online	No
Columbia Gas of Massachusetts			29/30.	NGA-WE-CT29 & 30-COURSE-Repairing a Distribution Pipe	Completed	01/21/2019						No	Online	No
Columbia Gas of Massachusetts			31.	NGA-WE-CT31-COURSE Installation of Pipe	Completed	02/26/2019						No	Online	No
Columbia Gas of Massachusetts			32-33.	NGA-WE-CT32 & 33-COURSE Purging a Pipeline	Completed	02/05/2019						No	Online	No
Columbia Gas of Massachusetts			34.	NGA-WE-CT34-COURSE Performing a Pressure Test on a Pipeline	Completed	02/05/2019						No	Online	No
Columbia Gas of Massachusetts			35.	NGA-WE-CT35-COURSE Stopping Gas Flow on a Pipeline	Completed	02/26/2019						No	Online	No
Columbia Gas of Massachusetts			36/47.	NGA-WE-CT36 & 47-COURSE Abandonment of Facilities	Completed	01/14/2019						No	Online	No
Columbia Gas of Massachusetts			37.	NGA-WE-CT37-COURSE Tapping Pipelines Under Pressure	Completed	02/26/2019						No	Online	No
Columbia Gas of Massachusetts			38.	NGA-WE-CT38-COURSE Starting Up or Shutting Down Any Part of the Pipeline That Could Cause the MAOP to Be Exceeded	Completed	02/22/2019						No	Online	No
Columbia Gas of Massachusetts			39.	NGA-WE-CT39-COURSE Remove Service Tee or Fitting from Steel or Cast Iron Pipe	Completed	02/26/2019						No	Online	No
Columbia Gas of Massachusetts			45.	NGA-WE-CT45-COURSE Restoring Service	Completed	02/26/2019						No	Online	No
Columbia Gas of Massachusetts			49.	NGA-WE-CT49-COURSE Mechanical Joining of Pipe Other Than Plastic to Plastic Pipe	Completed	02/26/2019						No	Online	No
Columbia Gas of Massachusetts			51.	NGA-WE-CT51-COURSE Install Tapping Tee on Pipe	Completed	02/26/2019						No	Online	No
Columbia Gas of Massachusetts			66.	NGA-WE-CT66-COURSE Field Interpretation of Pressure Recording Devices	Completed	01/30/2019						No	Online	No
Columbia Gas of Massachusetts			69.	NGA-WE-CT69-COURSE Monitor Natural Gas Odorization Levels	Completed	03/01/2019						No	Online	No
Columbia Gas of Massachusetts			70.	NGA-WE-CT70-COURSE Properties of Natural Gas and Abnormal Operating Conditions	Completed	01/14/2019						No	Online	No

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Cert Status	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts	[REDACTED]	[REDACTED]	71.	NGA-WE-CT71-COURSE Excavation & Backfill	Completed	01/14/2019						No	Online	No
Columbia Gas of Massachusetts	[REDACTED]	[REDACTED]	72.	NGA-WE-CT72-COURSE Installing Customer Meters and Regulators	Completed	01/14/2019						No	Online	No
Columbia Gas of Massachusetts	[REDACTED]	[REDACTED]	85.	NGA-WE-CT85-COURSE Meter Assembly Abnormal Operating Conditions	Completed	02/22/2019						No	Online	No

**OnBoard Learning Management System
Industrial Training Services, Inc. - Detailed Task Report**

Company Name	User Full Name	User Name	Task Code	Task_Code	Task	Knowledge Status	Date Skill Taken	Qualification Date	Expires	Evaluator Name	Affidavit	Skill Method	Media Type	Is Qualified
Columbia Gas of Massachusetts			NGA-WE-CT01	01	NGA-WE-CT01-Inspecting for Shorted Casings - 13791	Passed	04/26/2016	04/26/2016	04/26/2019			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-02A	02A	NGA-WE-02A-Measuring Pipe-To-Soil Potential (Measuring and Interpreting Readings)	Failed	12/14/2017					WE	Online	No
Columbia Gas of Massachusetts			NGA-WE-02B	02B	NGA-WE-02B-Measuring Pipe-To-Soil Potential (Measuring Only)	Passed	11/15/2018	11/15/2018	11/15/2021			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-06A	06A	NGA-WE-06A-Inspecting for Atmospheric Corrosion, Including Evaluation and Remediation	Passed	01/10/2019	01/10/2019	01/10/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-08	08	NGA-WE-08-Visually Inspecting for Internal Corrosion	Passed	01/10/2019	01/10/2019	01/10/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-10	10	NGA-WE-10-Clearing a Shorted Casing	Passed	03/08/2019	03/08/2019	03/08/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-11A/12A/17A	11C/12C/17C	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	Passed	01/10/2019	01/10/2019	01/10/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-11C/12C/17C	11C/12C/17C	NGA-WE-11C, 12C & 17C-Pipe Coatings (Heat Shrink Sleeve)	Passed	01/10/2019	01/10/2019	01/10/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-11A/12A/17A	11D/12D/17D	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	Passed	01/10/2019	01/10/2019	01/10/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-11D/12D/17D	11D/12D/17D	NGA-WE-11D, 12D & 17D-Pipe Coatings (Wax Tape)	Passed	01/10/2019	01/10/2019	01/10/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-11A/12A/17A	11F/12F/17F	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	Passed	01/10/2019	01/10/2019	01/10/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-11F/12F/17F	11F/12F/17F	NGA-WE-11F, 12F & 17F-Pipe Coatings (Cold Applied Tape)	Passed	01/10/2019	01/10/2019	01/10/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-11H/12H/17H	11H/12H/17H	NGA-WE-11H, 12H & 17H-Pipe Coatings (Paint)	Passed	01/10/2019	01/10/2019	01/10/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-PE-14/16	14A	NGA-PE-14/16-Exothermic Welding	Passed	02/14/2019	02/14/2019	02/14/2022		a5397dd0-f605-45fb-8421-f1d2aa5c8b0f.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-14	14A	NGA-WE-14-Installing/Replacing an Anode	Passed	01/10/2019	02/14/2019	01/10/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-14	14B	NGA-WE-14-Installing/Replacing an Anode	Passed	01/10/2019	01/10/2019	01/10/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-15A	15A	NGA-WE-15A-Installing, Replacing and Testing Electrical Isolation Couplings	Passed	01/10/2019	01/10/2019	01/10/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-PE-14/16	16A	NGA-PE-14/16-Exothermic Welding	Passed	02/14/2019	02/14/2019	02/14/2022		a5397dd0-f605-45fb-8421-f1d2aa5c8b0f.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-16	16A	NGA-WE-16-Installing or Replacing a Corrosion Test Station on a Pipeline	Passed	02/07/2019	02/14/2019	02/07/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-16	16B	NGA-WE-16-Installing or Replacing a Corrosion Test Station on a Pipeline	Passed	02/07/2019	02/07/2019	02/07/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-PE-18.1	18A	NGA-PE-18.1-Leak Survey	Passed	02/14/2019	02/28/2019	02/14/2022		7084790b-7978-4062-8596-aa2793ea4ded.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-CT18A	18A	NGA-WE-CT18A-Conducting Gas Leakage Survey (Mobile and Walking Surveys)	Passed	02/28/2019	02/28/2019	02/28/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-19A	19A	NGA-WE-19A-Patrolling - Inspecting Right of Ways, Pipeline Markers and Exposed Above Ground Mains	Passed	02/28/2019	02/28/2019	02/28/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-20A	20A	NGA-WE-20A- Investigating Leak or Odor Complaints (Inside and Outside)	Passed	02/25/2019	02/25/2019	02/25/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-20D	20D	NGA-WE-20D- Leak Classification	Passed	02/25/2019	02/25/2019	02/25/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-PE-21.1	21-MA	NGA-PE-21.1-Line Locating and Mark Out	Passed	02/14/2019	02/14/2019	02/14/2022		c22c979f-d975-4463-a546-a9398e0b4592.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-21	21-MA	NGA-WE-21-Line Locating and Mark Out	Passed	02/07/2019	02/14/2019	02/07/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-MA	21-MA	NGA-WE-State Damage Prevention Regulations (Massachusetts)	Passed	01/10/2019	02/14/2019	01/10/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-CT22	22	NGA-WE-CT22-Inspection of 3rd Party Excavations for Damage Prevention/Cast Iron Encroachment - 13818	Passed	04/26/2016	04/26/2016	04/26/2019			WE	Online	Yes

Company Name	User Full Name	User Name	Task Code	Task_Code	Task	Knowledge Status	Date Taken	Skill Date	Qualification Expires	Evaluator Name	Affidavit	Skill Method	Media Type	Is Qualified
Columbia Gas of Massachusetts			NGA-WE-22B	22B	NGA-WE-22B-Inspecting of 3rd Party Excavations for Damage Prevention	Passed	02/28/2019	02/28/2019	02/28/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-23/24	23/24	NGA-WE-23 & 24-Inspecting the Condition of Exposed Pipe	Passed	02/25/2019	02/25/2019	02/25/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-28	28	NGA-WE-28-Uprating	Passed	02/28/2019	02/28/2019	02/28/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-29B/30B	29B/30B	NGA-WE-29B & 30B-Repairing a Plastic Distribution Pipe	Passed	02/14/2019	02/14/2019	02/14/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-29C/30C	29C/30C	NGA-WE-29C & 30C-Repairing a Steel Distribution Pipe	Passed	02/07/2019	02/07/2019	02/07/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-29E/30E	29E/30E	NGA-WE-29E & 30E-Repairing Cast Iron Distribution Pipe, Not Including Anaerobic Sealing	Passed	02/14/2019	02/14/2019	02/14/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-31A	31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	Passed	03/05/2019	03/05/2019	03/05/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-31A	31B	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	Passed	03/05/2019	03/05/2019	03/05/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-31B	31B	NGA-WE-31B-Installation of Pipe: Install Pipe in a Ditch - 14406	Passed	03/05/2019	03/05/2019	03/05/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-31A	31C	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	Passed	03/05/2019	03/05/2019	03/05/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-31C	31C	NGA-WE-31C-Installation of Pipe:Installing Pipe by Horizontal Directional Drilling - 14407	Passed	03/05/2019	03/05/2019	03/05/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-31A	31D	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	Passed	03/05/2019	03/05/2019	03/05/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-31D	31D	NGA-WE-31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools) - 14408	Passed	03/05/2019	03/05/2019	03/05/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-31A	31E	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	Passed	03/05/2019	03/05/2019	03/05/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-31E	31E	NGA-WE-31E-Installation of Pipe: Installing Pipe by Dead Insertion - 14409	Passed	03/05/2019	03/05/2019	03/05/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-31A	31F	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	Passed	03/05/2019					WE	Online	No
Columbia Gas of Massachusetts			NGA-WE-32 & 33	32	NGA-WE-32 & 33-Purging a Pipeline In and Out of Service - 13828	Passed	02/25/2019	02/25/2019	02/25/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-32 & 33	33	NGA-WE-32 & 33-Purging a Pipeline In and Out of Service - 13828	Passed	02/25/2019	02/25/2019	02/25/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-34	34	NGA-WE-34-Performing Pressure Test on a Pipeline - 13830	Passed	02/25/2019	02/25/2019	02/25/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-PE-35.1	35.1B	NGA-PE-35.1 Squeeze-Off	Passed	02/14/2019	02/14/2019	02/14/2022					
Columbia Gas of Massachusetts			NGA-WE-35.1B	35.1B	NGA-WE-35.1B- Stopping Gas Flow (Squeeze-Off - Mains & Services)	Passed	02/14/2019	02/14/2019	02/14/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-PE-35.2	35.2	NGA-PE-35.2 Bagging	Passed	02/14/2019	03/08/2019	02/14/2022					
Columbia Gas of Massachusetts			NGA-WE-35.2/35.3	35.2	NGA-WE-35.2/35.3- Stopping Gas Flow (Bagging, Valves and Mechanical Only)	Passed	03/08/2019	03/08/2019	03/08/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-PE-35.3	35.3	NGA-PE-35.3 Mechanical	Passed	02/14/2019	03/08/2019	02/14/2022					
Columbia Gas of Massachusetts			NGA-WE-35.2/35.3	35.3	NGA-WE-35.2/35.3- Stopping Gas Flow (Bagging, Valves and Mechanical Only)	Passed	03/08/2019	03/08/2019	03/08/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-36/47	36/47	NGA-WE-36 & 47-Abandonment of Facilities	Passed	01/18/2019	01/18/2019	01/18/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-PE-37A.1	37A	NGA-PE-37A.1-Tapping Plastic Pipe with Specialized Equipment	Passed	02/14/2019	03/08/2019	02/14/2022					
Columbia Gas of Massachusetts			NGA-WE-37A	37A	NGA-WE-37A-Tapping Plastic Pipe with Specialized Equipment	Passed	03/08/2019	03/08/2019	03/08/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-PE-37B.1/37C.1	37B	NGA-PE-37B.1 & 37C.1-Tapping Cast Iron and Steel Pipe with Specialized Equipment	Passed	02/14/2019	03/08/2019	02/14/2022					

Company Name	User Full Name	User Name	Task Code	Task_Code	Task	Knowledge Status	Date Taken	Skill Date	Qualification Expires	Evaluator Name	Affidavit	Skill Method	Media Type	Is Qualified
Columbia Gas of Massachusetts			NGA-WE-37B	37B	NGA-WE-37B-Tapping Cast Iron Pipe with Specialized Equipment	Passed	03/08/2019	03/08/2019	03/08/2022		7e670b5a-045d-497c-b0b5-e6537b7af337.pdf	WE	Online	Yes
Columbia Gas of Massachusetts			NGA-PE-37B.1/37C.1	37C	NGA-PE-37B.1 & 37C.1-Tapping Cast Iron and Steel Pipe with Specialized Equipment	Passed	02/14/2019	03/08/2019	02/14/2022			SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-37C	37C	NGA-WE-37C-Tapping Steel Pipe with Specialized Equipment	Passed	03/08/2019	03/08/2019	03/08/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-38A	38A	NGA-WE-38A-Starting Up or Shutting Down Any Part of a Pipeline that Could Cause the MAOP to be Exceeded, Including Turning Valves and Monitoring Flows and Pressure	Passed	02/28/2019	02/28/2019	02/28/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-39A	39A	NGA-WE-39A - Removing Service Tee or Fitting from Steel and Cast Iron Pipe	Passed	02/07/2019	02/07/2019	02/07/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-40	40	NGA-WE-40-Install/Replace Tracer Wire	Passed	01/18/2019	01/18/2019	01/18/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-41/42	41/42	NGA-WE-41 & 42-Inspecting, Lubricating, Repairing and Operating Distribution Valves	Passed	03/08/2019	03/08/2019	03/08/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-45	45	NGA-WE-45-Restore Service	Passed	03/08/2019	03/08/2019	03/08/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-49	49.1/49.2	NGA-WE-49- Mechanical Joining of Pipe Other than Plastic to Plastic Pipe	Passed	12/14/2017	12/14/2017	12/14/2020			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-PE-49.3	49.3	NGA-PE-49.3 Mechanical Joining of Pipe – Compression	Passed	01/31/2019	01/31/2019	01/31/2022		1b399169-595e-4635-82bd-57f2cb68147f.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-49	49.3	NGA-WE-49- Mechanical Joining of Pipe Other than Plastic to Plastic Pipe	Passed	12/14/2017	01/31/2019	12/14/2020			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(A)	50/51/52C.04	NGA-WE-(A)-General Knowledge - 14665	Passed	03/08/2019	03/08/2019	03/08/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(C)	50/51/52C.04	NGA-WE-(C)-Electrofusion - 14667	Passed	01/10/2018	01/10/2018	01/10/2021			WE	Online	Yes
Columbia Gas of Massachusetts			PJQ-04	50/51/52C.04	NGA-PE-CT50-Saddle Electrofusion (PJQ-04)	Passed	01/31/2019	01/31/2019	01/31/2020		dbe2b3c3-644d-4051-a07d-3aed3b28165e.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(A)	50/51B.06	NGA-WE-(A)-General Knowledge - 14665	Passed	03/08/2019	03/08/2019	03/08/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(B)	50/51B.06	NGA-WE-(B)-Mechanical Couplings - 17213	Passed	01/10/2018	01/10/2018	01/10/2021			WE	Online	Yes
Columbia Gas of Massachusetts			PJQ-06	50/51B.06	NGA-PE-CT50-Bolted (Bolt On) Fitting (PJQ-06)	Passed	01/31/2019	01/31/2019	01/31/2020		299e0de0-eb30-41d9-bd73-43ec8166de50.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(A)	50/52C.05	NGA-WE-(A)-General Knowledge - 14665	Passed	03/08/2019	03/08/2019	03/08/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(C)	50/52C.05	NGA-WE-(C)-Electrofusion - 14667	Passed	01/10/2018	01/10/2018	01/10/2021			WE	Online	Yes
Columbia Gas of Massachusetts			PJQ-05	50/52C.05	NGA-PE-CT50-Coupling Electrofusion (PJQ-05)	Passed	01/31/2019	01/31/2019	01/31/2020		f4d6575f-949b-4462-9ad1-ba1ac0e70a7c.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(A)	50/52D	NGA-WE-(A)-General Knowledge - 14665	Passed	03/08/2019	03/08/2019	03/08/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(D)	50/52D	NGA-WE-(D)-Hydraulic Butt Fusion - 14668	Passed	02/14/2019	02/14/2019	02/14/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(E)	50/52D	NGA-WE-(E)-Manual Butt Fusion - 14669	Passed	02/14/2019	02/14/2019	02/14/2022			WE	Online	Yes
Columbia Gas of Massachusetts			PJQ-01B	50/52D	NGA-PE-CT50-Coiled Pipe Butt Fusion (PJQ-01B)	Passed	01/31/2019	02/14/2019	01/31/2020		6a3e307b-6887-457e-9045-d8a850baf1c4.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			PJQ-11	50/52D	NGA-PE-CT50-Hydraulic Fusion (PJQ-11)	Passed	01/31/2019	02/14/2019	01/31/2020		bb4c1743-2cfa-4982-82b6-e6076a02e962.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(A)	50/52E	NGA-WE-(A)-General Knowledge - 14665	Passed	03/08/2019	03/08/2019	03/08/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(E)	50/52E	NGA-WE-(E)-Manual Butt Fusion - 14669	Passed	02/14/2019	02/14/2019	02/14/2022			WE	Online	Yes
Columbia Gas of Massachusetts			PJQ-01B	50/52E	NGA-PE-CT50-Coiled Pipe Butt Fusion (PJQ-01B)	Passed	01/31/2019	02/14/2019	01/31/2020		6a3e307b-6887-457e-9045-d8a850baf1c4.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(A)	50B.07	NGA-WE-(A)-General Knowledge - 14665	Passed	03/08/2019	03/08/2019	03/08/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(B)	50B.07	NGA-WE-(B)-Mechanical Couplings - 17213	Passed	01/10/2018	01/10/2018	01/10/2021			WE	Online	Yes

Company Name	User Full Name	User Name	Task Code	Task_Code	Task	Knowledge Status	Date Taken	Skill Date	Qualification Expires	Evaluator Name	Affidavit	Skill Method	Media Type	Is Qualified
Columbia Gas of Massachusetts			PJQ-07	50B.07	NGA-PE-CT50-Stab Fitting (PJQ-07)	Passed	01/31/2019	01/31/2019	01/31/2020		7b2a16f1-bf31-40f4-303-66e00a7f3ba.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(A)	50B.08	NGA-WE-(A)-General Knowledge - 14665	Passed	03/08/2019	03/08/2019	03/08/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(B)	50B.08	NGA-WE-(B)-Mechanical Couplings - 17213	Passed	01/10/2018	01/10/2018	01/10/2021			WE	Online	Yes
Columbia Gas of Massachusetts			PJQ-08	50B.08	NGA-PE-CT50-Compression Fitting (PJQ-08)	Passed	01/31/2019	01/31/2019	01/31/2020		05778b1-219c-3e6-b371-f4c2a159a79.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(A)	50B.09	NGA-WE-(A)-General Knowledge - 14665	Passed	03/08/2019	03/08/2019	03/08/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(B)	50B.09	NGA-WE-(B)-Mechanical Couplings - 17213	Passed	01/10/2018	01/10/2018	01/10/2021			WE	Online	Yes
Columbia Gas of Massachusetts			PJQ-09	50B.09	NGA-PE-CT50-Nut Follower (Threaded Fitting) (PJQ-09)	Passed	01/31/2019	01/31/2019	01/31/2020		77aaada-4144-4e4c-55b-d379cf14bea.pdf	SIM	Online	Yes
Columbia Gas of Massachusetts			NGA-PE-51D.1/51D.2	51D	NGA-PE-51D.1 & 51D.2-Tapping a Plastic and Steel Self Tapping Tee	Passed	10/11/2018	03/08/2019	10/11/2021		16b6fed-6753-6b1-9815-4ea63816201.pdf	PERF/DE ST	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-51D	51D	NGA-WE-51D-Tapping Using Plastic and Steel Self Tapping Tees	Passed	03/08/2019	03/08/2019	03/08/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-CT66	66	NGA-WE-CT66-Field Interpretation of Pressure Recording Charts - 13862	Passed	02/26/2008	02/26/2008	02/26/2011			WE	Import	Expired
Columbia Gas of Massachusetts			NGA-WE-66B	66B	NGA-WE-66B-Field Interpretation of Pressure Recording Charts	Failed	07/21/2017					WE	Online	No
Columbia Gas of Massachusetts			NGA-WE-70	70	NGA-WE-70-Properties of Natural Gas and Abnormal Operating Conditions	Passed	01/18/2019	01/18/2019	01/18/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-71	71	NGA-WE-71-Excavation & Backfill	Passed	01/18/2019	01/18/2019	01/18/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-72A	72A	NGA-WE-72A-Installing and Turning Off Residential, Small Commercial, Large Commercial and Industrial Meters and Regulators	Passed	01/18/2019	01/18/2019	01/18/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-CT85	85	NGA-WE-CT85-EXAM-Meter Assembly Abnormal Operating Conditions	Passed	03/05/2019	03/05/2019	03/05/2022			WE	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(H)	PJQ10	NGA-WE-(H)-EXAM Soil Compaction - 14682	Passed	05/03/2018	05/03/2018	05/03/2021			WE	Online	Yes

OnBoard Learning Management System
Industrial Training Services Inc. - Transcript Archives

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			PJQ10	CT-Soil Compaction	Passed	02/24/2014	02/24/2017			NGA-WE-(H)	NGA-WE-(H)-EXAM Soil Compaction - 14682	02/24/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			PJQ10	CT-Soil Compaction	Failed	02/10/2014				NGA-WE-(H)	NGA-WE-(H)-EXAM Soil Compaction - 14682		WE	No	No	Import	No
Columbia Gas of Massachusetts			PJQ10	CT-Soil Compaction	Passed	02/05/2015	02/05/2018		Columbia Gas of Massachusetts	NGA-WE-(H)	NGA-WE-(H)-EXAM Soil Compaction - 14682	02/05/2018	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			PJQ10	CT-Soil Compaction	Passed	02/24/2016	02/24/2019		Columbia Gas of Massachusetts	NGA-WE-(H)	NGA-WE-(H)-EXAM Soil Compaction - 14682	02/24/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			PJQ10	CT-Soil Compaction	Passed	05/03/2018	05/03/2021		Northeast Gas Association	NGA-WE-(H)	NGA-WE-(H)-EXAM Soil Compaction - 14682	05/03/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			PJQ10	CT-Soil Compaction (NV)	Passed	02/12/2003	02/12/2006			NGA-WE-Soil-CompactNV	NGA-WE-Soil Compaction (PJQ-10) (NV)	02/12/2006	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			PJQ10	CT-Soil Compaction (NV)	Passed	02/15/2006	02/15/2009			NGA-WE-Soil-CompactNV	NGA-WE-Soil Compaction (PJQ-10) (NV)	02/15/2009	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			PJQ10	CT-Soil Compaction (NV)	Passed	03/08/2007	03/08/2010			NGA-WE-Soil-CompactNV	NGA-WE-Soil Compaction (PJQ-10) (NV)	02/15/2009	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			PJQ10	CT-Soil Compaction (NV)	Passed	03/12/2007	03/08/2010			NGA-WE-Soil-CompactNV	NGA-WE-Soil Compaction (PJQ-10) (NV)	02/15/2009	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			PJQ10	CT-Soil Compaction (NV)	Passed	02/25/2008	02/25/2011			NGA-WE-Soil-CompactNV	NGA-WE-Soil Compaction (PJQ-10) (NV)	02/15/2009	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			PJQ10	CT-Soil Compaction (NV)	Passed	02/18/2009	03/08/2010			NGA-WE-Soil-CompactNV	NGA-WE-Soil Compaction (PJQ-10) (NV)	03/08/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			PJQ10	CT-Soil Compaction (NV)	Passed	02/17/2010	03/08/2010			NGA-WE-Soil-CompactNV	NGA-WE-Soil Compaction (PJQ-10) (NV)	03/08/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			01	CT01-Inspecting for Shorted Casings	Passed	04/26/2016	04/26/2019		Columbia Gas of Massachusetts	NGA-WE-CT01	NGA-WE-CT01-Inspecting for Shorted Casings - 13791	04/26/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			02	CT02-Measure Pipe-to-Soil Potential	Passed	03/24/2014	09/20/2018			NGA-WE-CT02	NGA-WE-CT02-Measuring Pipe-to-Soil Potential - 13792	09/20/2018	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			02A	CT02A-Measuring Pipe-To-Soil Potential (Measuring and Interpreting Readings)	Failed	12/14/2017			Northeast Gas Association	NGA-WE-02A	NGA-WE-02A-Measuring Pipe-To-Soil Potential (Measuring and Interpreting Readings)		WE	No	No	Online	No
Columbia Gas of Massachusetts			02B	CT02B-Measuring Pipe-To-Soil Potential (Measuring Only)	Passed	11/15/2018	11/15/2021			NGA-WE-02B	NGA-WE-02B-Measuring Pipe-To-Soil Potential (Measuring Only)	11/15/2021	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			06A	CT06A-Inspecting for Atmospheric Corrosion, Including Evaluation and Remediation	Passed	01/10/2019	01/10/2022			NGA-WE-06A	NGA-WE-06A-Inspecting for Atmospheric Corrosion, Including Evaluation and Remediation	01/10/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			06A	CT06A-Inspecting for atmospheric Corrosion: Distribution Technician	Passed	02/19/2010	02/19/2015			NGA-WE-CT06A	NGA-WE-CT06A-Inspecting for Atmospheric Corrosion (NV) - 26513	09/28/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			06A	CT06A-Inspecting for atmospheric Corrosion: Distribution Technician	Passed	03/22/2007	10/28/2007			NGA-WE-CT06	NGA-WE-CT06 (NV) - 26512	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			06A	CT06A-Inspecting for atmospheric Corrosion: Distribution Technician	Passed	03/22/2007	10/28/2007			NGA-WE-CT06A	NGA-WE-CT06A-Inspecting for Atmospheric Corrosion (NV) - 26513	09/28/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			06A	CT06A-Inspecting for atmospheric Corrosion: Distribution Technician	Passed	10/28/2002	10/28/2007			NGA-WE-CT06	NGA-WE-CT06 (NV) - 26512	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			06A	CT06A-Inspecting for atmospheric Corrosion: Distribution Technician	Passed	09/28/2005	10/28/2007			NGA-WE-CT06	NGA-WE-CT06 (NV) - 26512	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			06A	CT06A-Inspecting for atmospheric Corrosion: Distribution Technician	Passed	09/28/2005	10/28/2007			NGA-WE-CT06A	NGA-WE-CT06A-Inspecting for Atmospheric Corrosion (NV) - 26513	09/28/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			06A	CT06A-Inspecting for atmospheric Corrosion: Distribution Technician	Passed	01/21/2016	01/21/2019		Columbia Gas of Massachusetts	NGA-WE-CT06A & CT08A	NGA-WE-CT06A & CT08A-Inspecting for Atmospheric Corrosion, Visually Inspecting for Internal Corrosion: Distribution Technician - 13797	01/21/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			06B	CT06B-Inspecting for atmospheric Corrosion: Customer Service Technician	Passed	10/28/2002	10/28/2007			NGA-WE-CT06	NGA-WE-CT06 (NV) - 26512	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			08	CT08--Visually Inspecting for Internal Corrosion	Passed	01/10/2019	01/10/2022			NGA-WE-08	NGA-WE-08-Visually Inspecting for Internal Corrosion	01/10/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			08A	CT08A-Visually inspecting for internal corrosion: Distribution Technician	Passed	02/19/2010	02/19/2015			NGA-WE-CT08A	NGA-WE-CT08A-Visually Inspecting for Internal Corrosion (NV) - 32127	02/19/2015	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			08A	CT08A-Visually inspecting for internal corrosion: Distribution Technician	Passed	03/22/2007	10/28/2007			NGA-WE-CT08	NGA-WE-CT08 (NV) - 26516	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			08A	CT08A-Visually inspecting for internal corrosion: Distribution Technician	Passed	03/22/2007	10/28/2007			NGA-WE-CT08A	NGA-WE-CT08A-Visually Inspecting for Internal Corrosion (NV) - 32127	09/28/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			08A	CT08A-Visually inspecting for internal corrosion: Distribution Technician	Passed	09/28/2005	10/28/2007			NGA-WE-CT08	NGA-WE-CT08 (NV) - 26516	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			08A	CT08A-Visually inspecting for internal corrosion: Distribution Technician	Passed	09/28/2005	10/28/2007			NGA-WE-CT08A	NGA-WE-CT08A-Visually Inspecting for Internal Corrosion (NV) - 32127	09/28/2010	WE	Expired	Yes	Import	Expired

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			8A	CT08A-Visually inspecting for internal corrosion: Distribution Technician	Passed	10/28/2002	10/28/2007			NGA-WE-CT08	NGA-WE-CT08 (NV) - 26516	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			8A	CT08A-Visually inspecting for internal corrosion: Distribution Technician	Passed	01/21/2016	01/21/2019		Columbia Gas of Massachusetts	NGA-WE-CT06A & CT08A	NGA-WE-CT06A & CT08A-Inspecting for Atmospheric Corrosion, Visually Inspecting for Internal Corrosion: Distribution Technician - 13797	01/21/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			8B	CT08B-Visually inspecting for internal corrosion: Customer Service Technician	Passed	10/28/2002	10/28/2007			NGA-WE-CT08	NGA-WE-CT08 (NV) - 26516	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			0	CT10-Clear a shorted casing	Passed	04/26/2016	04/26/2019			NGA-WE-CT10	NGA-WE-CT10-Clear a Shorted Casing - 13802	04/26/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			0	CT10-Clear a shorted casing	Passed	03/08/2019	03/08/2022			NGA-WE-10	NGA-WE-10-Clearing a Shorted Casing	03/08/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			1A	CT11A-Applying pipe coating in the field	Passed	02/18/2010	02/18/2015			NGA-WE-CT11A	NGA-WE-CT11A-Applying Pipe Coating in the Field (NV) - 26518	02/18/2015	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			1A	CT11A-Applying pipe coating in the field	Passed	03/22/2007	10/28/2007			NGA-WE-CT11	NGA-WE-CT11 (NV) - 26517	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			1A	CT11A-Applying pipe coating in the field	Passed	03/22/2007	10/28/2007			NGA-WE-CT11A	NGA-WE-CT11A-Applying Pipe Coating in the Field (NV) - 26518	09/28/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			1A	CT11A-Applying pipe coating in the field	Passed	10/28/2002	10/28/2007			NGA-WE-CT11	NGA-WE-CT11 (NV) - 26517	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			1A	CT11A-Applying pipe coating in the field	Passed	09/28/2005	10/28/2007			NGA-WE-CT11	NGA-WE-CT11 (NV) - 26517	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			1A	CT11A-Applying pipe coating in the field	Passed	09/28/2005	10/28/2007			NGA-WE-CT11A	NGA-WE-CT11A-Applying Pipe Coating in the Field (NV) - 26518	09/28/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			1A	CT11A-Applying pipe coating in the field	Passed	01/21/2016	01/21/2019		Columbia Gas of Massachusetts	NGA-WE-CT11A, 12A & 17 A	NGA-WE-CT11A, 12A & 17 A-Applying Pipe Coating in the Field, Cleaning and either Coating or Jacketing Pipe for Atmospheric Corrosion, Repair Coating on a Steel Pipe: Distribution Technician - 13803	01/21/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			1B	CT11B-Applying pipe coating in the field	Passed	10/28/2002	10/28/2007			NGA-WE-CT11	NGA-WE-CT11 (NV) - 26517	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			1C/12C/17C	CT11C, 12C & 17C-Pipe Coatings (Heat Shrink Sleeve)	Passed	01/10/2019	01/10/2022			NGA-WE-11A/12A/17A	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	01/10/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			1C/12C/17C	CT11C, 12C & 17C-Pipe Coatings (Heat Shrink Sleeve)	Passed	01/10/2019	01/10/2022			NGA-WE-11C/12C/17C	NGA-WE-11C, 12C & 17C-Pipe Coatings (Heat Shrink Sleeve)	01/10/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			1D/12D/17D	CT11D, 12D & 17D-Pipe Coatings (Wax Tape)	Passed	01/10/2019	01/10/2022			NGA-WE-11A/12A/17A	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	01/10/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			1D/12D/17D	CT11D, 12D & 17D-Pipe Coatings (Wax Tape)	Passed	01/10/2019	01/10/2022			NGA-WE-11D/12D/17D	NGA-WE-11D, 12D & 17D-Pipe Coatings (Wax Tape)	01/10/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			1F/12F/17F	CT11F, 12F & 17F-Pipe Coatings (Cold Applied Tape)	Passed	01/10/2019	01/10/2022			NGA-WE-11A/12A/17A	NGA-WE-11A, 12A & 17A-Pipe Coatings (General Knowledge)	01/10/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			1F/12F/17F	CT11F, 12F & 17F-Pipe Coatings (Cold Applied Tape)	Passed	01/10/2019	01/10/2022			NGA-WE-11F/12F/17F	NGA-WE-11F, 12F & 17F-Pipe Coatings (Cold Applied Tape)	01/10/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			1H/12H/17H	CT11H, 12H & 17H-Pipe Coatings (Paint)	Passed	01/10/2019	01/10/2022			NGA-WE-11H/12H/17H	NGA-WE-11H, 12H & 17H-Pipe Coatings (Paint)	01/10/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			2A	CT12A-Cleaning and either coating or jacketing pipe for atmospheric corrosion: Distribution	Passed	02/18/2010	02/18/2015			NGA-WE-CT12A	NGA-WE-CT12A-Cleaning and either Coating or Jacketing Pipe for Atmospheric Corrosion (NV) - 26521	02/18/2015	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			2A	CT12A-Cleaning and either coating or jacketing pipe for atmospheric corrosion: Distribution	Passed	03/22/2007	10/28/2007			NGA-WE-CT12	NGA-WE-CT12 (NV) - 26520	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			2A	CT12A-Cleaning and either coating or jacketing pipe for atmospheric corrosion: Distribution	Passed	03/22/2007	10/28/2007			NGA-WE-CT12A	NGA-WE-CT12A-Cleaning and either Coating or Jacketing Pipe for Atmospheric Corrosion (NV) - 26521	09/28/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			2A	CT12A-Cleaning and either coating or jacketing pipe for atmospheric corrosion: Distribution	Passed	10/28/2002	10/28/2007			NGA-WE-CT12	NGA-WE-CT12 (NV) - 26520	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			2A	CT12A-Cleaning and either coating or jacketing pipe for atmospheric corrosion: Distribution	Passed	09/28/2005	10/28/2007			NGA-WE-CT12	NGA-WE-CT12 (NV) - 26520	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			2A	CT12A-Cleaning and either coating or jacketing pipe for atmospheric corrosion: Distribution	Passed	09/28/2005	10/28/2007			NGA-WE-CT12A	NGA-WE-CT12A-Cleaning and either Coating or Jacketing Pipe for Atmospheric Corrosion (NV) - 26521	09/28/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			2A	CT12A-Cleaning and either coating or jacketing pipe for atmospheric corrosion: Distribution	Passed	01/21/2016	01/21/2019		Columbia Gas of Massachusetts	NGA-WE-CT11A, 12A & 17 A	NGA-WE-CT11A, 12A & 17 A-Applying Pipe Coating in the Field, Cleaning and either Coating or Jacketing Pipe for Atmospheric Corrosion, Repair Coating on a Steel Pipe: Distribution Technician - 13803	01/21/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			2B	CT12B-Cleaning and either coating or jacketing pipe for atmospheric corrosion: Customer Service	Passed	10/28/2002	10/28/2007			NGA-WE-CT12	NGA-WE-CT12 (NV) - 26520	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			4	CT14-Installing/replacing an anode on a pipeline	Passed	02/18/2010	02/18/2015			NGA-WE-CT14	NGA-WE-CT14-Installing/Replacing an Anode on a Pipeline (NV) - 26524	02/18/2015	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			4	CT14-Installing/replacing an anode on a pipeline	Passed	09/28/2005	10/28/2007			NGA-WE-CT14	NGA-WE-CT14-Installing/Replacing an Anode on a Pipeline (NV) - 26524	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			4	CT14-Installing/replacing an anode on a pipeline	Passed	10/28/2002	10/28/2007			NGA-WE-CT14	NGA-WE-CT14-Installing/Replacing an Anode on a Pipeline (NV) - 26524	10/28/2007	WE	Expired	Yes	Import	Expired

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			14	CT14-Installing/replacing an anode on a pipeline	Passed	01/21/2016	01/21/2019		Columbia Gas of Massachusetts	NGA-WE-CT14 & CT16	NGA-WE-CT14 & CT16-Installing/Replacing an Anode and a Corrosion Test Station on a Pipeline - 13808	01/21/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			14A	CT14A - Installing/Replacing an Anode on a Pipeline including Exothermic Welding	Passed	01/10/2019	01/10/2022			NGA-PE-14/16	NGA-PE-14/16-Exothermic Welding	02/14/2022	SIM	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			14A	CT14A - Installing/Replacing an Anode on a Pipeline including Exothermic Welding	Passed	01/10/2019	01/10/2022			NGA-WE-14	NGA-WE-14-Installing/Replacing an Anode	01/10/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			14B	CT14B - Installing/Replacing an Anode on a Pipeline	Passed	01/10/2019	01/10/2022			NGA-WE-14	NGA-WE-14-Installing/Replacing an Anode	01/10/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			15	CT15-Installing/replacing and testing electrical isolation couplings on a pipeline	Passed	09/28/2005	09/28/2010			NGA-WE-CT15	NGA-WE-CT15-Installing/Replacing and Testing Electrical Isolation Couplings on a Pipeline - 13809	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			15	CT15-Installing/replacing and testing electrical isolation couplings on a pipeline	Passed	10/28/2002	10/28/2007			NGA-WE-CT15	NGA-WE-CT15-Installing/Replacing and Testing Electrical Isolation Couplings on a Pipeline - 13809	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			15	CT15-Installing/replacing and testing electrical isolation couplings on a pipeline	Passed	01/21/2016	01/21/2019		Columbia Gas of Massachusetts	NGA-WE-CT15	NGA-WE-CT15-Installing/Replacing and Testing Electrical Isolation Couplings on a Pipeline - 13809	01/21/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			15A	CT15A-Installing, Replacing and Testing Electrical Isolation Couplings	Passed	01/10/2019	01/10/2022			NGA-WE-15A	NGA-WE-15A-Installing, Replacing and Testing Electrical Isolation Couplings	01/10/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			16	CT16-Install/replace a corrosion test station on a pipeline	Passed	02/18/2010	02/18/2015			NGA-WE-CT16	NGA-WE-CT16-Install/Replace a Corrosion Test Station on a Pipeline (NV) - 26525	02/18/2015	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			16	CT16-Install/replace a corrosion test station on a pipeline	Passed	09/28/2005	10/28/2007			NGA-WE-CT16	NGA-WE-CT16-Install/Replace a Corrosion Test Station on a Pipeline (NV) - 26525	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			16	CT16-Install/replace a corrosion test station on a pipeline	Passed	10/28/2002	10/28/2007			NGA-WE-CT16	NGA-WE-CT16-Install/Replace a Corrosion Test Station on a Pipeline (NV) - 26525	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			16	CT16-Install/replace a corrosion test station on a pipeline	Passed	01/21/2016	01/21/2019		Columbia Gas of Massachusetts	NGA-WE-CT14 & CT16	NGA-WE-CT14 & CT16-Installing/Replacing an Anode and a Corrosion Test Station on a Pipeline - 13808	01/21/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			16A	CT16A - Installing or Replacing a Corrosion Test Station on a Pipeline including Exothermic Welding	Passed	02/07/2019	02/07/2022			NGA-PE-14/16	NGA-PE-14/16-Exothermic Welding	02/14/2022	SIM	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			16A	CT16A - Installing or Replacing a Corrosion Test Station on a Pipeline including Exothermic Welding	Passed	02/07/2019	02/07/2022			NGA-WE-16	NGA-WE-16-Installing or Replacing a Corrosion Test Station on a Pipeline	02/07/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			16B	CT16B - Installing or Replacing a Corrosion Test Station on a Pipeline	Passed	02/07/2019	02/07/2022			NGA-WE-16	NGA-WE-16-Installing or Replacing a Corrosion Test Station on a Pipeline	02/07/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			17A	CT17A-Repair coating on a steel pipelines: Distribution	Passed	02/18/2010	02/18/2015			NGA-WE-CT17A	NGA-WE-CT17A-Repair Coating on a Steel Pipeline (NV) - 26527	02/18/2015	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			17A	CT17A-Repair coating on a steel pipelines: Distribution	Passed	03/22/2007	10/28/2007			NGA-WE-CT17	NGA-WE-CT17 (NV) - 26526	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			17A	CT17A-Repair coating on a steel pipelines: Distribution	Passed	03/22/2007	10/28/2007			NGA-WE-CT17A	NGA-WE-CT17A-Repair Coating on a Steel Pipeline (NV) - 26527	09/28/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			17A	CT17A-Repair coating on a steel pipelines: Distribution	Passed	10/28/2002	10/28/2007			NGA-WE-CT17	NGA-WE-CT17 (NV) - 26526	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			17A	CT17A-Repair coating on a steel pipelines: Distribution	Passed	09/28/2005	10/28/2007			NGA-WE-CT17	NGA-WE-CT17 (NV) - 26526	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			17A	CT17A-Repair coating on a steel pipelines: Distribution	Passed	09/28/2005	10/28/2007			NGA-WE-CT17A	NGA-WE-CT17A-Repair Coating on a Steel Pipeline (NV) - 26527	09/28/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			17A	CT17A-Repair coating on a steel pipelines: Distribution	Passed	01/21/2016	01/21/2019		Columbia Gas of Massachusetts	NGA-WE-CT11A, 12A & 17 A	NGA-WE-CT11A, 12A & 17 A-Applying Pipe Coating in the Field, Cleaning and either Coating or Jacketing Pipe for Atmospheric Corrosion, Repair Coating on a Steel Pipe: Distribution Technician - 13803	01/21/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			17B	CT17B-Repair coating on a steel pipelines: Customer Service	Passed	10/28/2002	10/28/2007			NGA-WE-CT17	NGA-WE-CT17 (NV) - 26526	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			18	CT18-Conducting gas leakage surveys	Passed	09/28/2005	10/28/2005			NGA-WE-CT18	NGA-WE-CT18-Conducting Gas Leakage Surveys (NV) - 0	10/28/2005	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			18	CT18-Conducting gas leakage surveys	Passed	10/28/2002	10/28/2005			NGA-WE-CT18	NGA-WE-CT18-Conducting Gas Leakage Surveys (NV) - 0	10/28/2005	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			18	CT18-Conducting Gas Leakage Surveys	Passed	04/13/2016	04/13/2019		Columbia Gas of Massachusetts	NGA-PE-18.1	NGA-PE-18.1-Leak Survey	05/11/2019	SIM	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			18	CT18-Conducting Gas Leakage Surveys	Passed	04/13/2016	04/13/2019		Columbia Gas of Massachusetts	NGA-PE-18.1	NGA-PE-18.1-Leak Survey	02/14/2022	SIM	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			18	CT18-Conducting Gas Leakage Surveys	Passed	04/13/2016	04/13/2019		Columbia Gas of Massachusetts	NGA-WE-CT18A	NGA-WE-CT18A-Conducting Gas Leakage Survey (Mobile and Walking Surveys)	02/28/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			18	CT18-Conducting Gas Leakage Surveys	Passed	04/13/2016	04/13/2019		Columbia Gas of Massachusetts	NGA-WE-CT18A	NGA-WE-CT18A-Conducting Gas Leakage Survey (Mobile and Walking Surveys)	04/13/2019	WE	Yes	Yes	Online	Yes

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			18A	CT18A Conducting Gas Leakage Surveys (Mobile and Walking Surveys)	Passed	02/28/2019	02/14/2022			NGA-PE-18.1	NGA-PE-18.1-Leak Survey	02/14/2022	SIM	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			18A	CT18A Conducting Gas Leakage Surveys (Mobile and Walking Surveys)	Passed	02/28/2019	02/14/2022			NGA-WE-CT18A	NGA-WE-CT18A-Conducting Gas Leakage Survey (Mobile and Walking Surveys)	02/28/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			19	CT19-Patrolling and inspecting pipelines	Passed	09/28/2005	09/28/2010			NGA-WE-CT19NV	NGA-WE-CT19 (NV) - 0	09/28/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			19	CT19-Patrolling and inspecting pipelines	Passed	10/28/2002	10/28/2007			NGA-WE-CT19NV	NGA-WE-CT19 (NV) - 0	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			19	CT19-Patrolling and Inspecting Pipelines	Passed	04/13/2016	04/13/2019		Columbia Gas of Massachusetts	NGA-WE-CT19	NGA-WE-CT19-Patrolling and Inspecting Pipelines	04/13/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			19A	CT19A-Patrolling - Inspecting Right of Ways, Pipeline Markers and Exposed Above Ground Mains	Passed	02/28/2019	02/28/2022			NGA-WE-19A	NGA-WE-19A-Patrolling - Inspecting Right of Ways, Pipeline Markers and Exposed Above Ground Mains	02/28/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			20	CT20-Investigating Leak or Odor Complaints	Passed	04/13/2016	04/13/2019		Columbia Gas of Massachusetts	NGA-WE-20A	NGA-WE-20A- Investigating Leak or Odor Complaints (Inside and Outside)	04/13/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			20	CT20-Investigating Leak or Odor Complaints	Passed	04/13/2016	04/13/2019		Columbia Gas of Massachusetts	NGA-WE-20D	NGA-WE-20D- Leak Classification	04/13/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			20	CT20-Investigating Leak or Odor Complaints	Passed	04/13/2016	04/13/2019		Columbia Gas of Massachusetts	NGA-WE-20A	NGA-WE-20A- Investigating Leak or Odor Complaints (Inside and Outside)	04/13/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			20	CT20-Investigating Leak or Odor Complaints	Passed	04/13/2016	04/13/2019		Columbia Gas of Massachusetts	NGA-WE-20D	NGA-WE-20D- Leak Classification	04/13/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			20A	CT20A-Investigating Leak or Odor Complaints (Inside and Outside)	Passed	04/13/2016	04/13/2019		Columbia Gas of Massachusetts	NGA-WE-20A	NGA-WE-20A- Investigating Leak or Odor Complaints (Inside and Outside)	04/13/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			20A	CT20A-Investigating Leak or Odor Complaints (Inside and Outside)	Passed	02/25/2019	02/25/2022			NGA-WE-20A	NGA-WE-20A- Investigating Leak or Odor Complaints (Inside and Outside)	02/25/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			20A	CT20A-Investigating Leak/Odor Complaints(Outside)	Passed	02/19/2010	02/19/2013			NGA-WE-20A	NGA-WE-20A- Investigating Leak or Odor Complaints (Inside and Outside)	02/19/2013	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			20A	CT20A-Investigating Leak/Odor Complaints(Outside)	Passed	10/28/2002	10/28/2005			NGA-WE-CT20	NGA-WE-CT20 (NV) - 0	10/28/2005	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			20A	CT20A-Investigating Leak/Odor Complaints(Outside)	Passed	02/26/2008	09/28/2008			NGA-WE-20A	NGA-WE-20A- Investigating Leak or Odor Complaints (Inside and Outside)	02/26/2011	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			20A	CT20A-Investigating Leak/Odor Complaints(Outside)	Passed	09/28/2005	09/28/2008			NGA-WE-20A	NGA-WE-20A- Investigating Leak or Odor Complaints (Inside and Outside)	09/28/2008	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			20B	CT20B-Investigating Leak/Odor Complaints(Inside): Customer Service	Passed	10/28/2002	10/28/2005			NGA-WE-CT20	NGA-WE-CT20 (NV) - 0	10/28/2005	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			20D	CT20D-Leak Classification	Passed	04/13/2016	04/13/2019		Columbia Gas of Massachusetts	NGA-WE-20D	NGA-WE-20D- Leak Classification	04/13/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			20D	CT20D-Leak Classification	Passed	02/25/2019	02/25/2022			NGA-WE-20D	NGA-WE-20D- Leak Classification	02/25/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			21	CT21-Line locating and mark out	Passed	02/29/2008	09/28/2008			NGA-PE-CT21	NGA-PE-CT21-Line Locating and Mark Out (NV) - 26476	09/28/2008		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			21	CT21-Line locating and mark out	Passed	02/29/2008	09/28/2008			NGA-WE-CT21.	NGA-WE-CT21-Line Locating and Mark Out - 13817	02/28/2011	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			21	CT21-Line locating and mark out	Passed	09/28/2005	10/28/2005			NGA-PE-CT21	NGA-PE-CT21-Line Locating and Mark Out (NV) - 26476	09/28/2008		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			21	CT21-Line locating and mark out	Passed	09/28/2005	10/28/2005			NGA-WE-CT21.	NGA-WE-CT21-Line Locating and Mark Out - 13817	09/28/2008	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			21	CT21-Line locating and mark out	Passed	02/19/2010	02/18/2013			NGA-PE-CT21	NGA-PE-CT21-Line Locating and Mark Out (NV) - 26476	02/28/2011		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			21	CT21-Line locating and mark out	Passed	02/19/2010	02/18/2013			NGA-WE-CT21.	NGA-WE-CT21-Line Locating and Mark Out - 13817	02/28/2011	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			21	CT21-Line locating and mark out	Passed	01/21/2016	01/21/2019		Columbia Gas of Massachusetts	NGA-PE2-CT21	NGA-PE2-CT21-Line Locating and Mark Out - 14526	02/09/2019	SIM	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			21	CT21-Line locating and mark out	Passed	01/21/2016	01/21/2019		Columbia Gas of Massachusetts	NGA-WE-CT21.	NGA-WE-CT21-Line Locating and Mark Out - 13817	01/21/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			21-MA	CT21-Line Locating and Mark Out (Massachusetts)	Passed	01/10/2019	01/10/2022			NGA-PE-21.1	NGA-PE-21.1-Line Locating and Mark Out	02/14/2022	SIM	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			21-MA	CT21-Line Locating and Mark Out (Massachusetts)	Passed	01/10/2019	01/10/2022			NGA-WE-21	NGA-WE-21-Line Locating and Mark Out	02/07/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			21-MA	CT21-Line Locating and Mark Out (Massachusetts)	Passed	01/10/2019	01/10/2022			NGA-WE-MA	NGA-WE-State Damage Prevention Regulations (Massachusetts)	01/10/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			22	CT22-Inspection of 3rd Party Excavations for Damage Prevention/Cast Iron Encroachment	Passed	02/18/2010	02/18/2013			NGA-WE-CT22	NGA-WE-CT22-Inspection of 3rd Party Excavations for Damage Prevention/Cast Iron Encroachment - 13818	02/18/2013	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			22	CT22-Inspection of 3rd Party Excavations for Damage Prevention/Cast Iron Encroachment	Passed	09/28/2005	09/28/2008			NGA-WE-CT22	NGA-WE-CT22-Inspection of 3rd Party Excavations for Damage Prevention/Cast Iron Encroachment - 13818	09/28/2008	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			22	CT22-Inspection of 3rd Party Excavations for Damage Prevention/Cast Iron Encroachment	Passed	10/28/2002	10/28/2005			NGA-WE-CT22	NGA-WE-CT22-Inspection of 3rd Party Excavations for Damage Prevention/Cast Iron Encroachment - 13818	10/28/2005	WE	Expired	Yes	Import	Expired

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			22	CT22-Inspection of 3rd Party Excavations for Damage Prevention/Cast Iron Encroachment	Passed	04/26/2016	04/26/2019		Columbia Gas of Massachusetts	NGA-WE-CT22	NGA-WE-CT22-Inspection of 3rd Party Excavations for Damage Prevention/Cast Iron Encroachment - 13818	04/26/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			22B	CT22B-Inspecting of 3rd Party Excavations for Damage Prevention	Passed	02/28/2019	02/28/2022			NGA-WE-22B	NGA-WE-22B-Inspecting of 3rd Party Excavations for Damage Prevention	02/28/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			23/24	CT23 & 24 Inspecting the Condition of Exposed Pipe	Passed	02/25/2019	02/25/2022			NGA-WE-23/24	NGA-WE-23 & 24-Inspecting the Condition of Exposed Pipe	02/25/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			23	CT23-Inspecting the condition of exposed	Passed	09/28/2005	10/28/2005			NGA-WE-CT23	NGA-WE-CT23-Inspecting the Condition of Exposed Pipe or Pipe Coating (NV) - 26532	10/28/2005	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			23	CT23-Inspecting the condition of exposed	Passed	10/28/2002	10/28/2005			NGA-WE-CT23	NGA-WE-CT23-Inspecting the Condition of Exposed Pipe or Pipe Coating (NV) - 26532	10/28/2005	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			23	CT23-Inspecting the condition of exposed	Failed	01/21/2016			Columbia Gas of Massachusetts	NGA-WE-CT23 & CT24	NGA-WE-CT23 & CT24-Inspect the Condition of Exposed Metallic Pipe or Pipe Coating and Inspecting Pipe for Damage - 13819		WE	No	No	Online	No
Columbia Gas of Massachusetts			23	CT23-Inspecting the condition of exposed	Passed	02/26/2016	02/26/2019		Columbia Gas of Massachusetts	NGA-WE-CT23 & CT24	NGA-WE-CT23 & CT24-Inspect the Condition of Exposed Metallic Pipe or Pipe Coating and Inspecting Pipe for Damage - 13819	02/26/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			24	CT24-Inspect pipe for damage	Passed	09/28/2005	09/28/2010			NGA-WE-CT24	NGA-WE-CT24-Inspecting Pipe for Damage (NV) - 26533	09/28/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			24	CT24-Inspect pipe for damage	Passed	10/28/2002	10/28/2007			NGA-WE-CT24	NGA-WE-CT24-Inspecting Pipe for Damage (NV) - 26533	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			24	CT24-Inspect pipe for damage	Failed	01/21/2016			Columbia Gas of Massachusetts	NGA-WE-CT23 & CT24	NGA-WE-CT23 & CT24-Inspect the Condition of Exposed Metallic Pipe or Pipe Coating and Inspecting Pipe for Damage - 13819		WE	No	No	Online	No
Columbia Gas of Massachusetts			24	CT24-Inspect pipe for damage	Passed	02/26/2016	02/26/2019		Columbia Gas of Massachusetts	NGA-WE-CT23 & CT24	NGA-WE-CT23 & CT24-Inspect the Condition of Exposed Metallic Pipe or Pipe Coating and Inspecting Pipe for Damage - 13819	02/26/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			28	CT28-Uprating	Passed	02/26/2008	02/26/2011			NGA-WE-CT28	NGA-WE-CT28-Uprating - 13824	02/26/2011	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			28	CT28-Uprating	Passed	09/28/2005	09/28/2008			NGA-WE-CT28	NGA-WE-CT28-Uprating - 13824	09/28/2008	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			28	CT28-Uprating	Passed	10/28/2002	10/28/2005			NGA-WE-CT28	NGA-WE-CT28-Uprating - 13824	10/28/2005	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			28	CT28-Uprating	Passed	04/26/2016	04/26/2019		Columbia Gas of Massachusetts	NGA-WE-CT28	NGA-WE-CT28-Uprating - 13824	04/26/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			28	CT28-Uprating	Passed	02/28/2019	02/28/2022			NGA-WE-28	NGA-WE-28-Uprating	02/28/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			29	CT29-Repair distribution line leaks	Passed	10/28/2002	10/28/2005			NGA-WE-CT29	NGA-WE-CT29-Repair Distribution Line Leaks (NV) - 14458	10/28/2005	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			29	CT29-Repair distribution line leaks	Passed	09/28/2005	10/28/2005			NGA-WE-CT29	NGA-WE-CT29-Repair Distribution Line Leaks (NV) - 14458	10/28/2005	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			29	CT29-Repair distribution line leaks	Passed	02/26/2008	09/28/2008			NGA-WE-CT29	NGA-WE-CT29-Repair Distribution Line Leaks (NV) - 14458	09/28/2008	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			29	CT29-Repair distribution line leaks	Passed	01/21/2016	01/21/2019		Columbia Gas of Massachusetts	NGA-WE-CT29 & CT30	NGA-WE-CT29 & CT30-Repair All Distribution Line Leaks - 13825	01/21/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			29B/30B	CT29B & 30B-Repairing a Plastic Distribution Pipe	Passed	02/14/2019	02/14/2022			NGA-WE-29B/30B	NGA-WE-29B & 30B-Repairing a Plastic Distribution Pipe	02/14/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			29C/30C	CT29C & 30C-Repairing a Steel Distribution Pipe	Passed	02/07/2019	02/07/2022			NGA-WE-29C/30C	NGA-WE-29C & 30C-Repairing a Steel Distribution Pipe	02/07/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			29E/30E	CT29E & 30E-Repairing Cast Iron Distribution Pipe, Not Including Anaerobic Sealing	Passed	02/14/2019	02/14/2022			NGA-WE-29E/30E	NGA-WE-29E & 30E-Repairing Cast Iron Distribution Pipe, Not Including Anaerobic Sealing	02/14/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			30	CT30-Repair a non-leaking pipe	Passed	09/28/2005	09/28/2010			NGA-WE-CT30	NGA-WE-CT30-Repair a Non-Leaking Pipe - 13826	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			30	CT30-Repair a non-leaking pipe	Passed	10/28/2002	10/28/2007			NGA-WE-CT30	NGA-WE-CT30-Repair a Non-Leaking Pipe - 13826	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			30	CT30-Repair a non-leaking pipe	Passed	10/28/2002	10/28/2005			NGA-WE-CT29	NGA-WE-CT29-Repair Distribution Line Leaks (NV) - 14458	10/28/2005	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			30	CT30-Repair a non-leaking pipe	Passed	09/28/2005	10/28/2005			NGA-WE-CT29	NGA-WE-CT29-Repair Distribution Line Leaks (NV) - 14458	10/28/2005	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			30	CT30-Repair a non-leaking pipe	Passed	02/26/2008	09/28/2008			NGA-WE-CT29	NGA-WE-CT29-Repair Distribution Line Leaks (NV) - 14458	09/28/2008	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			30	CT30-Repair a non-leaking pipe	Passed	01/21/2016	01/21/2019		Columbia Gas of Massachusetts	NGA-WE-CT29 & CT30	NGA-WE-CT29 & CT30-Repair All Distribution Line Leaks - 13825	01/21/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			31A	CT31A-Installation of Pipe: Storage, Handling and Inspection of Pipe: General Knowledge	Passed	02/18/2010	02/18/2013			NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	02/18/2013	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			31A	CT31A-Installation of Pipe: Storage, Handling and Inspection of Pipe: General Knowledge	Passed	06/19/2007	06/19/2010			NGA-WE-CT31	NGA-WE-CT31-Installation of Pipe (NV) - 26537	06/19/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			31A	CT31A-Installation of Pipe: Storage, Handling and Inspection of Pipe: General Knowledge	Passed	04/26/2016	04/26/2019		Columbia Gas of Massachusetts	NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	04/26/2019	WE	Yes	Yes	Online	Yes

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			31D	CT31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools)	Passed	03/05/2019	04/26/2019			NGA-WE-31D	NGA-WE-31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools) - 14408	04/26/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			31D	CT31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools)	Passed	03/05/2019	03/05/2022			NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	03/05/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			31D	CT31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools)	Passed	03/05/2019	03/05/2022			NGA-WE-31D	NGA-WE-31D-Installation of Pipe: Installing Pipe by Horizontal Boring (Piercing Tools) - 14408	03/05/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	02/18/2010	02/18/2013			NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	02/18/2013	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	02/18/2010	02/18/2013			NGA-WE-31E	NGA-WE-31E-Installation of Pipe: Installing Pipe by Dead Insertion - 14409	02/18/2013	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	06/19/2007	06/19/2010			NGA-WE-CT31	NGA-WE-CT31-Installation of Pipe (NV) - 26537	06/19/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	04/26/2016	04/26/2019		Columbia Gas of Massachusetts	NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	04/26/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	04/26/2016	04/26/2019		Columbia Gas of Massachusetts	NGA-WE-31E	NGA-WE-31E-Installation of Pipe: Installing Pipe by Dead Insertion - 14409	04/26/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	04/26/2016	04/26/2019		Columbia Gas of Massachusetts	NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	04/26/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	04/26/2016	04/26/2019		Columbia Gas of Massachusetts	NGA-WE-31E	NGA-WE-31E-Installation of Pipe: Installing Pipe by Dead Insertion - 14409	04/26/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	03/05/2019	04/26/2019			NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	04/26/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	03/05/2019	04/26/2019			NGA-WE-31E	NGA-WE-31E-Installation of Pipe: Installing Pipe by Dead Insertion - 14409	04/26/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	03/05/2019	03/05/2022			NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	03/05/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			31E	CT31E-Installation of Pipe: Installing Pipe by Dead Insertion	Passed	03/05/2019	03/05/2022			NGA-WE-31E	NGA-WE-31E-Installation of Pipe: Installing Pipe by Dead Insertion - 14409	03/05/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			31F	CT31F-Installation of Pipe: Installing Pipe by Vibratory Plow	Passed	04/26/2016			Columbia Gas of Massachusetts	NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405	04/26/2019	WE	Yes	No	Online	No
Columbia Gas of Massachusetts			31F	CT31F-Installation of Pipe: Installing Pipe by Vibratory Plow	Passed	03/05/2019				NGA-WE-31A	NGA-WE-31A-Installation of Pipe: Storage, Handling, and Inspection of Pipe: General Knowledge - 14405		WE	No	No	Online	No
Columbia Gas of Massachusetts			32	CT32-Purging a pipeline into service	Passed	02/18/2010	02/18/201			NGA-WE-CT32	NGA-WE-CT32-Purging a Pipeline into Service (NV) - 26538	02/18/2013	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			32	CT32-Purging a pipeline into service	Passed	09/28/2005	10/28/200			NGA-WE-CT32	NGA-WE-CT32-Purging a Pipeline into Service (NV) - 26538	10/28/2005	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			32	CT32-Purging a pipeline into service	Passed	10/28/2002	10/28/200			NGA-WE-CT32	NGA-WE-CT32-Purging a Pipeline into Service (NV) - 26538	10/28/2005	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			32	CT32-Purging a pipeline into service	Passed	04/13/2016	04/13/201		Columbia Gas of Massachusetts	NGA-WE-32 & 33	NGA-WE-32 & 33-Purging a Pipeline In and Out of Service - 13828	04/13/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			32	CT32-Purging a pipeline into service	Passed	02/25/2019	02/25/2022			NGA-WE-32 & 33	NGA-WE-32 & 33-Purging a Pipeline In and Out of Service - 13828	02/25/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			33	CT33-Purging a pipeline out of service	Passed	02/18/2010	02/18/2013			NGA-WE-CT33	NGA-WE-CT33-Purging a Pipeline out of Service (NV) - 26539	02/18/2013	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			33	CT33-Purging a pipeline out of service	Passed	09/28/2005	10/28/2005			NGA-WE-CT33	NGA-WE-CT33-Purging a Pipeline out of Service (NV) - 26539	10/28/2005	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			33	CT33-Purging a pipeline out of service	Passed	10/28/2002	10/28/2005			NGA-WE-CT33	NGA-WE-CT33-Purging a Pipeline out of Service (NV) - 26539	10/28/2005	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			33	CT33-Purging a pipeline out of service	Passed	04/13/2016	04/13/2019		Columbia Gas of Massachusetts	NGA-WE-32 & 33	NGA-WE-32 & 33-Purging a Pipeline In and Out of Service - 13828	04/13/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			33	CT33-Purging a pipeline out of service	Passed	02/25/2019	02/25/2022			NGA-WE-32 & 33	NGA-WE-32 & 33-Purging a Pipeline In and Out of Service - 13828	02/25/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			34	CT34-Performing pressure test on a pipeline	Passed	02/19/2010	02/19/2013			NGA-WE-34	NGA-WE-34-Performing Pressure Test on a Pipeline - 13830	02/19/2013	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			34	CT34-Performing pressure test on a pipeline	Passed	09/28/2005	09/28/2008			NGA-WE-34	NGA-WE-34-Performing Pressure Test on a Pipeline - 13830	09/28/2008	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			34	CT34-Performing pressure test on a pipeline	Passed	10/28/2002	10/28/2005			NGA-WE-34	NGA-WE-34-Performing Pressure Test on a Pipeline - 13830	10/28/2005	WE	Expired	Yes	Import	Expired

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			34	CT34-Performing pressure test on a pipeline	Passed	04/13/2016	04/13/2019		Columbia Gas of Massachusetts	NGA-WE-34	NGA-WE-34-Performing Pressure Test on a Pipeline - 13830	04/13/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			34	CT34-Performing pressure test on a pipeline	Passed	02/25/2019	02/25/2022			NGA-WE-34	NGA-WE-34-Performing Pressure Test on a Pipeline - 13830	02/25/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			35	CT35-Stopping Gas Flow	Passed	05/02/2016	03/14/2019		Columbia Gas of Massachusetts	NGA-PE-35.1	NGA-PE-35.1 Squeeze-Off	03/14/2019	SIM	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			35	CT35-Stopping Gas Flow	Passed	05/02/2016	03/14/2019		Columbia Gas of Massachusetts	NGA-PE-35.2	NGA-PE-35.2 Bagging	03/14/2019	SIM	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			35	CT35-Stopping Gas Flow	Passed	05/02/2016	03/14/2019		Columbia Gas of Massachusetts	NGA-WE-35A	NGA-WE-35A- Stopping Gas Flow (Valves, Bagging, Mechanical & Squeeze-Off)	05/02/2019	WE	Yes	Yes	Online	Expired
Columbia Gas of Massachusetts			35.1B	CT35.1B-Stopping Gas Flow (Mains and Services)	Passed	05/02/2016	03/14/2019		Columbia Gas of Massachusetts	NGA-PE-35.1	NGA-PE-35.1 Squeeze-Off	03/14/2019	SIM	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			35.1B	CT35.1B-Stopping Gas Flow (Mains and Services)	Passed	05/02/2016	03/14/2019		Columbia Gas of Massachusetts	NGA-WE-35.1B	NGA-WE-35.1B- Stopping Gas Flow (Squeeze-Off - Mains & Services)	05/02/2019	WE	Yes	Yes	Online	Expired
Columbia Gas of Massachusetts			35.1B	CT35.1B-Stopping Gas Flow (Mains and Services)	Passed	02/07/2019	02/07/2022			NGA-PE-35.1	NGA-PE-35.1 Squeeze-Off	03/14/2019	SIM	Expired	Yes	Online	Yes
Columbia Gas of Massachusetts			35.1B	CT35.1B-Stopping Gas Flow (Mains and Services)	Passed	02/07/2019	02/07/2022			NGA-WE-35.1B	NGA-WE-35.1B- Stopping Gas Flow (Squeeze-Off - Mains & Services)	02/07/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			35.1B	CT35.1B-Stopping Gas Flow (Mains and Services)	Passed	02/14/2019	02/14/2022			NGA-PE-35.1	NGA-PE-35.1 Squeeze-Off	02/14/2022	SIM	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			35.1B	CT35.1B-Stopping Gas Flow (Mains and Services)	Passed	02/14/2019	02/14/2022			NGA-WE-35.1B	NGA-WE-35.1B- Stopping Gas Flow (Squeeze-Off - Mains & Services)	02/14/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			35.2	CT35.2-Stopping Gas Flow (Bagging)	Passed	05/02/2016	05/02/201		Columbia Gas of Massachusetts	NGA-PE-35.2	NGA-PE-35.2 Bagging	03/14/2019	SIM	Expired	Yes	Online	Yes
Columbia Gas of Massachusetts			35.2	CT35.2-Stopping Gas Flow (Bagging)	Passed	05/02/2016	05/02/201		Columbia Gas of Massachusetts	NGA-WE-35 2/35.3	NGA-WE-35.2/35.3- Stopping Gas Flow (Bagging, Valves and Mechanical Only)	05/02/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			35.2	CT35.2-Stopping Gas Flow (Bagging)	Passed	03/08/2019	02/14/2022			NGA-PE-35.2	NGA-PE-35.2 Bagging	02/14/2022	SIM	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			35.2	CT35.2-Stopping Gas Flow (Bagging)	Passed	03/08/2019	02/14/2022			NGA-WE-35 2/35.3	NGA-WE-35.2/35.3- Stopping Gas Flow (Bagging, Valves and Mechanical Only)	03/08/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			35.3	CT35.3-Stopping Gas Flow (Mechanical)	Passed	05/02/2016	05/02/2019		Columbia Gas of Massachusetts	NGA-PE-35.3	NGA-PE-35.3 Mechanical	02/14/2022	SIM	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			35.3	CT35.3-Stopping Gas Flow (Mechanical)	Passed	05/02/2016	05/02/2019		Columbia Gas of Massachusetts	NGA-WE-35 2/35.3	NGA-WE-35.2/35.3- Stopping Gas Flow (Bagging, Valves and Mechanical Only)	05/02/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			35.3	CT35.3-Stopping Gas Flow (Mechanical)	Passed	03/08/2019	02/14/2022			NGA-PE-35.3	NGA-PE-35.3 Mechanical	02/14/2022	SIM	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			35.3	CT35.3-Stopping Gas Flow (Mechanical)	Passed	03/08/2019	02/14/2022			NGA-WE-35 2/35.3	NGA-WE-35.2/35.3- Stopping Gas Flow (Bagging, Valves and Mechanical Only)	03/08/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			35A	CT35A-Stopping Gas Flow on Plastic Pipe	Passed	02/26/2008	09/29/2008			NGA-PE-CT35	NGA-PE-CT35 (NV) - 26477	09/29/2008		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			35A	CT35A-Stopping Gas Flow on Plastic Pipe	Passed	02/26/2008	09/29/2008			NGA-PE-CT35A	NGA-PE-CT35A-Stopping Gas on a Plastic Pipe - 14387	02/26/2011		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			35A	CT35A-Stopping Gas Flow on Plastic Pipe	Passed	02/26/2008	09/29/2008			NGA-PE-CT35A	NGA-PE-CT35A-Stopping Gas on a Plastic Pipe - 14387	03/22/2010		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			35A	CT35A-Stopping Gas Flow on Plastic Pipe	Passed	02/26/2008	09/29/2008			NGA-WE-CT35	NGA-WE-CT35-Stopping Gas Flow (NV) - 26540	02/26/2011	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			35A	CT35A-Stopping Gas Flow on Plastic Pipe	Passed	03/22/2007				NGA-PE-CT35A	NGA-PE-CT35A-Stopping Gas on a Plastic Pipe - 14387			No	No	Import	No
Columbia Gas of Massachusetts			35A	CT35A-Stopping Gas Flow on Plastic Pipe	Passed	10/28/2002				NGA-WE-CT35	NGA-WE-CT35-Stopping Gas Flow (NV) - 26540		WE	No	No	Import	No
Columbia Gas of Massachusetts			35A	CT35A-Stopping Gas Flow on Plastic Pipe	Passed	02/19/2010	02/19/2013			NGA-PE-CT35A	NGA-PE-CT35A-Stopping Gas on a Plastic Pipe - 14387	02/19/2013		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			35A	CT35A-Stopping Gas Flow on Plastic Pipe	Passed	02/19/2010	02/19/2013			NGA-PE-CT35A	NGA-PE-CT35A-Stopping Gas on a Plastic Pipe - 14387	03/22/2010		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			35A	CT35A-Stopping Gas Flow on Plastic Pipe	Passed	02/19/2010	02/19/2013			NGA-WE-CT35	NGA-WE-CT35-Stopping Gas Flow (NV) - 26540	02/19/2013	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			35B	CT35B-Stopping Gas on an Elevated Pressure Steel Main	Passed	02/26/2008	09/29/2008			NGA-PE-CT35	NGA-PE-CT35 (NV) - 26477	09/29/2008		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			35B	CT35B-Stopping Gas on an Elevated Pressure Steel Main	Passed	02/26/2008	09/29/2008			NGA-WE-CT35	NGA-WE-CT35-Stopping Gas Flow (NV) - 26540	02/26/2011	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			35B	CT35B-Stopping Gas on an Elevated Pressure Steel Main	Passed	02/26/2008	09/29/2008			NGA-PE-CT35B & CT37B	NGA-PE-CT35B & CT37B-Tapping and Stopping Gas on an Elevated Pressure Steel Main - 14388	03/22/2010		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			35B	CT35B-Stopping Gas on an Elevated Pressure Steel Main	Passed	02/26/2008	09/29/2008			NGA-PE-CT35B & CT37B	NGA-PE-CT35B & CT37B-Tapping and Stopping Gas on an Elevated Pressure Steel Main - 14388	02/26/2011		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			35B	CT35B-Stopping Gas on an Elevated Pressure Steel Main	Passed	02/26/2008	09/29/2008			NGA-WE-CT35	NGA-WE-CT35-Stopping Gas Flow (NV) - 26540	02/26/2011	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			35B	CT35B-Stopping Gas on an Elevated Pressure Steel Main	Passed	10/28/2002				NGA-WE-CT35	NGA-WE-CT35-Stopping Gas Flow (NV) - 26540		WE	No	No	Import	No
Columbia Gas of Massachusetts			35B	CT35B-Stopping Gas on an Elevated Pressure Steel Main	Passed	10/28/2002				NGA-WE-CT35	NGA-WE-CT35-Stopping Gas Flow (NV) - 26540		WE	No	No	Import	No
Columbia Gas of Massachusetts			35B	CT35B-Stopping Gas on an Elevated Pressure Steel Main	Passed	02/19/2010	02/19/2013			NGA-PE-CT35B & CT37B	NGA-PE-CT35B & CT37B-Tapping and Stopping Gas on an Elevated Pressure Steel Main - 14388	03/22/2010		Expired	Yes	Import	Expired

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			5B	CT35B-Stopping Gas on an Elevated Pressure Steel Main	Passed	02/19/2010	02/19/2013			NGA-PE-CT35B & CT37B	NGA-PE-CT35B & CT37B-Tapping and Stopping Gas on an Elevated Pressure Steel Main - 14388	02/26/2011		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			5B	CT35B-Stopping Gas on an Elevated Pressure Steel Main	Passed	02/19/2010	02/19/2013			NGA-PE-CT35B & CT37B	NGA-PE-CT35B & CT37B-Tapping and Stopping Gas on an Elevated Pressure Steel Main - 14388	02/19/2013		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			5B	CT35B-Stopping Gas on an Elevated Pressure Steel Main	Passed	02/19/2010	02/19/2013			NGA-WE-CT35	NGA-WE-CT35-Stopping Gas Flow (NV) - 26540	02/19/2013	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			5B	CT35B-Stopping Gas on an Elevated Pressure Steel Main - Tapping and Stopping Only	Passed	03/22/2007				NGA-PE-CT35B & CT37B	NGA-PE-CT35B & CT37B-Tapping and Stopping Gas on an Elevated Pressure Steel Main - 14388			No	No	Import	No
Columbia Gas of Massachusetts			5B	CT35B-Stopping Gas on an Elevated Pressure Steel Main-Tapping and Stopping With Plastic Pipe	Passed	03/22/2007				NGA-PE-CT35A	NGA-PE-CT35A-Stopping Gas on a Plastic Pipe - 14387			No	No	Import	No
Columbia Gas of Massachusetts			5B	CT35B-Stopping Gas on an Elevated Pressure Steel Main-Tapping and Stopping With Plastic Pipe	Passed	03/22/2007				NGA-PE-CT35B & CT37B	NGA-PE-CT35B & CT37B-Tapping and Stopping Gas on an Elevated Pressure Steel Main - 14388			No	No	Import	No
Columbia Gas of Massachusetts			6/47	CT36 & 47-Abandonment of Facilities	Passed	01/18/2019	01/18/2022			NGA-WE-36/47	NGA-WE-36 & 47-Abandonment of Facilities	01/18/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			6	CT36-Abandonment or deactivation of facilities	Passed	02/19/2010	03/22/2010			NGA-WE-CT36	NGA-WE-CT36-Abandonment of Deactivation of Facilities (NV) - 26541	03/22/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			6	CT36-Abandonment or deactivation of facilities	Passed	02/26/2008	09/29/2008			NGA-WE-CT36	NGA-WE-CT36-Abandonment of Deactivation of Facilities (NV) - 26541	09/29/2008	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			6	CT36-Abandonment or deactivation of facilities	Passed	10/28/2002	10/28/2005			NGA-WE-CT36	NGA-WE-CT36-Abandonment of Deactivation of Facilities (NV) - 26541	10/28/2005	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			6	CT36-Abandonment or deactivation of facilities	Passed	05/02/2016	05/02/2019		Columbia Gas of Massachusetts	NGA-WE-CT35, CT36 & CT39	NGA-WE-CT35, CT36 & CT39-Stopping Gas Flow, Abandonment or Decativation of Facilities, Remove Service Tee or Fitting from Steel or Cast Iron Mains - 13831	05/02/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			7A	CT37A - Tapping Plastic Pipe with Specialized Equipment	Passed	03/08/2019	02/14/2022			NGA-PE-37A.1	NGA-PE-37A.1-Tapping Plastic Pipe with Specialized Equipment	02/14/2022	SIM	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			7A	CT37A - Tapping Plastic Pipe with Specialized Equipment	Passed	03/08/2019	02/14/2022			NGA-WE-37A	NGA-WE-37A-Tapping Plastic Pipe with Specialized Equipment	03/08/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			7A	CT37A-Tapping a Low Pressure Main	Passed	02/19/2010	02/19/2013			NGA-PE-CT37A	NGA-PE-CT37A-Tapping a Low Pressure Main - 14389	02/26/2011		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			7A	CT37A-Tapping a Low Pressure Main	Passed	02/19/2010	02/19/2013			NGA-WE-CT37	NGA-WE-CT37-Tapping Pipelines Under Pressure - 13833	02/19/2013	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			7A	CT37A-Tapping a Low Pressure Main	Passed	02/26/2008	09/28/2008			NGA-PE-CT37	NGA-PE-CT37 (NV) - 26479	09/29/2008		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			7A	CT37A-Tapping a Low Pressure Main	Passed	02/26/2008	09/28/2008			NGA-WE-CT37	NGA-WE-CT37-Tapping Pipelines Under Pressure - 13833	02/26/2011	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			7A	CT37A-Tapping a Low Pressure Main	Passed	09/29/2005	10/28/2005			NGA-PE-CT37	NGA-PE-CT37 (NV) - 26479	09/29/2008		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			7A	CT37A-Tapping a Low Pressure Main	Passed	09/29/2005	10/28/2005			NGA-WE-CT37	NGA-WE-CT37-Tapping Pipelines Under Pressure - 13833	09/29/2008	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			7A	CT37A-Tapping a Low Pressure Main	Passed	09/28/2005	10/28/2005			NGA-WE-CT37	NGA-WE-CT37-Tapping Pipelines Under Pressure - 13833	09/28/2008	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			7A	CT37A-Tapping a Low Pressure Main	Passed	10/28/2002				NGA-WE-CT37	NGA-WE-CT37-Tapping Pipelines Under Pressure - 13833		WE	No	No	Import	No
Columbia Gas of Massachusetts			7A	CT37A-Tapping a Low Pressure Main	Passed	05/02/2016	03/14/2019		Columbia Gas of Massachusetts	NGA-PE-CT37A	NGA-PE-CT37A-Tapping a Low Pressure Main - 14389	03/14/2019	SIM	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			7A	CT37A-Tapping a Low Pressure Main	Passed	05/02/2016	03/14/2019		Columbia Gas of Massachusetts	NGA-WE-CT37	NGA-WE-CT37-Tapping Pipelines Under Pressure - 13833	05/02/2019	WE	Yes	Yes	Online	Expired
Columbia Gas of Massachusetts			7B	CT37B - Tapping Cast Iron Pipe with Specialized Equipment	Passed	07/21/2017	07/21/2020		Northeast Gas Association	NGA-PE-37B.1/37C.1	NGA-PE-37B.1 & 37C.1-Tapping Cast Iron and Steel Pipe with Specialized Equipment	02/14/2022	SIM	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			7B	CT37B - Tapping Cast Iron Pipe with Specialized Equipment	Passed	07/21/2017	07/21/2020		Northeast Gas Association	NGA-WE-37B	NGA-WE-37B-Tapping Cast Iron Pipe with Specialized Equipment	07/21/2020	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			7B	CT37B - Tapping Cast Iron Pipe with Specialized Equipment	Passed	03/08/2019	02/14/2022			NGA-PE-37B.1/37C.1	NGA-PE-37B.1 & 37C.1-Tapping Cast Iron and Steel Pipe with Specialized Equipment	02/14/2022	SIM	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			7B	CT37B - Tapping Cast Iron Pipe with Specialized Equipment	Passed	03/08/2019	02/14/2022			NGA-WE-37B	NGA-WE-37B-Tapping Cast Iron Pipe with Specialized Equipment	03/08/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			7B	CT37B-Tapping an Elevated Pressure Main	Passed	02/19/2010	02/19/2013			NGA-PE-CT35B & CT37B	NGA-PE-CT35B & CT37B-Tapping and Stopping Gas on an Elevated Pressure Steel Main - 14388	02/19/2013		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			7B	CT37B-Tapping an Elevated Pressure Main	Passed	02/19/2010	02/19/2013			NGA-WE-CT37	NGA-WE-CT37-Tapping Pipelines Under Pressure - 13833	02/19/2013	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			7B	CT37B-Tapping an Elevated Pressure Main	Passed	05/02/2016			Columbia Gas of Massachusetts	NGA-WE-CT37	NGA-WE-CT37-Tapping Pipelines Under Pressure - 13833	05/02/2019	WE	Yes	No	Online	No
Columbia Gas of Massachusetts			7C	CT37C-Tapping Steel Pipe with Specialized Equipment	Passed	10/13/2017	10/13/2020		Northeast Gas Association	NGA-PE-37B.1/37C.1	NGA-PE-37B.1 & 37C.1-Tapping Cast Iron and Steel Pipe with Specialized Equipment	02/14/2022	SIM	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			7C	CT37C-Tapping Steel Pipe with Specialized Equipment	Passed	10/13/2017	10/13/2020		Northeast Gas Association	NGA-WE-37C	NGA-WE-37C-Tapping Steel Pipe with Specialized Equipment	10/13/2020	WE	Yes	Yes	Online	Yes

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			37C	CT37C-Tapping Steel Pipe with Specialized Equipment	Passed	03/08/2019	02/14/2022			NGA-PE-37B.1/37C.1	NGA-PE-37B.1 & 37C.1-Tapping Cast Iron and Steel Pipe with Specialized Equipment	02/14/2022	SIM	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			37C	CT37C-Tapping Steel Pipe with Specialized Equipment	Passed	03/08/2019	02/14/2022			NGA-WE-37C	NGA-WE-37C-Tapping Steel Pipe with Specialized Equipment	03/08/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			38	CT38-Starting up or shutting down any part of a pipeline that could cause the MAOP to be exceeded	Passed	02/26/2008	02/26/2011			NGA-WE-CT38	NGA-WE-CT38-Starting Up or Shutting Down any part of a Pipeline that could cause the MAOP to be Exceeded - 13834	02/26/2011	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			38	CT38-Starting up or shutting down any part of a pipeline that could cause the MAOP to be exceeded	Passed	09/29/2005	09/29/2008			NGA-WE-CT38	NGA-WE-CT38-Starting Up or Shutting Down any part of a Pipeline that could cause the MAOP to be Exceeded - 13834	09/29/2008	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			38	CT38-Starting up or shutting down any part of a pipeline that could cause the MAOP to be exceeded	Failed	01/21/2016			Columbia Gas of Massachusetts	NGA-WE-CT38	NGA-WE-CT38-Starting Up or Shutting Down any part of a Pipeline that could cause the MAOP to be Exceeded - 13834		WE	No	No	Online	No
Columbia Gas of Massachusetts			38	CT38-Starting up or shutting down any part of a pipeline that could cause the MAOP to be exceeded	Passed	02/26/2016	02/26/2019		Columbia Gas of Massachusetts	NGA-WE-CT38	NGA-WE-CT38-Starting Up or Shutting Down any part of a Pipeline that could cause the MAOP to be Exceeded - 13834	02/26/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			38A	CT38A-Starting Up or Shutting Down Any Part of a Pipeline that Could Cause the MAOP to be Exceeded, Including Turning Valves and Monitoring Flows and Pressure	Passed	02/28/2019	02/28/2022			NGA-WE-38A	NGA-WE-38A-Starting Up or Shutting Down Any Part of a Pipeline that Could Cause the MAOP to be Exceeded, Including Turning Valves and Monitoring Flows and Pressure	02/28/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			39	CT39-Remove service tee or fitting from steel or cast iron mains	Passed	02/19/2010	02/19/2013			NGA-WE-CT39	NGA-WE-CT39-Remove Service Tee or Fitting from Steel or Cast Iron Mains (NV) - 26542	02/19/2015	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			39	CT39-Remove service tee or fitting from steel or cast iron mains	Passed	02/26/2008	02/26/2013			NGA-WE-CT39	NGA-WE-CT39-Remove Service Tee or Fitting from Steel or Cast Iron Mains (NV) - 26542	02/26/2013	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			39	CT39-Remove service tee or fitting from steel or cast iron mains	Passed	10/28/2002	10/28/2007			NGA-WE-CT39	NGA-WE-CT39-Remove Service Tee or Fitting from Steel or Cast Iron Mains (NV) - 26542	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			39	CT39-Remove service tee or fitting from steel or cast iron mains	Passed	05/02/2016	05/02/2019		Columbia Gas of Massachusetts	NGA-WE-CT35, CT36 & CT39	NGA-WE-CT35, CT36 & CT39-Stopping Gas Flow, Abandonment or Decativation of Facilities, Remove Service Tee or Fitting from Steel or Cast Iron Mains - 13831	05/02/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			39A	CT39A - Removing Service Tee or Fitting from Steel and Cast Iron Pipe	Passed	02/07/2019	02/07/2022			NGA-WE-39A	NGA-WE-39A - Removing Service Tee or Fitting from Steel and Cast Iron Pipe	02/07/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			40	CT40-Install/Replace tracer wire	Passed	02/18/2010	02/18/2015			NGA-WE-CT40	NGA-WE-CT40-Install/Replace Tracer Wire - 13836	02/18/2015	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			40	CT40-Install/Replace tracer wire	Passed	09/29/2005	09/29/2010			NGA-WE-CT40	NGA-WE-CT40-Install/Replace Tracer Wire - 13836	09/29/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			40	CT40-Install/Replace tracer wire	Passed	10/28/2002	10/28/2007			NGA-WE-CT40	NGA-WE-CT40-Install/Replace Tracer Wire - 13836	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			40	CT40-Install/Replace tracer wire	Passed	01/21/2016	01/21/2019		Columbia Gas of Massachusetts	NGA-WE-CT40	NGA-WE-CT40-Install/Replace Tracer Wire - 13836	01/21/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			40	CT40-Install/Replace tracer wire	Passed	01/18/2019	01/18/2022			NGA-WE-40	NGA-WE-40-Install/Replace Tracer Wire	01/18/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			41/42	CT41 & 42-Inspecting, Lubricating, Repairing and Operating Distribution Valves	Passed	03/08/2019	03/08/2022			NGA-WE-41/42	NGA-WE-41 & 42-Inspecting, Lubricating, Repairing and Operating Distribution Valves	03/08/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			41	CT41-Inspect and operate valves	Passed	02/19/2010	02/19/2015			NGA-WE-CT41	NGA-WE-CT41-Inspect & Operate Valves (NV) - 26543	02/19/2015	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			41	CT41-Inspect and operate valves	Passed	09/29/2005	09/29/2010			NGA-WE-CT41	NGA-WE-CT41-Inspect & Operate Valves (NV) - 26543	09/29/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			41	CT41-Inspect and operate valves	Passed	10/28/2002	10/28/2007			NGA-WE-CT41	NGA-WE-CT41-Inspect & Operate Valves (NV) - 26543	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			41	CT41-Inspect and operate valves	Passed	04/26/2016	04/26/2019		Columbia Gas of Massachusetts	NGA-WE-CT41, CT42 & CT43	NGA-WE-CT41, CT42 & CT43-Inspect and Operate Valves, Repair, Maintain, and Lubricate Distribution Line Valves - 13837	04/26/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			42	CT42-Repair and maintain distribution line valves	Passed	02/19/2010	02/19/2013			NGA-WE-CT42	NGA-WE-CT42-Repair and Maintain Distribution Line Valves (NV) - 26544	02/19/2013	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			42	CT42-Repair and maintain distribution line valves	Passed	09/29/2005	10/28/2005			NGA-WE-CT42	NGA-WE-CT42-Repair and Maintain Distribution Line Valves (NV) - 26544	10/28/2005	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			42	CT42-Repair and maintain distribution line valves	Passed	10/28/2002	10/28/2005			NGA-WE-CT42	NGA-WE-CT42-Repair and Maintain Distribution Line Valves (NV) - 26544	10/28/2005	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			42	CT42-Repair and maintain distribution line valves	Passed	04/26/2016	04/26/2019		Columbia Gas of Massachusetts	NGA-WE-CT41, CT42 & CT43	NGA-WE-CT41, CT42 & CT43-Inspect and Operate Valves, Repair, Maintain, and Lubricate Distribution Line Valves - 13837	04/26/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			43	CT43-Lubricate distribution line valves	Passed	02/19/2010	02/19/2015			NGA-WE-CT43	NGA-WE-CT43-Lubricate Distribution Line Valves (NV) - 26545	02/19/2015	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			43	CT43-Lubricate distribution line valves	Passed	09/29/2005	09/29/2010			NGA-WE-CT43	NGA-WE-CT43-Lubricate Distribution Line Valves (NV) - 26545	09/29/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			43	CT43-Lubricate distribution line valves	Passed	10/28/2002	10/28/2007			NGA-WE-CT43	NGA-WE-CT43-Lubricate Distribution Line Valves (NV) - 26545	10/28/2007	WE	Expired	Yes	Import	Expired

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			43	CT43-Lubricate distribution line valves	Passed	04/26/2016	04/26/2019		Columbia Gas of Massachusetts	NGA-WE-CT41, CT42 & CT43	NGA-WE-CT41, CT42 & CT43-Inspect and Operate Valves, Repair, Maintain, and Lubricate Distribution Line Valves - 13837	04/26/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			45	CT45-Restore Service	Passed	03/08/2019	03/08/2022			NGA-WE-45	NGA-WE-45-Restore Service	03/08/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			45A	CT45A-Restore Service: Distribution	Passed	02/19/2010	02/19/2015			NGA-WE-CT45A	NGA-WE-CT45A-Restore Service: Distribution Technician - 13841	09/29/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			45A	CT45A-Restore Service: Distribution	Passed	10/28/2002	10/28/2007			NGA-WE-CT45	NGA-WE-CT45 (NV) - 26547	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			45A	CT45A-Restore Service: Distribution	Passed	09/29/2005	09/29/2010			NGA-WE-CT45A	NGA-WE-CT45A-Restore Service: Distribution Technician - 13841	09/29/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			45A	CT45A-Restore Service: Distribution	Passed	05/02/2016	05/02/201		Columbia Gas of Massachusetts	NGA-WE-CT45A	NGA-WE-CT45A-Restore Service: Distribution Technician - 13841	05/02/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			45B	CT45B-Restore Service: Customer Service	Passed	10/28/2002	10/28/2007			NGA-WE-CT45	NGA-WE-CT45 (NV) - 26547	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			47	CT47-Abandon a gas service line	Passed	02/19/2010	02/19/2015			NGA-WE-CT47	NGA-WE-CT47-Abandon a Gas Service Line - 13844	02/19/2015	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			47	CT47-Abandon a gas service line	Passed	09/29/2005	09/29/2010			NGA-WE-CT47	NGA-WE-CT47-Abandon a Gas Service Line - 13844	09/29/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			47	CT47-Abandon a gas service line	Passed	10/28/2002	10/28/2007			NGA-WE-CT47	NGA-WE-CT47-Abandon a Gas Service Line - 13844	10/28/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			47	CT47-Abandon a gas service line	Passed	01/21/2016	01/21/2019		Columbia Gas of Massachusetts	NGA-WE-CT47	NGA-WE-CT47-Abandon a Gas Service Line - 13844	01/21/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			49	CT49-Mechanical joining of pipe other than plastic	Passed	02/17/2010	02/17/2013			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	02/17/2013	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49	CT49-Mechanical joining of pipe other than plastic	Passed	02/18/2009	02/18/2012			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	02/18/2012	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49	CT49-Mechanical joining of pipe other than plastic	Passed	02/25/2008	02/25/2011			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	02/25/2011	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49	CT49-Mechanical joining of pipe other than plastic	Passed	03/12/2007	03/12/2010			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	03/12/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49	CT49-Mechanical joining of pipe other than plastic	Passed	03/08/2007	03/08/2010			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	03/08/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49	CT49-Mechanical joining of pipe other than plastic	Passed	02/15/2006	02/15/2009			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	02/15/2009	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49	CT49-Mechanical joining of pipe other than plastic	Passed	09/29/2005	09/29/2008			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	09/29/2008	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49	CT49-Mechanical joining of pipe other than plastic	Passed	02/17/2004	02/17/2007			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	02/17/2007	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49.1/49.2	CT49.1/49.2 Mechanical Joining of Pipe other than Plastic (Threaded and Flange)	Passed	12/14/2017	12/14/2020		Northeast Gas Association	NGA-WE-49	NGA-WE-49- Mechanical Joining of Pipe Other than Plastic to Plastic Pipe	12/14/2020	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			49.3	CT49.3 Mechanical Joining of Pipe other than Plastic (Compression)	Passed	12/14/2017	12/14/2020		Northeast Gas Association	NGA-PE-49.3	NGA-PE-49.3 Mechanical Joining of Pipe – Compression	01/31/2022	SIM	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			49.3	CT49.3 Mechanical Joining of Pipe other than Plastic (Compression)	Passed	12/14/2017	12/14/2020		Northeast Gas Association	NGA-WE-49	NGA-WE-49- Mechanical Joining of Pipe Other than Plastic to Plastic Pipe	12/14/2020	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	02/10/2014	02/10/2015			NGA-PE-CT49A & CT51A	NGA-PE-CT49A & CT51A-Bolted (Bolt On) Fitting (PJQ-06) - 14390	02/10/2015		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	02/10/2014	02/10/2015			NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/10/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	02/10/2014	02/10/2015			NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213	02/10/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	02/12/2003				NGA-PE-CT49A & CT51A	NGA-PE-CT49A & CT51A-Bolted (Bolt On) Fitting (PJQ-06) - 14390			No	No	Import	No
Columbia Gas of Massachusetts			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	02/17/2004				NGA-PE-CT49A & CT51A	NGA-PE-CT49A & CT51A-Bolted (Bolt On) Fitting (PJQ-06) - 14390			No	No	Import	No
Columbia Gas of Massachusetts			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	02/17/2004				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845		WE	No	No	Import	No
Columbia Gas of Massachusetts			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	02/15/2006				NGA-PE-CT49A & CT51A	NGA-PE-CT49A & CT51A-Bolted (Bolt On) Fitting (PJQ-06) - 14390			No	No	Import	No
Columbia Gas of Massachusetts			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	02/15/2006				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845		WE	No	No	Import	No
Columbia Gas of Massachusetts			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	03/12/2007	03/08/2008			NGA-PE-CT49A & CT51A	NGA-PE-CT49A & CT51A-Bolted (Bolt On) Fitting (PJQ-06) - 14390	03/08/2008		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	03/12/2007	03/08/2008			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	09/29/2008	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	02/25/2008	03/08/2008			NGA-PE-CT49A & CT51A	NGA-PE-CT49A & CT51A-Bolted (Bolt On) Fitting (PJQ-06) - 14390	03/08/2008		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	02/25/2008	03/08/2008			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	09/29/2008	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	02/18/2009	02/25/2009			NGA-PE-CT49A & CT51A	NGA-PE-CT49A & CT51A-Bolted (Bolt On) Fitting (PJQ-06) - 14390	02/25/2009		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49A & 51A	CT49A & 51A - Bolt-on Fitting (PJQ-06)	Passed	02/18/2009	02/25/2009			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	03/08/2010	WE	Expired	Yes	Import	Expired

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			49C	CT49C - Compression Fitting (PJQ-08)	Passed	02/17/2010	02/17/2013			NGA-PE-CT49C	NGA-PE-CT49C-Compression Fitting (PJQ-08) - 14392	02/18/2010		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49C	CT49C - Compression Fitting (PJQ-08)	Passed	02/17/2010	02/17/2013			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	03/08/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49C	CT49C - Compression Fitting (PJQ-08)	Passed	02/05/2015	02/09/2016		Columbia Gas of Massachusetts	NGA-PE-CT49C	NGA-PE-CT49C-Compression Fitting (PJQ-08) - 14392	02/09/2016	SIM	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			49C	CT49C - Compression Fitting (PJQ-08)	Passed	02/05/2015	02/09/2016		Columbia Gas of Massachusetts	NGA-PE-CT49C	NGA-PE-CT49C-Compression Fitting (PJQ-08) - 14392	02/10/2015		Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			49C	CT49C - Compression Fitting (PJQ-08)	Passed	02/05/2015	02/09/2016		Columbia Gas of Massachusetts	NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/05/2018	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			49C	CT49C - Compression Fitting (PJQ-08)	Passed	02/05/2015	02/09/2016		Columbia Gas of Massachusetts	NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213	02/05/2018	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/10/2014	02/10/2015			NGA-PE-CT49D	NGA-PE-CT49D-Nut Follower (Threaded Fitting) (PJQ-09) - 14393	02/10/2015		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/10/2014	02/10/2015			NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/10/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/10/2014	02/10/2015			NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213	02/10/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/12/2003				NGA-PE-CT49D	NGA-PE-CT49D-Nut Follower (Threaded Fitting) (PJQ-09) - 14393			No	No	Import	No
Columbia Gas of Massachusetts			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/17/2004				NGA-PE-CT49D	NGA-PE-CT49D-Nut Follower (Threaded Fitting) (PJQ-09) - 14393			No	No	Import	No
Columbia Gas of Massachusetts			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/17/2004				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845		WE	No	No	Import	No
Columbia Gas of Massachusetts			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/15/2006				NGA-PE-CT49D	NGA-PE-CT49D-Nut Follower (Threaded Fitting) (PJQ-09) - 14393			No	No	Import	No
Columbia Gas of Massachusetts			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/15/2006				NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845		WE	No	No	Import	No
Columbia Gas of Massachusetts			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	03/12/2007	03/08/2008			NGA-PE-CT49D	NGA-PE-CT49D-Nut Follower (Threaded Fitting) (PJQ-09) - 14393	03/08/2008		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	03/12/2007	03/08/2008			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	09/29/2008	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/25/2008	03/08/2008			NGA-PE-CT49D	NGA-PE-CT49D-Nut Follower (Threaded Fitting) (PJQ-09) - 14393	03/08/2008		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/25/2008	03/08/2008			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	09/29/2008	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/18/2009	02/25/2009			NGA-PE-CT49D	NGA-PE-CT49D-Nut Follower (Threaded Fitting) (PJQ-09) - 14393	02/25/2009		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/18/2009	02/25/2009			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	03/08/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/17/2010	02/17/2013			NGA-PE-CT49D	NGA-PE-CT49D-Nut Follower (Threaded Fitting) (PJQ-09) - 14393	02/18/2010		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/17/2010	02/17/2013			NGA-WE-CT49	NGA-WE-CT49-Mechanical Joining of Pipe other than Plastic - 13845	03/08/2010	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/05/2015	02/09/2016		Columbia Gas of Massachusetts	NGA-PE-CT49D	NGA-PE-CT49D-Nut Follower (Threaded Fitting) (PJQ-09) - 14393	02/10/2015		Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/05/2015	02/09/2016		Columbia Gas of Massachusetts	NGA-PE-CT49D	NGA-PE-CT49D-Nut Follower (Threaded Fitting) (PJQ-09) - 14393	02/09/2016	SIM	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/05/2015	02/09/2016		Columbia Gas of Massachusetts	NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/05/2018	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			49D	CT49D - Threaded Fitting (PJQ-09)	Passed	02/05/2015	02/09/2016		Columbia Gas of Massachusetts	NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213	02/05/2018	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	02/10/2014				NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PJQ-01B) - 14395			No	No	Import	No
Columbia Gas of Massachusetts			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	02/10/2014				NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PJQ-01A) - 14396			No	No	Import	No
Columbia Gas of Massachusetts			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	02/10/2014				NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665		WE	No	No	Import	No
Columbia Gas of Massachusetts			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	02/10/2014				NGA-WE-(D)	NGA-WE-(D)-Hydraulic Butt Fusion - 14668		WE	No	No	Import	No
Columbia Gas of Massachusetts			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	02/10/2014				NGA-WE-(E)	NGA-WE-(E)-Manual Butt Fusion - 14669		WE	No	No	Import	No
Columbia Gas of Massachusetts			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	02/18/2009				NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PJQ-01B) - 14395			No	No	Import	No
Columbia Gas of Massachusetts			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	02/18/2009				NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PJQ-01A) - 14396			No	No	Import	No
Columbia Gas of Massachusetts			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	02/17/2010				NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PJQ-01B) - 14395			No	No	Import	No
Columbia Gas of Massachusetts			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	02/17/2010				NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PJQ-01A) - 14396			No	No	Import	No
Columbia Gas of Massachusetts			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	02/05/2015			Columbia Gas of Massachusetts	NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PJQ-01A) - 14396	02/10/2015		Expired	No	Online	No
Columbia Gas of Massachusetts			50A & 52A	CT50 & CT52A - Hydraulic Fusion (PJQ-11)	Passed	02/05/2015			Columbia Gas of Massachusetts	NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/05/2018	WE	Expired	No	Online	No

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			50G & 52G	CT50G & 52G - Coupling Electrofusion (PJQ-05)	Passed	02/12/2003				NGA-PE-CT50G & CT52G	NGA-PE-CT50G & CT52G-Coupling Electrofusion (PJQ-05) - 14400			No	No	Import	No
Columbia Gas of Massachusetts			50G & 52G	CT50G & 52G - Coupling Electrofusion (PJQ-05)	Passed	02/17/2004				NGA-PE-CT50G & CT52G	NGA-PE-CT50G & CT52G-Coupling Electrofusion (PJQ-05) - 14400			No	No	Import	No
Columbia Gas of Massachusetts			50G & 52G	CT50G & 52G - Coupling Electrofusion (PJQ-05)	Passed	02/15/2006				NGA-PE-CT50G & CT52G	NGA-PE-CT50G & CT52G-Coupling Electrofusion (PJQ-05) - 14400			No	No	Import	No
Columbia Gas of Massachusetts			50G & 52G	CT50G & 52G - Coupling Electrofusion (PJQ-05)	Passed	02/25/2008	03/08/2008			NGA-PE-CT50G & CT52G	NGA-PE-CT50G & CT52G-Coupling Electrofusion (PJQ-05) - 14400	03/08/2008		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			50G & 52G	CT50G & 52G - Coupling Electrofusion (PJQ-05)	Passed	02/18/2009				NGA-PE-CT50G & CT52G	NGA-PE-CT50G & CT52G-Coupling Electrofusion (PJQ-05) - 14400			No	No	Import	No
Columbia Gas of Massachusetts			50G & 52G	CT50G & 52G - Coupling Electrofusion (PJQ-05)	Passed	02/17/2010				NGA-PE-CT50G & CT52G	NGA-PE-CT50G & CT52G-Coupling Electrofusion (PJQ-05) - 14400			No	No	Import	No
Columbia Gas of Massachusetts			50G & 52G	CT50G & 52G - Coupling Electrofusion (PJQ-05)	Passed	02/05/2015	02/10/2015		Columbia Gas of Massachusetts	NGA-PE-CT50G & CT52G	NGA-PE-CT50G & CT52G-Coupling Electrofusion (PJQ-05) - 14400	02/10/2015		Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			50G & 52G	CT50G & 52G - Coupling Electrofusion (PJQ-05)	Passed	02/05/2015	02/10/2015		Columbia Gas of Massachusetts	NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/05/2018	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			50G & 52G	CT50G & 52G - Coupling Electrofusion (PJQ-05)	Passed	02/05/2015	02/10/2015		Columbia Gas of Massachusetts	NGA-WE-(C)	NGA-WE-(C)-Electrofusion - 14667	02/05/2018	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Electrofusion	Passed	02/10/2014	02/10/2015			NGA-PE-CT50E, CT51E & CT52E	NGA-PE-CT50E, CT51E & CT52E-Saddle Electrofusion (PJQ-04) - 14398	02/10/2015		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Electrofusion	Passed	02/10/2014	02/10/2015			NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/10/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Electrofusion	Passed	02/10/2014	02/10/2015			NGA-WE-(C)	NGA-WE-(C)-Electrofusion - 14667	02/10/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Electrofusion	Passed	02/12/2003				NGA-PE-CT50E, CT51E & CT52E	NGA-PE-CT50E, CT51E & CT52E-Saddle Electrofusion (PJQ-04) - 14398			No	No	Import	No
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Electrofusion	Passed	02/17/2004				NGA-PE-CT50E, CT51E & CT52E	NGA-PE-CT50E, CT51E & CT52E-Saddle Electrofusion (PJQ-04) - 14398			No	No	Import	No
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Electrofusion	Passed	02/15/2006				NGA-PE-CT50E, CT51E & CT52E	NGA-PE-CT50E, CT51E & CT52E-Saddle Electrofusion (PJQ-04) - 14398			No	No	Import	No
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Electrofusion	Passed	02/25/2008	03/08/2008			NGA-PE-CT50E, CT51E & CT52E	NGA-PE-CT50E, CT51E & CT52E-Saddle Electrofusion (PJQ-04) - 14398	03/08/2008		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Electrofusion	Passed	02/18/2009				NGA-PE-CT50E, CT51E & CT52E	NGA-PE-CT50E, CT51E & CT52E-Saddle Electrofusion (PJQ-04) - 14398			No	No	Import	No
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Electrofusion	Passed	02/17/2010				NGA-PE-CT50E, CT51E & CT52E	NGA-PE-CT50E, CT51E & CT52E-Saddle Electrofusion (PJQ-04) - 14398			No	No	Import	No
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Electrofusion	Passed	02/05/2015	02/09/2016		Columbia Gas of Massachusetts	NGA-PE-CT50E, CT51E & CT52E	NGA-PE-CT50E, CT51E & CT52E-Saddle Electrofusion (PJQ-04) - 14398	02/10/2015		Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Electrofusion	Passed	02/05/2015	02/09/2016		Columbia Gas of Massachusetts	NGA-PE-CT50E, CT51E & CT52E	NGA-PE-CT50E, CT51E & CT52E-Saddle Electrofusion (PJQ-04) - 14398	02/09/2016	SIM	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Electrofusion	Passed	02/05/2015	02/09/2016		Columbia Gas of Massachusetts	NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/05/2018	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Electrofusion	Passed	02/05/2015	02/09/2016		Columbia Gas of Massachusetts	NGA-WE-(C)	NGA-WE-(C)-Electrofusion - 14667	02/05/2018	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Electrofusion	Passed	02/05/2015	02/05/2018		Columbia Gas of Massachusetts	NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/05/2018	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Electrofusion	Passed	02/05/2015	02/05/2018		Columbia Gas of Massachusetts	NGA-WE-(C)	NGA-WE-(C)-Electrofusion - 14667	02/05/2018	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Electrofusion	Passed	02/05/2015	02/05/2018		Columbia Gas of Massachusetts	PJQ-04	NGA-PE-CT50-Saddle Electrofusion (PJQ-04)	02/06/2018	PERF/DES T	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Mechanical Couplings	Passed	02/05/2015	02/05/2018		Columbia Gas of Massachusetts	NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/05/2018	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Mechanical Couplings	Passed	02/05/2015	02/05/2018		Columbia Gas of Massachusetts	NGA-WE-(B)	NGA-WE-(B)-Mechanical Couplings - 17213	02/05/2018	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Mechanical Couplings	Passed	02/05/2015	02/05/2018		Columbia Gas of Massachusetts	PJQ-06	NGA-PE-CT50-Bolted (Bolt On) Fitting (PJQ-06)	02/06/2018	T	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			51	CT51-Install Tapping Tee on Pipe - Saddle Fusion	Passed	02/10/2014			Columbia Gas of Massachusetts	NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665		WE	No	No	Import	No
Columbia Gas of Massachusetts			51D	CT51D-Tapping Using Plastic and Steel Self Tapping Tees	Passed	10/13/2017	10/13/2020		Northeast Gas Association	NGA-PE-51D.1/51D.2	NGA-PE-51D.1 & 51D.2-Tapping a Plastic and Steel Self Tapping Tee	10/11/2021	PERF/DES T	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			51D	CT51D-Tapping Using Plastic and Steel Self Tapping Tees	Passed	10/13/2017	10/13/2020		Northeast Gas Association	NGA-WE-51D	NGA-WE-51D-Tapping Using Plastic and Steel Self Tapping Tees	10/13/2020	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			51D	CT51D-Tapping Using Plastic and Steel Self Tapping Tees	Passed	03/08/2019	10/11/2021			NGA-PE-51D.1/51D.2	NGA-PE-51D.1 & 51D.2-Tapping a Plastic and Steel Self Tapping Tee	10/11/2021	PERF/DES T	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			51D	CT51D-Tapping Using Plastic and Steel Self Tapping Tees	Passed	03/08/2019	10/11/2021			NGA-WE-51D	NGA-WE-51D-Tapping Using Plastic and Steel Self Tapping Tees	03/08/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Electrofusion	Passed	02/10/2014	02/10/2015			NGA-PE-CT50E, CT51E & CT52E	NGA-PE-CT50E, CT51E & CT52E-Saddle Electrofusion (PJQ-04) - 14398	02/10/2015		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Electrofusion	Passed	02/10/2014	02/10/2015			NGA-PE-CT50G & CT52G	NGA-PE-CT50G & CT52G-Coupling Electrofusion (PJQ-05) - 14400	02/10/2015		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Electrofusion	Passed	02/10/2014	02/10/2015			NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/10/2017	WE	Expired	Yes	Import	Expired

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Hydraulic Butt Fusion	Passed	02/05/2015	02/05/2018		Columbia Gas of Massachusetts	NGA-WE-(D)	NGA-WE-(D)-Hydraulic Butt Fusion - 14668	02/05/2018	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Hydraulic Butt Fusion	Passed	02/05/2015	02/05/2018		Columbia Gas of Massachusetts	NGA-WE-(E)	NGA-WE-(E)-Manual Butt Fusion - 14669	02/05/2018	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Hydraulic Butt Fusion	Passed	02/05/2015	02/05/2018		Columbia Gas of Massachusetts	PJQ-01B	NGA-PE-CT50-Coiled Pipe Butt Fusion (PJQ-01B)	03/30/2018	PERF/DES T	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Hydraulic Butt Fusion	Passed	02/05/2015	02/05/2018		Columbia Gas of Massachusetts	PJQ-11	NGA-PE-CT50-Hydraulic Fusion (PJQ-11)	03/30/2018	PERF/DES T	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	02/10/2014	02/10/2015			NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PJQ-01B) - 14395	02/10/2015		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	02/10/2014	02/10/2015			NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PJQ-01A) - 14396	02/10/2015		Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	02/10/2014	02/10/2015			NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/10/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	02/10/2014	02/10/2015			NGA-WE-(E)	NGA-WE-(E)-Manual Butt Fusion - 14669	02/10/2017	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	02/18/2009				NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PJQ-01B) - 14395			No	No	Import	No
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	02/18/2009				NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PJQ-01A) - 14396			No	No	Import	No
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	02/17/2010				NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PJQ-01B) - 14395			No	No	Import	No
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	02/17/2010				NGA-PE-CT50C & CT52C	NGA-PE-CT50C & CT52C-Straight Pipe Butt Fusion (PJQ-01A) - 14396			No	No	Import	No
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	02/05/2015	02/09/2016		Columbia Gas of Massachusetts	NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PJQ-01B) - 14395	02/10/2015		Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	02/05/2015	02/09/2016		Columbia Gas of Massachusetts	NGA-PE-CT50B & CT52B	NGA-PE-CT50B & CT52B-Coiled Pipe Butt Fusion (PJQ-01B) - 14395	02/09/2016	SIM	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	02/05/2015	02/09/2016		Columbia Gas of Massachusetts	NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/05/2018	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	02/05/2015	02/09/2016		Columbia Gas of Massachusetts	NGA-WE-(E)	NGA-WE-(E)-Manual Butt Fusion - 14669	02/05/2018	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	02/05/2015	02/05/2018		Columbia Gas of Massachusetts	NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665	02/05/2018	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	02/05/2015	02/05/2018		Columbia Gas of Massachusetts	NGA-WE-(E)	NGA-WE-(E)-Manual Butt Fusion - 14669	02/05/2018	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Manual Butt Fusion	Passed	02/05/2015	02/05/2018		Columbia Gas of Massachusetts	PJQ-01B	NGA-PE-CT50-Coiled Pipe Butt Fusion (PJQ-01B)	03/30/2018	PERF/DES T	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Saddle Fusion	Passed	02/10/2014				NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665		WE	No	No	Import	No
Columbia Gas of Massachusetts			52	CT52-Inspect Plastic Pipe Fusion Joint - Socket Fusion	Passed	02/10/2014				NGA-WE-(A)	NGA-WE-(A)-General Knowledge - 14665		WE	No	No	Import	No
Columbia Gas of Massachusetts			66	CT66-Field interpretation of pressure recording charts	Passed	02/26/2008	02/26/2011			NGA-WE-CT66	NGA-WE-CT66-Field Interpretation of Pressure Recording Charts - 13862	02/26/2011	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			66	CT66-Field interpretation of pressure recording charts	Passed	09/29/2005	09/29/2008			NGA-WE-CT66	NGA-WE-CT66-Field Interpretation of Pressure Recording Charts - 13862	09/29/2008	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			66	CT66-Field interpretation of pressure recording charts	Passed	10/28/2002	10/28/2005			NGA-WE-CT66	NGA-WE-CT66-Field Interpretation of Pressure Recording Charts - 13862	10/28/2005	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			66B	CT66B-Field Interpretation of Pressure Recording Charts	Failed	07/21/2017			Northeast Gas Association	NGA-WE-66B	NGA-WE-66B-Field Interpretation of Pressure Recording Charts		WE	No	No	Online	No
Columbia Gas of Massachusetts			70	CT70-Properties of Natural Gas and Abnormal Operating Conditions	Passed	02/19/2010	02/19/2013			NGA-WE-CT70	NGA-WE-CT70-Properties of Natural Gas and Abnormal Operating Conditions - 13866	02/19/2013	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			70	CT70-Properties of Natural Gas and Abnormal Operating Conditions	Passed	02/26/2008	02/26/2011			NGA-WE-CT70	NGA-WE-CT70-Properties of Natural Gas and Abnormal Operating Conditions - 13866	02/26/2011	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			70	CT70-Properties of Natural Gas and Abnormal Operating Conditions	Passed	09/29/2005	09/29/2008			NGA-WE-CT70	NGA-WE-CT70-Properties of Natural Gas and Abnormal Operating Conditions - 13866	09/29/2008	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			70	CT70-Properties of Natural Gas and Abnormal Operating Conditions	Passed	10/28/2002	10/28/2005			NGA-WE-CT70	NGA-WE-CT70-Properties of Natural Gas and Abnormal Operating Conditions - 13866	10/28/2005	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			70	CT70-Properties of Natural Gas and Abnormal Operating Conditions	Passed	01/21/2016	01/21/2019		Columbia Gas of Massachusetts	NGA-WE-CT70	NGA-WE-CT70-Properties of Natural Gas and Abnormal Operating Conditions - 13866	01/21/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			70	CT70-Properties of Natural Gas and Abnormal Operating Conditions	Passed	01/18/2019	01/18/2022			NGA-WE-70	NGA-WE-70-Properties of Natural Gas and Abnormal Operating Conditions	01/18/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			71	CT71-Excavation & Backfill	Passed	01/18/2019	01/18/2022			NGA-WE-71	NGA-WE-71-Excavation & Backfill	01/18/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			71	CT71-Operator Excavation and Backfilling in the Vicinity of a Pipeline	Passed	02/19/2010	02/19/2015			NGA-WE-CT71	NGA-WE-CT71-Operator Excavation and Backfilling in the Vicinity of a Pipeline - 13868	04/19/2011	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			71	CT71-Operator Excavation and Backfilling in the Vicinity of a Pipeline	Passed	04/19/2006	04/19/2011			NGA-WE-CT71	NGA-WE-CT71-Operator Excavation and Backfilling in the Vicinity of a Pipeline - 13868	04/19/2011	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			71	CT71-Operator Excavation and Backfilling in the Vicinity of a Pipeline	Passed	01/21/2016	01/21/2019		Columbia Gas of Massachusetts	NGA-WE-CT71	NGA-WE-CT71-Operator Excavation and Backfilling in the Vicinity of a Pipeline - 13868	01/21/2019	WE	Expired	Yes	Online	Expired

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			72	CT72-Installation of Customer Meters and Regulators	Passed	03/12/2010	03/12/2015			NGA-WE-CT72	NGA-WE-CT72-Installation of Customer Meters and Regulators - 13869	03/12/2015	WE	Expired	Yes	Import	Expired
Columbia Gas of Massachusetts			72	CT72-Installation of Customer Meters and Regulators	Passed	01/21/2016	01/21/2019		Columbia Gas of Massachusetts	NGA-WE-CT72	NGA-WE-CT72-Installation of Customer Meters and Regulators - 13869	01/21/2019	WE	Expired	Yes	Online	Expired
Columbia Gas of Massachusetts			72A	CT72A-Installing and Turning Off Residential, Small Commercial, Large Commercial and Industrial Meters and Regulators	Passed	01/18/2019	01/18/2022			NGA-WE-72A	NGA-WE-72A-Installing and Turning Off Residential, Small Commercial, Large Commercial and Industrial Meters and Regulators	01/18/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			85	CT85-Meter Assembly Abnormal Operating Conditions	Passed	04/13/2016	04/13/2019		Columbia Gas of Massachusetts	NGA-WE-CT85	NGA-WE-CT85-EXAM-Meter Assembly Abnormal Operating Conditions	04/13/2019	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			85	CT85-Meter Assembly Abnormal Operating Conditions	Failed	02/28/2019				NGA-WE-CT85	NGA-WE-CT85-EXAM-Meter Assembly Abnormal Operating Conditions		WE	No	No	Online	No
Columbia Gas of Massachusetts			85	CT85-Meter Assembly Abnormal Operating Conditions	Passed	03/05/2019	03/05/2022			NGA-WE-CT85	NGA-WE-CT85-EXAM-Meter Assembly Abnormal Operating Conditions	03/05/2022	WE	Yes	Yes	Online	Yes
Columbia Gas of Massachusetts			NGA-WE-(A).	NGA-WE-(A)-COURSE General Knowledge	Completed	01/08/2018								No	No	Online	No
Columbia Gas of Massachusetts			NGA-WE-(B).	NGA-WE-(B)-COURSE Mechanical Fittings	Completed	03/01/2019								No	No	Online	No
Columbia Gas of Massachusetts			NGA-WE-(C).	NGA-WE-(C)-COURSE Electrofusion	Completed	03/01/2019								No	No	Online	No
Columbia Gas of Massachusetts			NGA-WE-(D&E).	NGA-WE-(D&E)-COURSE Butt Fusion (Manual & Hydraulic)	Completed	01/08/2018								No	No	Online	No
Columbia Gas of Massachusetts			NGA-WE-(D&E).	NGA-WE-(D&E)-COURSE Butt Fusion (Manual & Hydraulic)	Completed	03/01/2019								No	No	Online	No
Columbia Gas of Massachusetts			01.	NGA-WE-CT01-COURSE Inspecting for a Shorted Casings	Completed	03/01/2019								No	No	Online	No
Columbia Gas of Massachusetts			02.	NGA-WE-CT02-COURSE Pipe-to-Soil Potential	Completed	12/11/2017								No	No	Online	No
Columbia Gas of Massachusetts			02.	NGA-WE-CT02-COURSE Pipe-to-Soil Potential	Completed	11/13/2018								No	No	Online	No
Columbia Gas of Massachusetts			06.	NGA-WE-CT06-COURSE Atmospheric Corrosion	Completed	01/08/2019								No	No	Online	No
Columbia Gas of Massachusetts			08.	NGA-WE-CT08-COURSE Internal Corrosion	Completed	01/08/2019								No	No	Online	No
Columbia Gas of Massachusetts			10.	NGA-WE-CT10-COURSE Clearing a Shorted Casing	Completed	02/26/2019								No	No	Online	No
Columbia Gas of Massachusetts			11,12&17.	NGA-WE-CT11, 12 & 17-COURSE Pipe Coatings	Completed	01/08/2019								No	No	Online	No
Columbia Gas of Massachusetts			14.	NGA-WE-CT14-COURSE Anodes	Completed	01/08/2019								No	No	Online	No
Columbia Gas of Massachusetts			15.	NGA-WE-CT15-COURSE Electrical Isolation Couplings	Completed	01/09/2019								No	No	Online	No
Columbia Gas of Massachusetts			16.	NGA-WE-CT16-COURSE Test Stations	Completed	01/21/2019								No	No	Online	No
Columbia Gas of Massachusetts			18.	NGA-WE-CT18-COURSE Conducting Mobile and Walking Leak Surveys	Completed	04/07/2016								No	No	Online	No
Columbia Gas of Massachusetts			18.	NGA-WE-CT18-COURSE Conducting Mobile and Walking Leak Surveys	Completed	02/22/2019								No	No	Online	No
Columbia Gas of Massachusetts			19.	NGA-WE-CT19-COURSE Patrolling and Inspecting Pipelines	Completed	04/07/2016								No	No	Online	No
Columbia Gas of Massachusetts			19.	NGA-WE-CT19-COURSE Patrolling and Inspecting Pipelines	Completed	02/22/2019								No	No	Online	No
Columbia Gas of Massachusetts			20.	NGA-WE-CT20-COURSE Investigating Leak/Odor Complaints	Completed	04/07/2016								No	No	Online	No
Columbia Gas of Massachusetts			20.	NGA-WE-CT20-COURSE Investigating Leak/Odor Complaints	Completed	02/05/2019								No	No	Online	No
Columbia Gas of Massachusetts			20D.	NGA-WE-CT20D-COURSE Classifying Gas Leaks	Completed	04/07/2016								No	No	Online	No
Columbia Gas of Massachusetts			20D.	NGA-WE-CT20D-COURSE Classifying Gas Leaks	Completed	02/05/2019								No	No	Online	No
Columbia Gas of Massachusetts			21.	NGA-WE-CT21-COURSE Line Locating and Mark Out	Completed	01/21/2019								No	No	Online	No
Columbia Gas of Massachusetts			22.	NGA-WE-CT22-COURSE Inspection of Third Party Excavations for Damage Prevention	Completed	02/22/2019								No	No	Online	No
Columbia Gas of Massachusetts			23/24.	NGA-WE-CT23 & 24-COURSE Inspecting the Condition of Exposed Pipe	Completed	02/05/2019								No	No	Online	No
Columbia Gas of Massachusetts			26/27/41/42.	NGA-WE-CT26 & 27 & 41 & 42-COURSE Inspect, Lubricate, Repair and Operate Valves	Completed	02/26/2019								No	No	Online	No
Columbia Gas of Massachusetts			28.	NGA-WE-CT28-COURSE Uprating	Completed	02/22/2019								No	No	Online	No
Columbia Gas of Massachusetts			29/30.	NGA-WE-CT29 & 30-COURSE-Repairing a Distribution Pipe	Completed	01/21/2019								No	No	Online	No
Columbia Gas of Massachusetts			31.	NGA-WE-CT31-COURSE Installation of Pipe	Completed	02/26/2019								No	No	Online	No
Columbia Gas of Massachusetts			32-33.	NGA-WE-CT32 & 33-COURSE Purging a Pipeline	Completed	02/05/2019								No	No	Online	No
Columbia Gas of Massachusetts			34.	NGA-WE-CT34-COURSE Performing a Pressure Test on a Pipeline	Completed	02/05/2019								No	No	Online	No
Columbia Gas of Massachusetts			35.	NGA-WE-CT35-COURSE Stopping Gas Flow on a Pipeline	Completed	02/26/2019								No	No	Online	No
Columbia Gas of Massachusetts			36/47.	NGA-WE-CT36 & 47-COURSE Abandonment of Facilities	Completed	01/14/2019								No	No	Online	No
Columbia Gas of Massachusetts			37.	NGA-WE-CT37-COURSE Tapping Pipelines Under Pressure	Completed	10/09/2017								No	No	Online	No
Columbia Gas of Massachusetts			37.	NGA-WE-CT37-COURSE Tapping Pipelines Under Pressure	Completed	02/26/2019								No	No	Online	No

Company Name	User Full Name	User Name	Task Code	Task Name	Knowledge Status	Date Knowledge Taken	Expires	Proctor Name	Proctor Company Name	Skill Code	Skill Name	Date Skill Cert Expired	Skill Method	Skill Cert Status	Verified	Knowledge Media Type	Is Qualified
Columbia Gas of Massachusetts			38.	NGA-WE-CT38-COURSE Starting Up or Shutting Down Any Part of the Pipeline That Could Cause the MAOP to Be Exceeded	Completed	02/22/2019								No	No	Online	No
Columbia Gas of Massachusetts			39.	NGA-WE-CT39-COURSE Remove Service Tee or Fitting from Steel or Cast Iron Pipe	Completed	02/26/2019								No	No	Online	No
Columbia Gas of Massachusetts			45.	NGA-WE-CT45-COURSE Restoring Service	Completed	02/26/2019								No	No	Online	No
Columbia Gas of Massachusetts			49.	NGA-WE-CT49-COURSE Mechanical Joining of Pipe Other Than Plastic to Plastic Pipe	Completed	12/11/2017								No	No	Online	No
Columbia Gas of Massachusetts			49.	NGA-WE-CT49-COURSE Mechanical Joining of Pipe Other Than Plastic to Plastic Pipe	Completed	02/26/2019								No	No	Online	No
Columbia Gas of Massachusetts			51.	NGA-WE-CT51-COURSE Install Tapping Tee on Pipe	Completed	02/26/2019								No	No	Online	No
Columbia Gas of Massachusetts			66.	NGA-WE-CT66-COURSE Field Interpretation of Pressure Recording Devices	Completed	01/30/2019								No	No	Online	No
Columbia Gas of Massachusetts			69.	NGA-WE-CT69-COURSE Monitor Natural Gas Odorization Levels	Completed	03/01/2019								No	No	Online	No
Columbia Gas of Massachusetts			70.	NGA-WE-CT70-COURSE Properties of Natural Gas and Abnormal Operating Conditions	Completed	01/14/2019								No	No	Online	No
Columbia Gas of Massachusetts			71.	NGA-WE-CT71-COURSE Excavation & Backfill	Completed	01/14/2019								No	No	Online	No
Columbia Gas of Massachusetts			72.	NGA-WE-CT72-COURSE Installing Customer Meters and Regulators	Completed	01/14/2019								No	No	Online	No
Columbia Gas of Massachusetts			85.	NGA-WE-CT85-COURSE Meter Assembly Abnormal Operating Conditions	Completed	04/07/2016								No	No	Online	No
Columbia Gas of Massachusetts			85.	NGA-WE-CT85-COURSE Meter Assembly Abnormal Operating Conditions	Completed	02/22/2019								No	No	Online	No