

REDACTED


18 6488996 00
Form GS 3020.012-1 (11/2016) SERVICE LINE RECORD (SLR) FORM WILL BE SCANNED - PRINT USING BLACK INK

JOBS ORDER # 18 6450172-00 FORM COMPLETED BY: Robert Seeburger

NEW (N) REPLACE (R) ABANDON (A) REPAIR (F) SURVEY (S) ~~REPAIR~~/REC (TR)

DATE: 10/5/18

| | | | | | | | | | | |
|---|---|----------------------------|----------------|--------------------------------------|----------------|---|-----------------------------------|--|-------------|------|
| SERVICE ADDRESS 18 Foster Cr | | | | | | CITY AND | | | | |
| PSID/SITE ID 558723005 | | LOC NUM 8400 | | TAXING DISTRICT | | MAIN NUM 80001004 | | OP PRESS HP | | |
| MAP NUM 25 | | MAIN SIZE-MATL 4" HP HD | | MAIN REFERENCE (LOCATION) 11 ECLP | | SPECIAL CONDITION CODES LEGJK | | | | |
| EFV INSTALLED <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO | | EFV MANUF & MODEL 700 | | | GPS COORD | | | | | |
| MAIN TO PROPERTY LINE OR CURB VALVE | LENGTH 12 | SIZE 1" | MATERIAL P | DEPTH (IN) 34 | OP PRESS HP | DATE INSTL/ABN 10/5/18 | INSTALL MTHD PI | REPAIR DATE | REPAIR KIND | |
| PROPERTY LINE OR CURB VALVE TO METER | LENGTH 49 | SIZE 1" | MATERIAL PI | DEPTH (IN) | OP PRESS HP | DATE INSTL/ABN 10/5/18 | INSTALL MTHD PI | REPAIR DATE | REPAIR KIND | |
| RETIRED PIPE (CMA ONLY) | LENGTH | SIZE | MATERIAL | DEPTH (IN) | DATE INSTALLED | DATE ABN | NEW PIPE FTG INSTALLED (CMA ONLY) | LENGTH | SIZE | MATL |
| MT | MASTER TAP REFERENCE (ADDR AND/OR PSID/SITE ID) | | | CURB BOX LOCATION NCV-EFV | | TAP LOCATION 37FFB 4RLJ | | RISER CODE HE 10 | | |
| PULL BACK CAMERA USED AND VIDEO VERIFIED CLEAR WITH SITE INVESTIGATION PERFORMED: <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO BY: | | | | | | SEE RELATED SEWER LOCATE CARD <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO | | POST SEWER CAMERA REQUIRED TO BE SCHEDULED <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO | | |
| PRESSURE TESTED PER GAS STANDARD | | | | | | BY (SIGNATURE; THEN PRINT NAME & EMPLOYEE NUM & COMP NAME) | | | | |
| <input checked="" type="checkbox"/> SRV LINE M-PL/CV 15 MINS @ 150 PSIG <input type="checkbox"/> Soap Test | | | | | | Jason Paulen (RHW) | | | | |
| <input checked="" type="checkbox"/> SRV LINE PL/CV-MTR 15 MINS @ 150 PSIG <input type="checkbox"/> Soap Test | | | | | | | | | | |
| ADDITIONAL INFORMATION Insect 1" P into 2" P | | | | | | | | | | |



PERSONS MAKING WELDS, FUSIONS, AND MECHANICAL FITTING JOINTS

| | | | |
|--|--|---------------------------------------|---|
| EMPL NUM & CO Jason Paulen (RHW) | <input type="checkbox"/> W <input checked="" type="checkbox"/> EF <input type="checkbox"/> SF <input type="checkbox"/> BF <input type="checkbox"/> M | EMPL NUM & CO | <input type="checkbox"/> W <input type="checkbox"/> EF <input type="checkbox"/> SF <input type="checkbox"/> BF <input type="checkbox"/> M |
| EMPL NUM & CO | <input type="checkbox"/> W <input type="checkbox"/> EF <input type="checkbox"/> SF <input type="checkbox"/> BF <input type="checkbox"/> M | EMPL NUM & CO | <input type="checkbox"/> W <input type="checkbox"/> EF <input type="checkbox"/> SF <input type="checkbox"/> BF <input type="checkbox"/> M |
| POST INSTALL LOCATING <input type="checkbox"/> PAINT <input type="checkbox"/> FLAGGED <input type="checkbox"/> LOCATED | | OFFICE USE ONLY: REVIEWED BY AND DATE | |

SKETCH THE SERVICE LINE IN THE SPACE ABOVE; INDICATE NORTH

COMPLETE BOTH SIDES OF FORM

REDACTED

Form GS 3020.012-1 (11/2016)

SERVICE LINE RECORD (SLR)
COMPLETE BOTH SIDES OF FORM

FORM WILL BE SCANNED - USE BLACK INK

| MATERIAL | | | | | | | |
|------------|-------------|------|----------|-----|-------------|------|----------|
| SSN | DESCRIPTION | SIZE | QTY INST | SSN | DESCRIPTION | SIZE | QTY INST |
| | 4x1 TT | 4x1 | 1 | | | | |
| 43-04-810 | EF Coupl | 1" | 3 | | | | |
| 16-03-822 | EFV 700 | 1" | 1 | | | | |
| | Riser | 1" | 1 | | | | |
| 44.84.8101 | HP Setting | 425 | 1 | | | | |
| | | | | | | | |
| | | | | | | | |
| | | | | | | | |

FOR MORE INFORMATION, CONSULT GS 3020.012

REFERENCE CODES

OP PRESSURE

- LP LOW PRESSURE
- IP INTERMEDIATE PRESSURE
- MP MEDIUM PRESSURE
- HP HIGH PRESSURE

MASTER TAP

LEAVE BLANK IF ONLY 1 CUST ON SL
(KY, MD, OH, PA, VA)

USE DASH (-) IF ONLY 1 CUST ON SL
(MA)

- * PRIMARY REF BY CB
- + OTHER DOWNSTR CUST
- P SPLIT SERVICE; PRIM SL
- S SPLIT SERVICE; SEC SL

MAIN REFERENCE (LOCATION)

EXAMPLE: 010 S NCU

WHERE:

- 010 = DISTANCE IN FEET
- S = SOUTH OF
- NCU = REF OBJECT; NORTH CURB

FOR ROOFTOP, ADD "RT"

DESIGNATING CB & OTHER LOCATIONS

EXAMPLE: 32 FFB 5 RRB
32 FT FRONT OF FRONT BLDG EDGE
5 FEET RIGHT OF RIGHT BLDG EDGE

RISER CODES

USE RISER CODE PROVIDED BY VENTYX OR WMS; OR
CONTAINED IN DIS CONTROL TABLES

INSTALLATION METHOD

- OC OPEN CUT
- TO TIE OVER
- PI PLASTIC INSERT
- TT TRENCHLESS TECH

DATE FORMAT

ALL DATES TO BE IN MM-DD-YYYY FORMAT
EXAMPLE: 01-31-2007
EXAMPLE: 11-12-2019

OBJECT CODES

- B BLDG EDGE
- BK BACK
- C CORNER
- CB CATCH BASIN
- CEL CENTER OF EB LANE
- CLP CENTER OF PAVEMENT
- CLR CENTER OF RT OF WAY
- CNL CENTER OF NB LANE
- CO CLEANOUT (SEWER)
- COP CENTER OF PROPERTY
- CSL CENTER OF SB LANE
- CU CURB
- CWL CENTER OF WB LANE
- D DRIVEWAY EDGE
- DS DOWNSPOUT
- EP EDGE OF PAVEMENT
- ES EDGE OF SIDEWALK
- F FRONT
- G GARAGE EDGE
- L LEFT
- LAT LATERAL (SEWER)
- M METER
- MH MANHOLE
- P PORCH EDGE
- PAD TRAILER PAD
- PL PROPERTY LINE
- R RIGHT
- RW RIGHT OF WAY
- SAN SANITARY SEWER
- ST STORM SEWER
- W WATER VALVE
- Y WYE FITTING

MATERIAL CODES

- CI CAST IRON
- CU COPPER
- OT OTHER
- P PLASTIC
- PI PLASTIC INSERT
- S STEEL
- ST STEEL, TREATED
- WI WROUGHT IRON

JOINT TYPES

- BF BUTT FUSION
- EF ELECTROFUSION
- SF SOCKET FUSION
- M MECHANICAL FITTING
- W WELDED (STEEL)

EFV MANUF & MODEL

- UMAC 300
- UMAC 400
- UMAC 700
- UMAC 1100
- UMAC 1800
- UMAC 2600
- UMAC 5500
- UMAC 10,000

IF NOT ON LIST, WRITE IN
MANUF & MODEL USED

SPECIAL CONDITIONS

- A ANODE INSTALLED
- B BURIED REGULATOR
- C CUST ANODE; CO INSTALL
- E ELECTRONIC MARKER
- F COMPR FITTING ON TIES
- G GAS FLOW LIMITER/EFV
- H TAP BLW HARD SURFACE
- I INSULATOR INSTALLED
- J FIT (METER SETTING) INSTALLED
- K EFV TAGGED
- L LOC WIRE TIED TO PLASTIC MAIN WIRE
- M MULT SRV, 1 SL 1 MTR
- N MTR BARRIER INSTALLED
- P PLASTIC VALVE
- Q FARM TAP
- S TEST STATION
- T TAP TEE IS MECH PLASTIC
- V VLV BRASS MUELLER INSTA-TITE
- W METER MOVED OUT
- * SEE ADDL INFORMATION

SIZE CODES (LARGER SIZES SIMILAR)

- 005 1/2"
- 007 3/4"
- 010 1"
- 012 1-1/4"
- 015 1-1/2"
- 020 2"
- 030 3"
- 040 4"

REDACTED

11/25/2020

Mail - ANGELARI, JENNY - Outlook

