

OMB Control #: 1910-5184 DOE HQ F 413.26 Exp. Date: 7/31/2023

HOME ENERGY SCORE Partnership Agreement for Participating Organizations (2021 Update)

Home Energy Score Partners include various types of organizations (e.g., utilities, state agencies, local governments, non-profits, contractor associations) that administer the delivery of the Score on a local, state, or national basis. This Partnership Agreement outlines the responsibilities of the U.S. Department of Energy (DOE) and the participating Partner. Additional requirements are provided in an addendum titled "Terms of Participation."

Prior to providing the Home Energy Score, both DOE and the Partner must sign this agreement. DOE may modify this agreement or terms of participation to address lessons learned and future programmatic goals. DOE will notify the Partner at least 30 days prior to making any changes to either the Partnership Agreement or terms of participation. The Partner or DOE can terminate the Partnership at any time by notifying the other party.

DOE Responsibilities

DOE will oversee and maintain the Home Energy Score program and carry out functions including but not limited to monitoring of Partners, data analysis, development of training and outreach materials, and updates to the Home Energy Scoring Tool (Scoring Tool). DOE agrees to provide the following support to Partners:

- 1. Provide Assessors working under a Partner organization with access to the Scoring Tool once certification and testing requirements are met.
- 2. Provide access to online training resources and user support.
- 3. Provide access to Home Energy Score data collected by the Partner's Assessors.
- 4. Provide access to standard outreach and educational materials for homeowners and Assessors.
- 5. Serve as a technical aid in resolving issues (e.g., software questions) that may arise during implementation.
- 6. Host webinars and other forums to assist Partners with implementation and to encourage information exchange.
- 7. Carry out evaluation efforts to measure the effectiveness of the Home Energy Score and promote ongoing improvement of the program. Communicate findings to Partners to assist in more effective program delivery.
- 8. Implement upgrades to the Scoring Tool and other program features as needed and with appropriate notice and communication with Partners.

1

Partner Organization Responsibilities

Partner organizations and individuals will deliver the Home Energy Score to homeowners through a variety of channels. Partners may provide the Score as part of a home performance program or as an independent service.

The Partner agrees to meet the following program requirements:

- 1. Set a target goal for number of houses to be scored in the first year and beyond. The Partner must commit to a minimum of 500 homes per year.
- 2. Develop an implementation plan outlining how the program will be delivered and integrated into other Partner efforts. The Partner should incorporate some type of evaluation in their implementation plan.
- 3. Designate a primary point of contact for participating Assessors and facilitate the delivery of required contact information to DOE.
- 4. Verify that Assessor candidates meet credential requirements and provide DOE with the names of the candidates.
- 5. Inform DOE whenever an Assessor ceases participation under the Partner's program.
- 6. Adhere to rules regarding use of programmatic materials and the Scoring Tool, as set forth in the program's "Terms of Participation"; monitor participation and performance of Assessors in the program; provide mentoring as required.
- 7. Carry out quality assurance in accordance with the conditions set forth in the program's "Terms of Participation."
- 8. Provide feedback on the implementation of Home Energy Score and check in on a regular basis with your DOE Home Energy Score account manager to discuss plans, issues and findings.

Partne	r Representati	ve: Victor Pis	ani Brian Kearr 	ney 		
Organi	ization Name: __	CLEAResult (Consulting, Inc.	and RISE Engineering		
Title: _	Senior Vice President		Director of Residential Services			
Email:	vpisani@clearesult.com ^{bkearney@riseengineering.com} Phone: 773-255-9918					
Signati	ure:	to free Br	eng Kung	Date: <u>2021-11-24</u>	11/26/21	

The signing representative must have authority to commit the organization to the terms of this agreement. If your organization is implementing the Home Energy Score on behalf of or under the sponsorship of a state, utility, or local program, a representative from your sponsoring agency must sign below. The sponsoring agency is ultimately responsible for ensuring that the

with the conditions set forth in the program's "T	erms of Participation."	
Sponsoring Agency: Eversource Energy Servi	ce Company	
Sponsoring Agency Representative (Name):	Kate Ringe-Welch	
Title:Sr Procurement Agent		
Email: kate.ringe-welch@eversource.com	Phone:	
Signature: Kate Ringe-Welch	Date:	11/29/21
U.S. Department of Energy Representative:		
Title:		
Signature:	Date:	

Partner organization (listed above) conduct quality assurance in a timely manner in accordance

HOME ENERGY SCORE Addendum: Terms of Participation Please read this addendum in its entirety.

The Home Energy Score Partnership Agreement sets forth the principal responsibilities of DOE and the Partner. This addendum to the Partnership Agreement provides more detailed requirements related to the following aspects of program delivery:

- Confidential Information
- Assessor Qualifications and Restrictions
- Quality Assurance
- Eligible Homes

- Linking to Other Software Tools
- Home Energy Score Updates
- Use of DOE Materials and the DOE Seal/Logos

1. Confidential Information

As part of the Home Energy Score Program and to facilitate the scoring of homes, the Partner will provide certain data and information regarding individual residences ("Confidential Information") to DOE. DOE shall protect all data collected and generated to score homes and shall retain and store all confidential information furnished by the Partner in a secure and confidential manner, subject to applicable law. DOE agrees to share confidential information and scoring calculations for individual homes with its Home Energy Score Partners and their affiliates if applicable (e.g., a state

Attachment RR-DOER-1(A)
Page 4 of 13

agency that has an agreement with a Partner to share data for homes scored in their state), and each Partner and affiliate will receive only data for homes scored by Assessors working through that Partner. Assessors will only have access to data which they have provided to DOE and to Home Energy Score Reports generated for those homes which the Assessor scored. DOE may develop and release papers and presentations that include information regarding homes scored. However, DOE may only present aggregated data, and DOE agrees it will not publicly share any information regarding individual homes, subject to applicable law. If DOE becomes legally compelled to disclose any of the confidential information to a federal or state governmental agency, DOE shall inform the Partner of such disclosure promptly after such agency's request so that the Partner may contact DOE and/or seek another appropriate remedy. DOE will not disclose any information DOE believes to be confidential information produced pursuant to this Partnership Agreement to any third party, except as may be mutually agreed upon in writing by the Partner and, if so agreed, by the execution of a mutually acceptable nondisclosure agreement, or in the case in which DOE is required by law to disclose the information. Unless restricted through other contracts (e.g., with Assessors or customers), the Partner is free to use and share information on the homes scored under their Partnership. The rights and obligations arising under this Partnership Agreement with respect to Confidential Information disclosed hereunder, particularly the confidentiality obligations, shall survive any termination of this Agreement.

2. Assessor Qualifications and Restrictions

All Assessors must meet ALL of the following requirements in order to use the Home Energy Scoring Tool and provide Home Energy Scores.

- 1. Assessor candidates must hold a relevant and current credential from one of the residential trade organizations listed on the Home Energy Score website. The Home Energy Score program recognizes those credentials as well as more comprehensive certifications offered by these organizations.
- 2. Pass the online Home Energy Score exam.

Once an Assessor meets these requirements, DOE will provide an Assessor ID (user ID) and access to the Scoring Tool. The Assessor must be accompanied by a mentor (either in-field or remotely, as described on pages 8-9 of this Partnership Agreement) for the first Home Energy Score assessment completed. The Assessor can ONLY provide Home Energy Scores as part of services rendered through one of DOE's official Home Energy Score Partners. Assessors cannot score homes that are outside of their Partner's service area.

Exceptions: Assessors working under one of DOE's Home Energy Score Partners may score homes outside the Partner's service area IF either of the following conditions is met:

1. The Partner agrees to extend the same quality assurance services required by the Partnership Agreement to these additional homes, and the Partner informs the DOE Home Energy Score Program Manager prior to such an arrangement;

OR...

Attachment RR-DOER-1(A) Page 5 of 13

2. Prior to scoring homes outside the Partner's service area, the DOE Home Energy Score Program Manager approves the Assessor's plan to secure adequate quality assurance services from a different Home Energy Score Partner.

3. Quality Assurance (QA)

To ensure consistent scoring practices across Assessors, the Partner agrees to re-score, by an approved Quality Assurance Auditor, a minimum of five percent (5%) of all homes scored on a quarterly basis. There are two approved pathways for completing this requirement: (1) in-field Quality Assurance, or (2) desktop Quality Assurance.

Selection of Homes for QA

Quality assurance scores (QA checks) should be random, distributed across all Assessors within the program, and focused primarily on work performed by the newer and less experienced Assessors. QA checks on work performed by experienced Assessors who have consistently scored homes accurately should be a lower priority, but still performed periodically.

QA checks should reflect the make-up of the homes scored. For example, if 75% of a program's scores are completed on homes before improvements are made, then 75% of the QA checks should be performed on homes before improvements are made, and only 25% on homes after improvements are made. If the QA check is conducted in-field, each home must be in the same condition for both the initial score and the QA check; otherwise, results may not correspond.

QA Service Providers

QA checks should be performed by a Quality Assurance Auditor who works for an independent third-party service provider or for the Partner directly, as approved by DOE. In cases where the Home Energy Score Partner is a private for-profit company with no binding implementation contract with a utility, state, or local government, QA checks must be performed by a third-party QA provider. The Quality Assurance Auditor must meet the following requirements¹:

- 1. Must be an active Home Energy Score Assessor
- 2. Must qualify through one of the following paths:
 - Hold either a current BPI Building Analyst or RESNET HERS credential for at least two years (credentials must be current or expired for no more than 1 year); AND, have conducted a minimum of 4 Home Energy Scores
 - i. DOE's Home Energy Score Team must review and sign off on <u>at least 4 of</u> these scores through in-field QA or Desktop Quality Assurance (DTQA)
 - ii. Issues relating to above assessments must be resolved by Home Energy Score Team, which may include additional QA assessments

¹ Requirements apply to new Partners signing onto this agreement only; existing Partners are grandfathered in to the requirements outlined on their existing Partnership Agreement document.

Attachment RR-DOER-1(A) Page 6 of 13

- b. Hold a BPI BSP credential AND have conducted a minimum of <u>20 Home Energy</u> <u>Scores</u>
 - i. DOE's Home Energy Score Team must review and sign off on <u>10 of these</u> scores through in-field QA or DTQA
 - ii. Issues relating to above assessments must be resolved by Home Energy Score Team, which may include additional QA assessments
- 3. Must receive phone and/or webinar training from the DOE Home Energy Score Team or an approved provider. Training for prospective QA Auditors will include
 - a. An overview and discussion of relevant information and tools
 - i. Purpose and goals of Quality Assurance
 - ii. QA protocol, whether in-field or through DTQA
 - iii. "HEScore Mentoring and QA Guidelines"
 - iv. Assessor Calculator
 - b. Joint completion of one or more example DTQA reviews
 - c. An opportunity to ask questions

There should be no conflict of interest between the third-party quality assurance provider and the Home Energy Score Partner. This includes, but is not limited to, installation services in houses assessed as part of the Home Energy Score Program. Prior to initiating its quality assurance efforts, the Partner must provide documentation regarding the QA Auditor's qualifications to their DOE account manager.

Any Service Provider seeking to offer Desktop Quality Assurance instead of in-field Quality Assurance must also meet the following minimum requirements:

- 1. In business for 5 years or more providing quality assurance administrative services.
- 2. Proven ability to meet IT needs:
 - a. Must have an information system to track, monitor, and store the data files from Remote Mentor and DTQA sessions.
 - b. The Home Energy Score Team must have access to data from sessions if requested, including but not limited to photos/videos from QA and remote mentoring.
 - c. Must be able to ensure data protection and IT security, including but not limited to data encryption, password aging, transaction logging, security breach policies, disaster planning, and backup protocols.
 - d. Must be able to maintain all Home Energy Score API integration needs and future changes as necessary.
 - e. Must be able to provide reports of scores and DTQA data entry, and at least monthly reports on QA trending and score analysis to the Home Energy Score Team.
- 3. Proven ability to fulfill the DTQA and/or Remote Mentoring process requirements.
- 4. Proven training, mentoring, and credentialing ability, such that Remote Mentors and DTQA Auditors can consistently comply with protocols in this document.

Attachment RR-DOER-1(A) Page 7 of 13

5. Must participate in regular Home Energy Score meetings, webinars, and conferences as directed by DOE.

QA Process

There are two acceptable pathways for a QA Auditor to check a Home Energy Score: either through an in-field assessment, or through Desktop Quality Assurance (DTQA). The Service Provider must be pre-approved by the Home Energy Score Team in order to conduct QA through either of these pathways.

If conducted in-field, the QA assessment may occur concurrently with the Assessor initially scoring the home, but it must be done independently. The QA Auditor must not discuss his or her findings or calculations with the Assessor who scored the home until after each has completed data entry and produced a score. However, after independent scoring is completed, discussion between the QA Auditor and Assessor is recommended to identify differences in interpretation or measurement and agree on a preferred approach going forward.

For Desktop Quality Assurance (DTQA), rather than performing a second, independent, in-field assessment, the DTQA Auditor reviews 20-35 photos of the home's key features submitted by the Assessor. See the document, "HEScore Mentoring and QA Guidelines" for more detailed information about the DTQA Protocols. Using these photos and other supporting information, the Auditor enters a QA assessment for the home and verifies the data entered by the Assessor utilizing the photo evidence and relevant online sources. Any points of contention can be discussed over the phone or through email between the Assessor and QA Auditor.


Reviewing QA Results

The Score results of the Assessor and the QA check must be comparable. If results for the same home differ by more than one point (on the 10-point scale), the initial score must be re-run as a "Corrected" Score. If an Assessor consistently produces scores that are not comparable to the QA check scores, re-training is required and must be completed before the Assessor can continue to score homes. If there is a consistent discrepancy between a QA Auditor's results and various Assessors' results, the QA Auditor will require re-training. The Partner is responsible for monitoring and identifying these issues.

In addition to the QA checks, all Partners should perform quality assurance checks on data (desk reviews). While reviewing their Home Energy Score data, Partners should look for discrepancies between Assessors to ensure consistent scoring across the program. For example:

- Is an Assessor consistently scoring homes high or low?
- Are there multiple Home Energy Score sessions for the same home? (Only one official Score Report for a specific assessment date should be associated with each home.)
- Is an Assessor repeatedly using the same values irrespective of the home's age or other characteristics?

Attachment RR-DOER-1(A)
Page 8 of 13



Mentoring Process

The Partner also agrees to provide field mentoring for each new Assessor during their first home scoring session. Mentoring can be performed by anyone who meets the following minimum requirements²:

- 1. Must be an active Home Energy Score Assessor
- 2. Must qualify through one of the following paths:
 - a. Hold either a current BPI Building Analyst or RESNET HERS credential for at least two years (credentials must be current or expired for no more than 1 year); AND, have conducted a minimum of 4 Home Energy Scores
 - i. DOE's Home Energy Score Team must review and sign off on <u>at least 4 of these scores</u> through in-field QA or Desktop Quality Assurance (DTQA)
 - ii. Issues relating to above assessments must be resolved by Home Energy Score Team, which may include additional QA assessments
 - Hold a BPI BSP credential AND have conducted a minimum of <u>20 Home Energy</u>
 Scores

Revised: 3/12/2021

² Requirements apply to new Partners signing onto this agreement only; existing Partners are grandfathered in to the requirements outlined on their existing Partnership Agreement document.


Attachment RR-DOER-1(A)
Page 9 of 13

- i. DOE's Home Energy Score Team must review and sign off on <u>10 of these</u> scores through in-field QA or DTQA
- ii. Issues relating to above assessments must be resolved by Home Energy Score Team, which may include additional QA assessments
- 3. Must receive phone and/or webinar training from the DOE Home Energy Score Team or an approved provider. Training for prospective mentors will include
 - a. An overview and discussion of relevant information and tools
 - i. Purpose and goals of mentoring
 - ii. "HEScore Data Entry Guidelines"
 - iii. "HEScore Mentoring and QA Guidelines"
 - iv. Assessor Calculator
 - b. A mock remote mentoring session
 - c. An opportunity to ask questions

During mentored sessions, the new Assessor (mentee) and mentor are encouraged to communicate throughout the walk-through as well as during the scoring so that the mentor can share their experience and correct the Assessor should there be any misunderstandings of inputs, measurements, assumptions, etc. If in-field mentoring is performed on a one-on-one basis on a home that has not been previously scored, this assessment counts toward the Partner's five percent QA requirement.

The Home Energy Score Team developed a procedure for Remote Mentoring in which a candidate Assessor can be mentored through a video-conferencing application or a software allowing for photos and videos of the home to be uploaded and shared with the Remote Mentor. Using these technologies, a Mentor can deliver an educational experience similar to live, in-person mentorship for an Assessor in another part of the country. See the document, "HEScore Mentoring and QA Guidelines" for more detailed information about Mentoring Protocols.

D.P.U. 21-129 Attachment RR-DOER-1(A) Page 10 of 13



4. Eligible Homes

The Scoring Tool is currently only available to score single family homes, including semi-attached homes (i.e., duplexes, townhouses). Note: Multi-family units cannot be scored using this tool. Partners interested in scoring multifamily buildings should contact DOE's commercial building energy asset score program (asset.score@ee.doe.gov). If questions arise concerning the application and/or use of the Scoring Tool, please contact assessor@ee.doe.gov or your DOE account manager for clarification and assistance.

5. Linking to Other Software Tools

Software developers can license an application programming interface (API) in order to seamlessly link their tools to the Home Energy Scoring Tool. This capability reduces data entry burdens for Assessors already using other software tools. Software programs that make use of the API will need to satisfy DOE testing requirements to ensure that scoring through the API results in the same calculations as scoring directly through the Home Energy Scoring Tool online.

Attachment RR-DOER-1(A)
Page 11 of 13

6. Home Energy Score Updates

In addition to providing homeowners with a Score at the time of the original energy assessment, Assessors and Partners can issue updated Home Energy Scores after the time of assessment.

A home can be rescored ("Final" assessment) if an Assessor performs an energy assessment after the improvements are made to the home.

7. Use of DOE Materials and DOE Seal/Logos

The Home Energy Scoring Tool generates a report that includes these three pieces of information:

- 1. The **Home Energy Score graphic**, including the home's current Score, its anticipated Score after recommended improvements are made, and estimated savings from improvements. Partners that choose to use the semi-customizable label option may have other information included on the Score page, e.g., estimated costs instead of savings. Partners may include their organization's logo on the Home Energy Score report.
- 2. Home facts, or the home's asset summary that lists each data point input into the Scoring Tool to generate a Home Energy Score, as well as the home's estimated annual energy costs (including a comparable reference for appraisal use cases) and estimated annual energy use broken down by total MBtu, Score basis MBtu, fuel type (e.g., electricity in kWh and natural gas in therms), and energy use per square foot. Photovoltaic generation in kWh can also be included where applicable.
- 3. Cost-effective energy improvement recommendations that are broken down as "Repair Now" and "Replace Later." If the Partner chooses to use its own energy upgrade recommendations rather than those generated by the Scoring Tool, a generic Home Energy Score Recommendations page should be included in the final report. The blank recommendation page indicates the Assessor will provide recommendations separately from the report.

If the Partner wishes to create a customized Home Energy Score report that is generated outside of the DOE tool, it must submit a mock-up of the report to DOE for review to ensure it includes appropriate data points and attributions, and adheres to communications and branding guidelines. Furthermore, Partners using an approved customized report must link each report to the Home Energy Score database through the "upload_label" API call. This will ensure that DOE receives a copy of all customized reports generated by that Partner. Instructions for doing this will be provided to Partners that opt to create a customized report.

In addition to the Home Energy Score report, DOE provides several other documents Partners or Assessors are STRONGLY encouraged to provide at the time of the assessment or when the Score is delivered to the homeowner:

- What Does My Score Mean?: An explanation of how to interpret a home's Score, background on the scoring program, etc.
- 2. <u>Be a Smart and Engaged Homeowner</u>: Guidance on what to look for when undertaking home energy improvements, pitfalls to avoid, etc.

Attachment RR-DOER-1(A) Page 12 of 13

In its implementation plan, the Partner must describe what information homeowners will receive, and when and how they will receive it. If the Partner elects not to use some of the DOE-provided materials, other information should be provided with the Score.

If the Partner would like to incorporate portions of materials provided by the Scoring Tool and/or DOE into its own materials, the Partner must adhere to the following rules. Partners must share an advanced copy of materials that incorporate DOE-generated information with their account manager.

- The Partner may use the DOE seal or logo only in the exact context as it is used on the Home Energy Score graphic (the first page of the Home Energy Score report). If the Partner wishes to use a DOE logo other than the Home Energy Score logos described below, the DOE-Energy Efficiency and Renewable Energy (EERE) logo may be used, but only with permission from DOE.
- 2. Use of Home Energy Score logos must adhere to the branding guidelines included in the marketing suite of the password-protected Partner Portal.
- 3. Partners should refer to the <u>Communications Style Guide</u> for guidance when creating Home Energy Score communications materials or referencing the program. The guide is available in the Marketing & Outreach Materials section of the Home Energy Score website.
- 4. If the Partner refers to the Home Energy Score in its materials, it must include a description of the Home Energy Score (on or near the page in which the Home Energy Score is mentioned) using language approved by DOE, such as the standard language included below, language from the DOE Home Energy Score website (www.homeenergyscore.gov), or as approved by the Partner's DOE account manager.
 - "The U.S. Department of Energy's Home Energy Score lets homeowners, renters, and buyers quickly and affordably know how their homes compare to others in terms of energy performance and what steps they can take to improve their homes' efficiency."
- 5. If the Partner wants to incorporate the Home Energy Score (i.e., how a home scored on the 10-point scale) in its own homeowner packet, the Partner is encouraged to provide a context for the Score (e.g., show the entire 10-point scale or state that the home scored a "6 out of 10").

In all cases, the Partner is strongly encouraged to work in advance with their DOE Home Energy Score account manager to ensure that a consistent message and clear, accurate information is provided to homeowners. The Partner is also encouraged to explain that they are working in partnership with DOE. DOE will work with the Partner to draft acceptable language as needed. The Partner is welcome to use information directly off of the DOE Home Energy Score website to help explain the Score or the program to homeowners.

Public reporting burden for this collection of information is estimated to average 2.5 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Office of the Chief Information Officer, Records Management Division, IM-23, Paperwork Reduction Project (1910-5184), U.S. Department of Energy, 1000 Independence Ave SW, Washington, DC, 20585-1290; and to the Office of Management and Budget (OMB), OIRA, Paperwork Reduction Project (1910-5184), Washington, DC, 20503.

Signature Certificate

Document Ref.: IFCX6-2YJJB-OVDSA-GXHYC

Document signed by:



Victor Pisani

Verified E-mail: vpisani@clearesult.com

155.190.18.7 Date: 24 Nov 2021 19:25:03 UTC



Document completed by all parties on: 24 Nov 2021 19:25:03 UTC

Page 1 of 1



Signed with PandaDoc.com

PandaDoc is a document workflow and certified eSignature solution trusted by 25,000+ companies worldwide.

